

Official Journal

of the European Communities

Volume 20 No L 353
31 December 1977

English Edition

Legislation

Contents

I *Acts whose publication is obligatory*

.....

II *Acts whose publication is not obligatory*

Commission

Commission statement concerning basic prices of certain iron and steel products 1

II

(Acts whose publication is not obligatory)

COMMISSION

COMMISSION STATEMENT

concerning basic prices of certain iron and steel products

There is a state of serious disturbance in the Community's iron and steel market of which the main cause, for certain products, seems to be imports which are being dumped and/or subsidized.

With effect from 1 January 1978, the provisions of recommendation 77/329/ECSC on protection against dumping or the granting of bounties or subsidies countries which are not members of the European Coal and Steel Community ⁽¹⁾, modified by recommendation No 3004/77/ECSC ⁽²⁾, will be applied.

Published below, within the terms of that recommendation and in particular Article 19 (3) (b) thereof, are the basic prices ⁽³⁾, established by reference to the lowest normal costs in the supplying country or countries where there are normal conditions of competition, of the iron and steel products set out below, effective from 1 January 1978.

By acting in this way, and in the opinion of the Commission, traditional trade patterns will be affected as little as possible.

⁽¹⁾ OJ No L 114, 5. 5. 1977, p. 6.

⁽²⁾ OJ No L 352, 31. 12. 1977, p. 17.

⁽³⁾ This concept differs from the concept of basic prices used in the iron and steel lists published in accordance with Article 60 of the ECSC Treaty.

Equivalent of one European unit of account

Belgian and Luxembourg franc	40.5025
German mark	2.57110
Dutch guilder	2.78168
Pound sterling	0.647678
Danish krone	7.13038
French franc	5.77987
Italian lira	1 055.69
Irish pound	0.647678

In order to maintain a uniform price level, the Commission may adjust these prices in accordance with fluctuations in exchange rates.

(EUA/tonne)

CCT heading No	Description	Effective price (basic + extra) cif duty paid
73.01 B	1. Hematite pig iron with a content of less than 0.5 % phosphorus and 0.1 % or more manganese and : (a) between 1.0 % and 3.0 % included silicon (b) from more than 3.0 % to 3.5 % included silicon (c) from more than 3.5 % to 4.0 % included silicon 2. Foundry pig iron with a content of less than 0.5 % phosphorus and 1.0 % or less silicon and : (a) between 0.4 % to 2.0 % included manganese (b) from more than 2.0 % to 6.0 % included manganese 3. Special hematite pig iron for the preparation of spheroidal graphite pig iron with a content of less than 0.5 % phosphorus and less than 0.1 % manganese	149.35 153.63 157.52 133.79 138.85 152.85
73.01 C	High phosphorous foundry pig iron with a content of 0.5 % or more phosphorus and 0.5 % or more phosphorus and : (a) between 1.0 % and 3.0 % included silicon (b) from more than 3.0 % to 3.5 % included silicon (c) from more than 3.5 % to 4.0 % included silicon	153.24 157.52 161.41
73.01 D	Other pig iron (to an analysis not covered by the above headings)	161.41
73.02 A I	Ferro-manganese with a content of more than 2 % carbon (high carbon ferro-manganese) and with a content of manganese of : (a) less than 75 % (b) from 75 % to less than 76 % (c) from 76 % to less than 77 % (d) from 77 % to less than 78 % (e) from 78 % to less than 79 % (f) 79 % and more.	272.65 276.15 279.65 283.54 287.04 290.93

CCT heading No	Description	Effective price (basic + extra) cif duty paid
73.08 (except 73.08 A I)	Iron or steel coils for re-rolling : 1. to BS 1449 : Grades HR4, 14 and 15 (other than killed steel type); to BS 4360 : Grades 40A and 40B : (a) less than 3 mm (b) 3 mm and over 2. to BS 1449 : Grades HR2 and 3, Grades HR4, 14 and 15 (killed steel type); to BS 4360 : Grades 43A and 43B : (a) less than 3 mm (b) 3 mm and over 3. all other qualities (a) less than 3 mm (b) 3 mm and over	 230.25 226.35 245.80 241.90 282.75 278.90
73.10 A I	Wire rod : 1. in mild steel (balanced steel type) : (a) rounds from 5.5 mm to 13 mm inclusive (b) other sections, all sizes 2. all other qualities : (a) rounds from 5.5 mm to 13 mm inclusive (b) other sections, all sizes	 241.90 286.65 269.15 313.85
73.10 A II a)	Reinforcing bars, plain or ribbed reinforcement steel bars in lengths, whether or not deformed after rolling : 1. under 12 mm diameter 2. 12 mm diameter and over	 228.00 206.00
73.10 A II b)	Other bars : 1. in mild steel to no standard specification : (a) round bars up to 13 mm diameter (b) round bars over 13 mm diameter (c) square and hexagonal bars (d) flats less than 20 mm wide (e) flats from 20 mm to under 50 mm wide (f) flats 50 mm wide and over	 257.85 242.30 257.85 308.40 255.90 246.20

CCT heading No	Description	Effective price (basic + extra) cif duty paid
73.10 A II b) (<i>cont'd</i>)	2. to BS 4360 : Grades 40A and 43A ; to Lloyds Register : Grade A : (a) round bars up to 13 mm diameter (b) round bars over 13 mm diameter (c) square and hexagonal bars (d) flats less than 20 mm wide (e) flats from 20 mm to under 50 mm wide (f) flats 50 mm wide and over 3. in other qualities : (a) round bars up to 13 mm diameter (b) round bars over 13 mm diameter (c) square and hexagonal bars (d) flats less than 20 mm wide (e) flats from 20 mm to under 50 mm wide (f) flats 50 mm wide and over	263.70 248.15 263.70 314.25 261.75 252.05 300.65 285.10 300.65 351.20 298.70 289.00
73.11 A I a) 1	Angles, shapes and sections, not further worked than hot rolled or extruded, joists and universal beams and columns with a web measurement of less than 80 mm : (a) in mild steel to no standard specification (not applicable in the United Kingdom) (b) to BS 4360 : Grades 40A and 43A ; to Lloyds Register : Grade A (c) all other qualities	270.30 276.15 318.95
73.11 A I a) 2	Angles, shapes and sections, not further worked than hot rolled or extruded, joists, universal beams and columns and channels with a web measurement of 80 mm or over : (a) in mild steel to no standard specification (not applicable in the United Kingdom) (b) to BS 4360 : Grades 40A and 43A ; to Lloyds Register : Grade A (c) all other qualities	254.75 260.60 303.35
73.11 A I b)	Other sections : 1. in mild steel to no standard specification : (a) equal angles up to 40 mm × 40 mm (b) equal angles over 40 mm × 40 mm (c) unequal angles (d) tees and other sections	253.95 242.30 255.90 263.70

CCT heading No	Description	Effective price (basic + extra) cif duty paid
73.11 A I b) (cont'd)	2. to BS 4360 : Grades 40A and 43A ; to Lloyds Register : Grade A : (a) equal angles up to 40 mm × 40 mm (b) equal angles over 40 mm × 40 mm (c) unequal angles (d) tees and other sections 3. in other qualities : (a) equal angles up to 40 mm × 40 mm (b) equal angles over 40 mm × 40 mm (c) unequal angles (d) tees and other sections	259.80 248.15 261.75 262.55 296.75 285.10 298.70 306.50
73.12 A II	Hoop and strip, not further worked than hot rolled : 1. to BS 1449 : Grade HS4 (other than killed steel type) : (a) under 3 mm (b) 3 mm and over 2. to BS 1449 : Grades HS1, 2 and 3, Grade HS4 (killed steel type), Grades HS12, 17 and 22 : (a) under 3 mm (b) 3 mm and over 3. other qualities : (a) under 3 mm (b) 3 mm and over	245.40 241.50 261.00 257.10 298.00 294.00
73.13 A II	'Electrical' sheets and plates, other (a) Sheets with a watt-loss of three watts to less than 3.6 watts in widths of 500 mm but less than 1 000 mm in widths of 1 000 mm and over for insulation supplied in cut lengths (b) Sheets with a watt-loss of 3.6 watts and over in widths of 500 mm but less than 1 000 mm in widths of 1 000 mm and over for insulation supplied in cut lengths	495.00 (basic) 23.00 (extra) without extra 27.00 (extra) 19.50 (extra) 447.00 (basic) 23.00 (extra) without extra 27.00 (extra) 19.50 (extra)

CCT heading No	Description	Effective price (basic + extra) cit duty paid
73.13 B I a)	Sheets and plates, not further worked than hot rolled, of a thickness of : 1. to BS 1449 : Grades HR4, 14 and 15 (other than killed steel type); to BS 4360 : Grades 40A, 40B, 43A and 43B ; to Lloyds Register : Grade A : (a) 3 mm to 10 mm inclusive (b) over 10 mm to 40 mm (c) over 40 mm 2. to BS 1449 : Grades HR4, 14 and 15 (killed steel type); to BS 4360 : Grades 40C and 43C ; to BS 1501 : Grades 151 and 154 (as rolled condition): (a) 3 mm to 10 mm inclusive (b) over 10 mm to 40 mm (c) over 40 mm 3. all other qualities : (a) 3 mm to 10 mm inclusive (b) over 10 mm to 40 mm (c) over 40 mm	247.35 240.00 255.50 266.80 259.40 275.00 300.00 292.50 308.00
73.13 B II b)	Sheets and plates, not further worked than cold rolled, of a thickness of more than 1 mm but less than 3 mm : 1. <i>Supplied in coils :</i> (a) to BS 1449 : Grade CR4 (not stabilized) (b) to BS 1449 : Grade CR2, and all grades in stabilized steel (c) other qualities 2. <i>supplied in cut lengths :</i> (a) to BS 1449 : Grade CR4 (not stabilized) (b) to BS 1449 : Grade CR2, and all grades in stabilized steel (c) other qualities	301.80 334.90 315.45 315.45 348.50 329.05
73.13 B II c) 1	Sheets and plates, not further worked than cold rolled, of a thickness of from 0.5 mm to 1 mm inclusive : 1. <i>supplied in coils :</i> (a) to BS 1449 : Grade CR4 (not stabilized) (b) to BS 1449 : Grade CR2, and all grades in stabilized steel (c) other qualities 2. <i>supplied in cut lengths :</i> (a) to BS 1449 : Grade CR4 (not stabilized) (b) to BS 1449 : Grade CR2, and all grades in stabilized steel (c) other qualities	313.50 346.50 327.10 327.10 360.15 340.70

CCT heading No	Description	Effective price (basic + extra) cif duty paid
73.13 B II c) 2	Sheets and plates, not further worked than cold rolled, of a thickness of less than 0.5 mm : 1. <i>supplied in coils :</i> (a) to BS 1449 : Grade CR4 (not stabilized) 348.50 (b) to BS 1449 : Grade CR2, and all grades in stabilized steel 381.55 (c) other qualities 362.10 2. <i>supplied in cut lengths :</i> (a) to BS 1449 : Grade CR4 (not stabilized) 362.10 (b) to BS 1449 : Grade CR2, and all grades in stabilized steel 395.15 (c) other qualities 375.70	
73.13 B IV c) 1	Other sheets, electro-zinc coated, of a thickness of less than 1 mm : <i>supplied in coils :</i> to BS 1449 : Grade CR4 375 other qualities 405 <i>supplied in cut lengths :</i> to BS 1449 : Grade CR4 390 other qualities 420 Other sheets, electro-zinc coated, of a thickness of 1 mm but less than 3 mm : <i>supplied in coils :</i> to BS 1449 : Grade CR4 335 other qualities 365 <i>supplied in cut lengths :</i> to BS 1449 : Grade CR4 350 other qualities 380	
73.13 B IV c) 2	Other galvanized sheet supplied in coils : to BS 2989 : Grades Z1 and Z2 : under 0.5 mm 389 0.5 mm to 1 mm inclusive 373 over 1 mm 323 to BS 2989 : Grade Z5 : under 0.5 mm 439 0.5 mm to 1 mm inclusive 408 over 1 mm 373	

CCT heading No	Description	Effective price (basic + extra) cif duty paid
73.13 B IV c) 2 (<i>cont'd</i>)	other qualities : under 0.5 mm 0.5 mm to 1 mm inclusive over 1 mm extra for sheets cut to length extra for corrugated sheets — in addition to the extra for cutting to length	 416 385 350 13.50 33.00
73.15 A V b) 1	Wire rod in high carbon steel (carbon content over 0.60) : 1. to BS 970 : 070A72 : 5.5 mm to 6.5 mm inclusive over 6.5 mm to 8 mm over 8 mm to 10 mm over 10 mm to 12 mm over 12 mm to under 20 mm 20 mm and over extra for spheroid annealing extra for pickling or shotblasting 2. tyre wire, all sizes	 475 443 412 399 395 381 43 27 327

(EUA/tonne)

CCT heading No	Description	Effective price (basic + extra) cif duty paid																																																																																																																																												
73.15 B V b) 2	Bars, hollow mining drill steel, angles, shapes and sections ALLOY STEELS Alloy steels are classified according to their analysis, which must be clearly stated on the import licences and invoices I. ALLOY STEEL BARS <table><tr><th rowspan="2">Nearest BS 970 equivalent</th><th colspan="4">Alloying elements</th><th rowspan="2">basic without extras</th></tr><tr><th>Cr</th><th>Mn</th><th>Mo</th><th>Ni</th></tr><tr><td>530 series</td><td>0.9—1.2</td><td>0.5—0.8</td><td></td><td></td><td>400</td></tr><tr><td>530 series + Mn</td><td>0.8—1.1</td><td>1.0—1.3</td><td></td><td></td><td>408</td></tr><tr><td>709 M40</td><td>0.9—1.2</td><td>0.5—0.8</td><td>0.15—0.3</td><td></td><td>437</td></tr><tr><td>—</td><td>1.4—1.7</td><td>0.4—0.6</td><td>—</td><td>1.4—1.7</td><td>507</td></tr><tr><td>659 series</td><td>0.55—0.95</td><td>0.4—0.8</td><td>—</td><td>3.25—3.75</td><td>770</td></tr><tr><td>805 series</td><td>0.4—0.65</td><td>0.65—0.95</td><td>0.15—0.25</td><td>0.4—0.7</td><td>459</td></tr><tr><td>823 M30</td><td>1.8—2.2</td><td>0.3—0.6</td><td>0.3—0.5</td><td>1.8—2.2</td><td>700</td></tr><tr><td>605 series</td><td></td><td>1.3—1.8</td><td>0.2—0.35</td><td></td><td>437</td></tr><tr><td>—</td><td>0.7—1.0</td><td>0.5—0.8</td><td>0.15—0.25</td><td>0.7—1.2</td><td>508</td></tr><tr><td></td><td></td><td>Mn</td><td>Boron</td><td></td><td></td></tr><tr><td>080 A35</td><td></td><td>0.5—0.8</td><td>0.002</td><td></td><td>385</td></tr></table> II SPRING STEEL BARS <table><tr><th rowspan="2">Nearest BS 970 equivalent</th><th colspan="4">Alloying elements</th><th rowspan="2"></th></tr><tr><th>Cr</th><th>Mn</th><th>Va</th><th>Si</th></tr><tr><td>Rounds</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>250 series</td><td>0.2—0.4</td><td>0.7—1.1</td><td></td><td>1.5—1.8</td><td>408</td></tr><tr><td>250 series</td><td></td><td>0.5—0.8</td><td></td><td>1.5—1.8</td><td>389</td></tr><tr><td>735 450</td><td>0.9—1.2</td><td>0.7—1.1</td><td>0.1—0.2</td><td>0.15—0.40</td><td>447</td></tr><tr><td>Flats</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>250 series</td><td></td><td>0.5—0.8</td><td></td><td>1.5—1.8</td><td>356</td></tr><tr><td>—</td><td>0.2—0.4</td><td>0.7—1.1</td><td></td><td>1.5—1.8</td><td>356</td></tr><tr><td>527 A60</td><td>0.4—0.7</td><td>0.4—0.6</td><td></td><td>0.15—0.40</td><td>373</td></tr><tr><td>735 A50</td><td>0.9—1.2</td><td>0.7—1.1</td><td>0.1—0.2</td><td>0.15—0.40</td><td>381</td></tr></table>	Nearest BS 970 equivalent	Alloying elements				basic without extras	Cr	Mn	Mo	Ni	530 series	0.9—1.2	0.5—0.8			400	530 series + Mn	0.8—1.1	1.0—1.3			408	709 M40	0.9—1.2	0.5—0.8	0.15—0.3		437	—	1.4—1.7	0.4—0.6	—	1.4—1.7	507	659 series	0.55—0.95	0.4—0.8	—	3.25—3.75	770	805 series	0.4—0.65	0.65—0.95	0.15—0.25	0.4—0.7	459	823 M30	1.8—2.2	0.3—0.6	0.3—0.5	1.8—2.2	700	605 series		1.3—1.8	0.2—0.35		437	—	0.7—1.0	0.5—0.8	0.15—0.25	0.7—1.2	508			Mn	Boron			080 A35		0.5—0.8	0.002		385	Nearest BS 970 equivalent	Alloying elements					Cr	Mn	Va	Si	Rounds						250 series	0.2—0.4	0.7—1.1		1.5—1.8	408	250 series		0.5—0.8		1.5—1.8	389	735 450	0.9—1.2	0.7—1.1	0.1—0.2	0.15—0.40	447	Flats						250 series		0.5—0.8		1.5—1.8	356	—	0.2—0.4	0.7—1.1		1.5—1.8	356	527 A60	0.4—0.7	0.4—0.6		0.15—0.40	373	735 A50	0.9—1.2	0.7—1.1	0.1—0.2	0.15—0.40	381	
Nearest BS 970 equivalent	Alloying elements				basic without extras																																																																																																																																									
	Cr	Mn	Mo	Ni																																																																																																																																										
530 series	0.9—1.2	0.5—0.8			400																																																																																																																																									
530 series + Mn	0.8—1.1	1.0—1.3			408																																																																																																																																									
709 M40	0.9—1.2	0.5—0.8	0.15—0.3		437																																																																																																																																									
—	1.4—1.7	0.4—0.6	—	1.4—1.7	507																																																																																																																																									
659 series	0.55—0.95	0.4—0.8	—	3.25—3.75	770																																																																																																																																									
805 series	0.4—0.65	0.65—0.95	0.15—0.25	0.4—0.7	459																																																																																																																																									
823 M30	1.8—2.2	0.3—0.6	0.3—0.5	1.8—2.2	700																																																																																																																																									
605 series		1.3—1.8	0.2—0.35		437																																																																																																																																									
—	0.7—1.0	0.5—0.8	0.15—0.25	0.7—1.2	508																																																																																																																																									
		Mn	Boron																																																																																																																																											
080 A35		0.5—0.8	0.002		385																																																																																																																																									
Nearest BS 970 equivalent	Alloying elements																																																																																																																																													
	Cr	Mn	Va	Si																																																																																																																																										
Rounds																																																																																																																																														
250 series	0.2—0.4	0.7—1.1		1.5—1.8	408																																																																																																																																									
250 series		0.5—0.8		1.5—1.8	389																																																																																																																																									
735 450	0.9—1.2	0.7—1.1	0.1—0.2	0.15—0.40	447																																																																																																																																									
Flats																																																																																																																																														
250 series		0.5—0.8		1.5—1.8	356																																																																																																																																									
—	0.2—0.4	0.7—1.1		1.5—1.8	356																																																																																																																																									
527 A60	0.4—0.7	0.4—0.6		0.15—0.40	373																																																																																																																																									
735 A50	0.9—1.2	0.7—1.1	0.1—0.2	0.15—0.40	381																																																																																																																																									

CCT heading No	Description	Effective price (basic + extra) cif duty paid																																		
73.15 B V b) 2 (cont'd)	Starting from the basic prices listed above, prices can be calculated for different qualities by adjustment according to the following values : Ni 55 EUA/tonne per 1 % of Ni content Mo 140 EUA/tonne per 1 % of Mo content Cr 15 EUA/tonne per 1 % of Cr content Va 218 EUA/tonne per 1 % of Va content Mn 6 EUA/tonne per 1 % of Mn content These extras should be added to the price of the quality which has the closest analysis For boron-treated steels there will be a standard extra of 20 EUA/tonne applied to the appropriate price for the quality With the exception of spring steel flats, the extras to be applied (for size, heat-treatment, etc) are shown below For spring steel flats up to and including 50 mm wide in all thicknesses an extra of 10 EUA/tonne will apply. All other sizes : no extra																																			
	Size extras > 200 200 to > 170 170 > 160 160 > 150 150 > 120 120 > 80 80 > 70 70 > 60 60 > 40 40 > 30 30 > 25 25 > 20 20 > 18 18 > 16 16 > 14 14 > 12 100 > 80 80 > 70 70 > 60 60 > 40 40 > 30 30 > 25 25 > 20 20 > 18	<table border="1"> <thead> <tr> <th>Rounds</th><th>Squares</th></tr> </thead> <tbody> <tr><td>39</td><td>43</td></tr> <tr><td>31</td><td>35</td></tr> <tr><td>19</td><td>23</td></tr> <tr><td>19</td><td>23</td></tr> <tr><td>16</td><td>19</td></tr> <tr><td>12</td><td>16</td></tr> <tr><td>8</td><td>12</td></tr> <tr><td>4</td><td>8</td></tr> <tr><td>—</td><td>4</td></tr> <tr><td>4</td><td>8</td></tr> <tr><td>16</td><td>21</td></tr> <tr><td>31</td><td>45</td></tr> <tr><td>54</td><td>64</td></tr> <tr><td>70</td><td>82</td></tr> <tr><td>93</td><td>103</td></tr> <tr><td>117</td><td>124</td></tr> </tbody> </table> Hexagons / Octogons 171 140 120 113 120 148 171 214	Rounds	Squares	39	43	31	35	19	23	19	23	16	19	12	16	8	12	4	8	—	4	4	8	16	21	31	45	54	64	70	82	93	103	117	124
Rounds	Squares																																			
39	43																																			
31	35																																			
19	23																																			
19	23																																			
16	19																																			
12	16																																			
8	12																																			
4	8																																			
—	4																																			
4	8																																			
16	21																																			
31	45																																			
54	64																																			
70	82																																			
93	103																																			
117	124																																			

(EUA/tonne)

CCT heading No	Description	Effective price (basic + extra) cif duty paid																																																																																																																																			
73.15 B V b) 2 (cont'd)	FLATS Size extras (EUA/tonne) <table><tr><th rowspan="2">Width (mm)</th><th colspan="10">Thickness (mm)</th></tr><tr><th>8 < 10</th><th>10 < 12</th><th>12 < 15</th><th>15 < 20</th><th>20 < 25</th><th>25 < 30</th><th>30 < 40</th><th>40 < 50</th><th>50 < 60</th><th>60 and over</th></tr><tr><td>25 < 30</td><td></td><td></td><td></td><td>123</td><td>111</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>30 < 35</td><td></td><td></td><td></td><td>107</td><td>95</td><td>91</td><td></td><td></td><td></td><td></td></tr><tr><td>35 < 40</td><td></td><td></td><td></td><td>97</td><td>89</td><td>86</td><td></td><td></td><td></td><td></td></tr><tr><td>40 < 50</td><td></td><td>123</td><td>107</td><td>89</td><td>80</td><td>74</td><td>78</td><td>91</td><td></td><td></td></tr><tr><td>50 < 60</td><td></td><td>115</td><td>97</td><td>86</td><td>74</td><td>68</td><td>72</td><td>86</td><td>101</td><td></td></tr><tr><td>60 < 70</td><td>113</td><td>107</td><td>89</td><td>76</td><td>68</td><td>64</td><td>64</td><td>74</td><td>80</td><td>101</td></tr><tr><td>70 < 80</td><td>99</td><td>93</td><td>80</td><td>68</td><td>58</td><td>56</td><td>62</td><td>62</td><td>78</td><td>95</td></tr><tr><td>80 < 100</td><td>95</td><td>86</td><td>74</td><td>64</td><td>58</td><td>54</td><td>54</td><td>54</td><td>70</td><td>80</td></tr><tr><td>100 < 120</td><td></td><td>89</td><td>76</td><td>66</td><td>62</td><td>56</td><td>56</td><td>56</td><td>72</td><td>84</td></tr><tr><td>120 < 150</td><td></td><td>93</td><td>78</td><td>68</td><td>66</td><td>62</td><td>62</td><td>62</td><td>78</td><td>91</td></tr></table> Heat treatment : (a) annealing (b) normalizing (c) heat treatment to give a specified tensile strength (d) heat treatment to give a pearlitic or ferritic structure (e) heat treatment to give an improved machinability (f) long cycle annealing (spheroidizing) (g) hardening and tempering (h) stress relieving III. BEARING STEELS Analysis : C Mn S and P Si Cr 0.98 / 1.10 0.25 / 0.45 < 0.025 0.15 / 0.30 1.30 / 1.60 Basic price : — as rolled — annealed 420 467 Size extras as shown above for alloy steels	Width (mm)	Thickness (mm)										8 < 10	10 < 12	12 < 15	15 < 20	20 < 25	25 < 30	30 < 40	40 < 50	50 < 60	60 and over	25 < 30				123	111						30 < 35				107	95	91					35 < 40				97	89	86					40 < 50		123	107	89	80	74	78	91			50 < 60		115	97	86	74	68	72	86	101		60 < 70	113	107	89	76	68	64	64	74	80	101	70 < 80	99	93	80	68	58	56	62	62	78	95	80 < 100	95	86	74	64	58	54	54	54	70	80	100 < 120		89	76	66	62	56	56	56	72	84	120 < 150		93	78	68	66	62	62	62	78	91	
Width (mm)	Thickness (mm)																																																																																																																																				
	8 < 10	10 < 12	12 < 15	15 < 20	20 < 25	25 < 30	30 < 40	40 < 50	50 < 60	60 and over																																																																																																																											
25 < 30				123	111																																																																																																																																
30 < 35				107	95	91																																																																																																																															
35 < 40				97	89	86																																																																																																																															
40 < 50		123	107	89	80	74	78	91																																																																																																																													
50 < 60		115	97	86	74	68	72	86	101																																																																																																																												
60 < 70	113	107	89	76	68	64	64	74	80	101																																																																																																																											
70 < 80	99	93	80	68	58	56	62	62	78	95																																																																																																																											
80 < 100	95	86	74	64	58	54	54	54	70	80																																																																																																																											
100 < 120		89	76	66	62	56	56	56	72	84																																																																																																																											
120 < 150		93	78	68	66	62	62	62	78	91																																																																																																																											

CCT heading No	Description	Effective price (basic + extra) cif duty paid																																																																					
73.15 B V b) 2 (cont'd)	TOOL STEEL <i>Analysis :</i> <table><tr><th></th><th>AISI</th><th>Reference No</th><th></th></tr><tr><td>11.0 / 13.5 Cr 1.4 / 2.3 C</td><td>D 3</td><td>2080</td><td>1 637</td></tr><tr><td>1.1 / 1.8 Mn 0.85 / 1.0 C 0.25 Va max</td><td>O I</td><td>2510</td><td>1 116</td></tr><tr><td>4.0 / 4.5 Ni</td><td>4.25 % NCM</td><td>2766</td><td>1 361</td></tr><tr><td>4.75 / 5.75 Cr 1.25 / 1.75 Mo</td><td>H II H 13</td><td>2343 2344</td><td>1 303 1 400</td></tr></table> These prices are applicable to bars 16 mm to 90 mm in diameter STAINLESS STEEL BARS Stainless steels are classified according to their analysis, which must be clearly stated on the import licences and invoices Hot rolled, softened and descaled bars <table><tr><th>AISI</th><th>C</th><th>S</th><th>Cr</th><th>Ni</th><th>Mo</th><th></th></tr><tr><td>420</td><td>0.15</td><td>< 0.03</td><td>13 ± 0.5</td><td>—</td><td>—</td><td>875</td></tr><tr><td>430</td><td>0.12</td><td>< 0.03</td><td>17 ± 0.5</td><td>—</td><td>—</td><td>972</td></tr><tr><td>431</td><td>< 0.16</td><td>< 0.03</td><td>16.5 ± 0.5</td><td>2 ± 0.25</td><td>—</td><td>1 050</td></tr><tr><td>304</td><td>> 0.04</td><td>< 0.05</td><td>19 ± 0.5</td><td>9 ± 0.5</td><td>—</td><td>1 381</td></tr><tr><td>316</td><td>> 0.04</td><td>< 0.05</td><td>17 ± 0.5</td><td>12 ± 0.5</td><td>2.3 ± 0.25</td><td>1 789</td></tr><tr><td>321</td><td>> 0.04</td><td>< 0.05</td><td>18 ± 0.5</td><td>10 ± 0.5</td><td>—</td><td>1 478</td></tr></table> Extra for heat treatment Extras for special analyses : — low carbon : C < 0.035 % — titanium — resulphurized steel : S > 0.15 % — chromium : per 1 % deviation from analysis type — nickel : per 1 % deviation from analysis type — molybdenum : per 1 % deviation from analysis type — molybdenum : per successive 0.5 % deviation from analysis type		AISI	Reference No		11.0 / 13.5 Cr 1.4 / 2.3 C	D 3	2080	1 637	1.1 / 1.8 Mn 0.85 / 1.0 C 0.25 Va max	O I	2510	1 116	4.0 / 4.5 Ni	4.25 % NCM	2766	1 361	4.75 / 5.75 Cr 1.25 / 1.75 Mo	H II H 13	2343 2344	1 303 1 400	AISI	C	S	Cr	Ni	Mo		420	0.15	< 0.03	13 ± 0.5	—	—	875	430	0.12	< 0.03	17 ± 0.5	—	—	972	431	< 0.16	< 0.03	16.5 ± 0.5	2 ± 0.25	—	1 050	304	> 0.04	< 0.05	19 ± 0.5	9 ± 0.5	—	1 381	316	> 0.04	< 0.05	17 ± 0.5	12 ± 0.5	2.3 ± 0.25	1 789	321	> 0.04	< 0.05	18 ± 0.5	10 ± 0.5	—	1 478	1 637 <
	AISI	Reference No																																																																					
11.0 / 13.5 Cr 1.4 / 2.3 C	D 3	2080	1 637																																																																				
1.1 / 1.8 Mn 0.85 / 1.0 C 0.25 Va max	O I	2510	1 116																																																																				
4.0 / 4.5 Ni	4.25 % NCM	2766	1 361																																																																				
4.75 / 5.75 Cr 1.25 / 1.75 Mo	H II H 13	2343 2344	1 303 1 400																																																																				
AISI	C	S	Cr	Ni	Mo																																																																		
420	0.15	< 0.03	13 ± 0.5	—	—	875																																																																	
430	0.12	< 0.03	17 ± 0.5	—	—	972																																																																	
431	< 0.16	< 0.03	16.5 ± 0.5	2 ± 0.25	—	1 050																																																																	
304	> 0.04	< 0.05	19 ± 0.5	9 ± 0.5	—	1 381																																																																	
316	> 0.04	< 0.05	17 ± 0.5	12 ± 0.5	2.3 ± 0.25	1 789																																																																	
321	> 0.04	< 0.05	18 ± 0.5	10 ± 0.5	—	1 478																																																																	

(EUA/tonne)

CCT heading No	Description	Effective price (basic + extra) cif duty paid																																																																							
73.15 B V b) 2 (cont'd)	Size extras																																																																								
	Rounds (mm diameter):																																																																								
	under 20	194																																																																							
	20 to under 25	136																																																																							
	25 to under 40	97																																																																							
	40 to under 60	58																																																																							
	60 to 150 inclusive	—																																																																							
	over 150	39																																																																							
	Squares, hexagons and octagons (mm across flats):																																																																								
	under 20	369																																																																							
	20 to under 25	292																																																																							
	25 to under 40	253																																																																							
	40 to under 60	233																																																																							
	60 to 150 inclusive	175																																																																							
	over 150	253																																																																							
Flats																																																																									
	(EUA/tonne)																																																																								
	<table><tr><th rowspan="2">Width (mm)</th><th colspan="7">Thickness (mm)</th></tr><tr><th>4 < 5</th><th>5 < 6</th><th>6 < 8</th><th>8 < 10</th><th>10 < 20</th><th>20 < 40</th><th>40 and over</th></tr><tr><td>20 < 25</td><td></td><td>992</td><td>895</td><td>778</td><td>622</td><td></td><td></td></tr><tr><td>25 < 30</td><td>1 361</td><td>856</td><td>778</td><td>583</td><td>525</td><td></td><td></td></tr><tr><td>30 < 40</td><td>1 089</td><td>758</td><td>642</td><td>525</td><td>486</td><td>486</td><td></td></tr><tr><td>40 < 50</td><td>817</td><td>661</td><td>525</td><td>467</td><td>428</td><td>428</td><td></td></tr><tr><td>50 < 70</td><td>1 167</td><td>933</td><td>525</td><td>467</td><td>428</td><td>389</td><td>389</td></tr><tr><td>70 < 100</td><td>1 050</td><td>856</td><td>583</td><td>525</td><td>467</td><td>467</td><td>389</td></tr><tr><td>100 < 150</td><td></td><td></td><td></td><td></td><td>642</td><td>467</td><td>467</td></tr></table>	Width (mm)	Thickness (mm)							4 < 5	5 < 6	6 < 8	8 < 10	10 < 20	20 < 40	40 and over	20 < 25		992	895	778	622			25 < 30	1 361	856	778	583	525			30 < 40	1 089	758	642	525	486	486		40 < 50	817	661	525	467	428	428		50 < 70	1 167	933	525	467	428	389	389	70 < 100	1 050	856	583	525	467	467	389	100 < 150					642	467	467	
Width (mm)	Thickness (mm)																																																																								
	4 < 5	5 < 6	6 < 8	8 < 10	10 < 20	20 < 40	40 and over																																																																		
20 < 25		992	895	778	622																																																																				
25 < 30	1 361	856	778	583	525																																																																				
30 < 40	1 089	758	642	525	486	486																																																																			
40 < 50	817	661	525	467	428	428																																																																			
50 < 70	1 167	933	525	467	428	389	389																																																																		
70 < 100	1 050	856	583	525	467	467	389																																																																		
100 < 150					642	467	467																																																																		
73.15 B VII b) 2 bb)	Stainless steel sheet coil and sheets, in widths of 500 mm and over :																																																																								
	Thickness of :																																																																								
	0.4 mm to under 0.5 mm																																																																								
	0.5 mm to under 0.6 mm																																																																								
	0.6 mm to under 0.7 mm																																																																								
	0.7 mm to under 0.8 mm																																																																								
	0.8 mm to under 1.0 mm																																																																								
	1.0 mm to under 1.2 mm																																																																								
	1.2 mm to under 1.5 mm																																																																								
	1.5 mm to under 2.0 mm																																																																								
	2.0 mm to under 3.0 mm																																																																								
		The price in brackets includes the extra for protective coating																																																																							
		AISI Type 430																																																																							
		1 260 (1513)																																																																							
		1 167 (1392)																																																																							
	1 116 (1303)																																																																								
	1 077 (1237)																																																																								
	1 038 (1178)																																																																								
	1 019 (1132)																																																																								
	1 000 (1093)																																																																								
	980 (1054)																																																																								
	961 (1015)																																																																								

(EUA/tonne)

CCT heading No	Description	Effective price (basic + extra) cif duty paid
73.15 B VII b) 2 bb) (cont'd)	Thickness of : 0.4 mm to under 0.5 mm 0.5 mm to under 0.6 mm 0.6 mm to under 0.7 mm 0.7 mm to under 0.8 mm 0.8 mm to under 1.0 mm 1.0 mm to under 1.2 mm 1.2 mm to under 1.5 mm 1.5 mm to under 2.0 mm 2.0 mm to under 3.0 mm Thickness of : 0.4 mm to under 0.5 mm 0.5 mm to under 0.6 mm 0.6 mm to under 0.7 mm 0.7 mm to under 0.8 mm 0.8 mm to under 1.0 mm 1.0 mm to under 1.2 mm 1.2 mm to under 1.5 mm 1.5 mm to under 2.0 mm 2.0 mm to under 3.0 mm Thickness of : 0.4 mm to under 0.5 mm 0.5 mm to under 0.6 mm 0.6 mm to under 0.7 mm 0.7 mm to under 0.8 mm 0.8 mm to under 1.0 mm 1.0 mm to under 1.2 mm 1.2 mm to under 1.5 mm 1.5 mm to under 2.0 mm 2.0 mm to under 3.0 mm Additional extra for sheets cut to length	The price in brackets includes the extra for protective coating
		AISI Type 304
		1 614 (1867)
		1 536 (1762)
		1 459 (1645)
		1 400 (1560)
		1 342 (1482)
		1 322 (1435)
		1 303 (1396)
		1 283 (1357)
		1 264 (1319)
		AISI Types 321 and 304 L
		1 770 (2022)
		1 669 (1894)
		1 587 (1774)
		1 529 (1688)
		1 470 (1610)
		1 451 (1564)
		1 431 (1524)
		1 412 (1486)
		1 392 (1447)
		AISI Types 316, 316Ti and 316 L
		2 205 (2458)
		2 011 (2236)
		1 933 (2120)
		1 875 (2034)
		1 816 (1956)
		1 797 (1910)
		1 777 (1871)
		1 758 (1832)
		1 739 (1793)
		+ 58