

Official Journal

of the European Communities

ISSN 0378-6978

L 290

Volume 23

31 October 1980

English edition

Legislation

Contents

I *Acts whose publication is obligatory*

.....

II *Acts whose publication is not obligatory*

Commission

Communication from the Commission amending the basic prices for certain iron and steel products 1

II

(Acts whose publication is not obligatory)

COMMISSION

COMMUNICATION FROM THE COMMISSION

amending the basic prices for certain iron and steel products

In its communication of 31 December 1977 ⁽¹⁾, as last amended by the communication of 31 December 1979 ⁽²⁾, the Commission of the European Communities published basic prices for certain iron and steel products.

These basic prices have since been reviewed on the basis of Article 2 (6) (b) of recommendation No 3018/79/ECSC of 21 December 1979 on protection against dumped or subsidized imports from countries which are not members of the European Coal and Steel Community ⁽³⁾. The review of the normal costs for steel products in the supplying country or countries where there are normal conditions of competition indicated that there had been an increase. Consequently the Commission has decided to amend the basic prices published in the *Official Journal of the European Communities* of 31 December 1979 ⁽²⁾.

To this end it has allowed for the exchange rate changes which have taken place since 31 December 1979 and has fixed the equivalent value of a European unit of account for the basic prices.

The basic prices set out below are effective from 1 November 1980.

⁽¹⁾ OJ No L 353, 31. 12. 1977, p. 1.

⁽²⁾ OJ No L 344, 31. 12. 1979, p. 15.

⁽³⁾ OJ No L 339, 31. 12. 1979, p. 15.

Equivalent of one European unit of account

Belgian or Luxembourg franc	40.4348
German mark	2.51008
Dutch guilder	2.75444
Pound sterling	0.614488
Danish krone	7.804239
French franc	5.84907
Italian lira	1 179.033
Irish pound	0.673560

In order to maintain a uniform price level, the Commission may adjust these prices in accordance with fluctuations in exchange rates.

CCT heading No	Description	Effective price (basic + extra) cif duty-paid (EUA/tonne)
73.01 B	1. Hematite pig iron with a content of less than 0.5 % phosphorus and 0.1 % or more manganese and: (a) 1.0 to $\leq$ 3.0 % included silicon (b) $>$ 3.0 to $\leq$ 3.5 % included silicon (c) $>$ 3.5 to $\leq$ 4.0 % included silicon 2. Basic steel making pig iron with a content of less than 0.5 % phosphorus and 1.0 % or less silicon and: (a) 0.4 to $\leq$ 2.0 % included manganese (b) $>$ 2.0 to $\leq$ 6.0 % included manganese 3. Special hematite pig iron for the preparation of spheroidal graphite pig iron with a content of less than 0.5 % phosphorus and less than 0.1 % manganese	157 163 167 142 147 162
73.01 C	High phosphorus foundry pig iron with a content of 0.5 % or more phosphorus and 0.5 % or more phosphorus and (a) 1.0 to $\leq$ 3.0 % included silicon (b) $>$ 3.0 to $\leq$ 3.5 % included silicon (c) $>$ 3.5 to $\leq$ 4.0 % included silicon	162 167 170
73.01 D	Other pig iron (to an analysis not covered by the above headings)	170
73.02 A I	Ferro manganese with a content of more than 2 % carbon (high carbon ferro-manganese) and with a content of manganese of: (a) $<$ 75 % (b) 75 % to $<$ 76 % (c) 76 % to $<$ 77 % (d) 77 % to $<$ 78 % (e) 78 % to $<$ 79 % (f) $\geq$ 79 %	311 314 318 323 326 330
ex 73.02 A I	High-carbon ferro-manganese fines (73.02 A I) with granulometry 0 to 10 mm inclusive and manganese content over 65 %	268

(LUA tonne)

CCT heading No	Description	Effective price (basic + extra) cif duty-paid
73.07	Blooms, billets and slabs:	
A I	Blooms and billets:	
	1. All balanced, rimmed and semi-killed steels with a maximum silicon content of 0.10 %:	
	Dimensions:	
	(a) 50 to < 60 mm	286
	(b) 60 to < 70 mm	278
	(c) 70 to < 150 mm	260
	(d) 150 to ≤ 200 mm	254
	(e) > 200 to ≤ 250 mm	247
	2. Killed steels, i.e. steels having a minimum tensile strength of 50 kg/mm ² or 490 N/mm ² :	
	Extra over the effective price in category 1 above	26
	3. Killed steels to be analyzed in accordance with BS 970, Part 1, 1972:	
	Extra over the effective price in category 1 above	26
	4. All steels guaranteed to be suitable for heat-treatment with S + P ≤ 0.070 %	309
		Extra on the basic price above:
	Steels with a boron content	+ 22
	Steels with a lead addition	+ 33
	Steels with a manganese over 1.50 %	+ 22
	Resulphurized steels (in addition to the high manganese extra above)	+ 11
	Size extras:	
	(a) < 50 mm	Bar basic price
	(b) 50 to < 60 mm	+ 44
	(c) 60 to < 70 mm	+ 39
	(d) 70 to < 80 mm	+ 28
	(e) 80 to < 100 mm	+ 16
	(f) ≥ 100 mm	Basic
B I	Slabs:	
	With a thickness of more than 50 mm:	
	1. All balanced, rimmed and semi-killed steels with a maximum silicon content of 0.10 %	252
	2. Killed steels, i.e. steels having a minimum tensile strength of 50 kg/mm ² or 490 N/mm ²	278

CCT heading No	Description	Effective price (basic + extra) cif duty-paid	
73.07 B I a)	3. Killed steels to be analyzed in accordance with BS 970, Part 1, 1972	278	
	4. All steels guaranteed to be suitable for heat-treatment with S + P 0.070 %	309	
73.07 B I b)	With a thickness of 50 mm and less:		
	1. All balanced, rimmed and semi-killed steels with a maximum silicon content of 0.10 %	269	
	2. Killed steels, i.e. steels having a minimum tensile strength of 50 kg/mm² or 490 N/mm²	295	
	3. Killed steels to be analyzed in accordance with BS 970, Part 1, 1972	295	
	4. All steels guaranteed to be suitable for heat-treatment with S + P ≤ 0.070 %	309	
73.08 excluding 73.08 A 1	Coils of iron or steel, sheets/plates for re-rolling		
	1. for qualities: BS 1449-HR4, HR14, HR15:		
		A as rolled	B pickled
	< 2 mm	289	300
	2 to < 3 mm	286	296
	≥ 3 mm	281	292
	2. for qualities: BS 1449-HR2, HR3, HR34/20K, HR37/23K, HR43/25K BS 4360 Grades 40A/B, 50A:		

(EUA/tonne)

CCT heading No	Description	Effective price (basic + extra) cif duty-paid	
		A as rolled	B pickled
73.08 excluding 73.08 A 1 (cont'd)	< 2 mm	299	310
	2 to < 3 mm	295	306
	≥ 3 mm	293	304
	3. for qualities: BS 1449-HR1, HR4K, HR14K, HR15K BS 4360 Grade 50B BS 1501-151 BS 1501-154:		
	< 2 mm	307	319
	2 to < 3 mm	304	316
	≥ 3 mm	302	314
	4. for qualities: BS 1449 HR40/30K HR43/35K HR46/40K HR50/45K HR50/35K HR54/35K:		
	< 2 mm	318	329
	2 to < 3 mm	315	326
	≥ 3 mm	312	324
	5. for other qualities:		
	< 2 mm	343	354
	2 to < 3 mm	340	351
	≥ 3 mm	338	349
73.10 A 1	Wire rod:		
	1. in qualities: R10, R12, R15, B15, B18, B20 and K20 (and other equivalent qualities):		
	(a) rounds from 5.5 to 13 mm inclusive	293	
	(b) other sections, all sizes	344	
	2. in qualities: R06 (fine wire), BS 4449, R14 (cold heading) R18CH, R14, R08 (fine wire), K13, K19 (and other equivalent qualities):		
	(a) rounds from 5.5 to 13 mm inclusive	304	
	(b) other sections, all sizes	355	

(EUA/tonne)		
CCT heading No	Description	Effective price (basic + extra) cif duty-paid
73.10 A I (cont'd)	3. other qualities excluding those in items 4 and 5:	
	(a) rounds from 5.5 to 13 mm inclusive	324
	(b) other sections, all sizes	374
	4. wire rod for welding electrodes	347
		Basic price without extra
	5. high carbon wire rod (C < 0.6 % with S and P ≤ 0.07 %) guaranteed to be suitable for heat treatment	385
	The extras for special analysis are the same as those given for semis under subheadings 73.07 A I and B I (5)	
		Extra
	Dimension extras:	
	5 mm	+ 153
	5.5 mm	+ 118
	6 mm	+ 87
	6.5 mm	+ 70
	7 to < 8 mm	+ 53
	8 to < 10 mm	+ 34
	10 to < 12 mm	+ 20
	12 to < 13 mm	+ 15
	Heat treatment and other treatment, extras:	
	pickling	+ 30
	pickling and coating	+ 47
	annealing	+ 51
73.10 A II a)		Effective price (basic + extra) cif duty-paid
	Reinforcing bars for cement or concrete with small indentations, beads, hollows, or reliefs resulting from rolling, whether or not deformed after rolling:	
	< 12 mm	277
	12 to < 20 mm	251
	20 to < 25 mm	236
73.10 A II b)	> 25 mm	245
	Other bars:	
	1. in mild steel to no standard specification:	
	(a) rounds up to 13 mm diameter	305
	(b) rounds over 13 mm diameter, up to 80 mm	288
	(c) rounds over 80 mm diameter	313
	(d) square and hexagonal bars	305
	(e) flats less than 20 mm wide	360
	(f) flats from 20 mm to under 50 mm wide	309
	(g) flats from 50 mm to under 80 mm wide	301
	(h) flats 80 mm wide and over	313
	2. to BS 4360: Grades 40A and 43A: to Lloyds Register: Grade A:	
	(a) rounds up to 13 mm diameter	311
	(b) rounds over 13 mm diameter, up to 80 mm	294

(EUA/tonne)

CCT heading No	Description	Effective price (basic + extra) cif duty-paid
73.10 A II b) (cont'd)	(c) rounds over 80 mm diameter	320
	(d) square and hexagonal bars	311
	(e) flats less than 20 mm wide	365
	(f) flats from 20 mm to under 50 mm wide	316
	(g) flats from 50 mm to under 80 mm wide	307
	(h) flats 80 mm wide and over	320
	3. high strength steels $\geq 50 \text{ kg/mm}^2$ or 490 N/mm^2 other than those in items 4 and 5:	
	(a) rounds up to 13 mm diameter	351
	(b) rounds over 13 mm diameter, up to 80 mm	334
	(c) rounds over 80 mm diameter	360
	(d) square and hexagonal bars	351
	(e) flats less than 20 mm wide	404
	(f) flats from 20 mm to under 50 mm wide	355
	(g) flats from 50 mm to under 80 mm wide	347
	(h) flats 80 mm wide and over	360
	4. killed steels to analyses in accordance with BS 970: Part I: 1972:	
	(a) rounds up to 13 mm diameter	382
	(b) rounds over 13 mm diameter, up to 80 mm	365
	(c) rounds over 80 mm diameter	391
	(d) square and hexagonal bars	382
	(e) flats less than 20 mm wide	437
	(f) flats from 20 mm to under 50 mm wide	386
	(g) flats from 50 mm to under 80 mm wide	378
	(h) flats 80 mm wide and over	391
		Basic price without extra
	5. Steels guaranteed to be suitable for heat treatment, $S + P \leq 0.070 \%$ Extras for special analyses are those given for semis under subheadings 73.07 A I and B I (5) Size and treatment extras are the same as those given for bars of alloy-structural steels, under subheading 73.15 B V b) 2	378
		Effective price (basic + extra) cif duty-paid
73.11 A I a) 1	Shapes and sections, not further worked than hot rolled or extruded, joists and universal beams and columns with a web measurement of less than 80 mm:	
	(a) in mild steel to no standard specification (not applicable in the United Kingdom)	296
	(b) to BS 4360: Grades 40A and 43A; to Lloyds Register: Grade A	302
	(c) all other qualities	345

(EUA/tonne)										
CCT heading No	Description	Effective price (basic + extra) cif duty-paid								
73.11 A I a) 2	Shapes and sections, not further worked than hot rolled or extruded, joists, universal beams and columns and channels with a web measurement of 80 mm or over: (a) to BS 4360: Grades 40A and 43A; to Lloyds Register: Grade A (b) all other qualities	316 370								
73.11 A I b)	Other sections: 1. in mild steel to no standard specification: (a) equal angles up to 40 × 40 mm (b) equal angles over 40 × 40 mm (c) unequal angles (d) tees and other sections 2. to BS 4360: Grades 40A and 43A; to Lloyds Register: Grade A: (a) equal angles up to 40 × 40 mm (b) equal angles over 40 × 40 mm (c) unequal angles (d) tees and other sections 3. in other qualities: (a) equal angles up to 40 × 40 mm (b) equal angles over 40 × 40 mm (c) unequal angles (d) tees and other sections	281 269 283 291 287 275 289 297 324 312 326 334								
73.12 A II	Hoop and strip not further worked than hot-rolled: 1. for qualities: BS 1449 – HS4: < 2 mm 2 to < 3 mm ≥ 3 mm 2. for qualities: BS 1449 – HS2, HS3, HS12, HS17, HS22 – HS34/20, HS37/23, HS43/25, HS43/28:	<table><tr><th>A as rolled</th><th>B pickled</th></tr><tr><td>301</td><td>320</td></tr><tr><td>298</td><td>318</td></tr><tr><td>296</td><td>316</td></tr></table>	A as rolled	B pickled	301	320	298	318	296	316
A as rolled	B pickled									
301	320									
298	318									
296	316									

(EUA/tonne)						
CCT heading No	Description	Effective price (basic + extra) cif duty-paid				
73.12 A II (cont'd)		<table><tr><th>A as rolled</th><th>B pickled</th></tr><tr><td></td><td></td></tr></table>	A as rolled	B pickled		
	A as rolled	B pickled				
	< 2 mm	310 330				
	2 to < 3 mm	308 328				
	≥ 3 mm	306 326				
	3. for qualities: BS 1449 – HS4K, HS12, HS17, HS22K – HS34/20K:					
	2 mm	320 340				
	2 to < 3 mm	318 338				
	≥ 3mm	315 336				
	4. (a) for qualities: BS 1449 – HS1, HS37/23K:					
	< 2 mm	330 350				
	2 to < 3 mm	328 348				
	≥ 3 mm	326 345				
		Extra				
(b) For steels which are guaranteed suitable for heat treatment with S + P ≤ 0.070 %: BS 1449 – HS10, HS40, HS50: as for 4 (a) above	+ 41					
	Effective price (basic + extra) cif duty-paid					
5. (a) for other qualities:						
< 2 mm	355 375					
2 to < 3 mm	353 373					
≥ 3 mm	351 371					
	Extra					
(b) For steels which are guaranteed suitable for heat treatment with S + P ≤ 0.070%: BS 1449 – HS60, HS70, HS80, HS95: as for 5 (a) above	+ 41					

(EUA/tonne)																										
CCT heading No	Description	Effective price (basic + extra) cif duty-paid																								
73.13 73.13 A II	Sheets/plates not further worked than hot-rolled or cold-rolled																									
	Electrical sheets, other:																									
	(a) sheets with a maximum watt loss of 3 W 6	510																								
	(b) sheets with a maximum watt loss of 3 W	523																								
		Extra																								
	Extras:																									
	— for widths from 500 up to but not including 1 000 mm	+ 24																								
	— for insulation	+ 34																								
	— for cutting into sheets	+ 26																								
		Effective price (basic + extra) cif duty-paid																								
73.13 B I a)	Sheets/plates not further worked than hot-rolled, of a thickness ≥ 3 mm																									
	1. for qualities:																									
	BS 1449 – HR14 (unkilled), HR15 (unkilled), HR4 (unkilled)																									
	BS 4360 – 40A:																									
	and also the following quality in thicknesses from 3 mm to 25 mm inclusive																									
	— Lloyds Grade A:																									
(EUA/tonne)																										
<table><tr><th>Width (mm) \ Thickness (mm)</th><th>600 to < 1 100</th><th>1 100 to 2 000</th><th>> 2 000</th></tr><tr><td>3 to 10</td><td>298</td><td>293</td><td>302</td></tr><tr><td>> 10 to 40</td><td>310</td><td>299</td><td>298</td></tr><tr><td>> 40 to 80</td><td>320</td><td>312</td><td>306</td></tr><tr><td>> 80 to 120</td><td>337</td><td>323</td><td>321</td></tr><tr><td>> 120</td><td>345</td><td>336</td><td>329</td></tr></table>			Width (mm) \ Thickness (mm)	600 to < 1 100	1 100 to 2 000	> 2 000	3 to 10	298	293	302	> 10 to 40	310	299	298	> 40 to 80	320	312	306	> 80 to 120	337	323	321	> 120	345	336	329
Width (mm) \ Thickness (mm)	600 to < 1 100	1 100 to 2 000	> 2 000																							
3 to 10	298	293	302																							
> 10 to 40	310	299	298																							
> 40 to 80	320	312	306																							
> 80 to 120	337	323	321																							
> 120	345	336	329																							

(EUA/tonne)

CCT heading No	Description	Effective price (basic + extra) cif duty-paid																																																								
73.13 B I a) (cont'd)	2. for qualities: BS 1449 – HR4 (killed), HR14 (killed), HR15 (killed) BS 4360 — Grades 43A, 43B, 43C, 40B, 40C and also the following quality in thicknesses over 25 mm — Lloyds Grade A, Grade B: <table><tr><th colspan="4">(EUA/tonne)</th></tr><tr><th>Thickness (mm) \ Width (mm)</th><th>600 to < 1 100</th><th>1 100 to 2 000</th><th>> 2 000</th></tr><tr><td>3 to 10</td><td>309</td><td>304</td><td>313</td></tr><tr><td>> 10 to 40</td><td>321</td><td>310</td><td>308</td></tr><tr><td>> 40 to 80</td><td>331</td><td>323</td><td>318</td></tr><tr><td>> 80 to 120</td><td>347</td><td>334</td><td>332</td></tr><tr><td>> 120</td><td>356</td><td>346</td><td>340</td></tr></table> 3. (a) for qualities: BS 1449 – HR40/30K, HR43/35K, HR46/40K, HR50/45K, HR50/35K, HR54/35K, BS 1501–151 BS 4360–50A Lloyds Grades C, D, AH27: <table><tr><th colspan="4">(EUA/tonne)</th></tr><tr><th>Thickness (mm) \ Width (mm)</th><th>600 to < 1 100</th><th>1 100 to 2 000</th><th>> 2 000</th></tr><tr><td>3 to 10</td><td>327</td><td>321</td><td>331</td></tr><tr><td>> 10 to 40</td><td>339</td><td>329</td><td>328</td></tr><tr><td>> 40 to 80</td><td>350</td><td>341</td><td>336</td></tr><tr><td>> 80 to 120</td><td>366</td><td>354</td><td>351</td></tr><tr><td>> 120</td><td>374</td><td>365</td><td>359</td></tr></table>	(EUA/tonne)				Thickness (mm) \ Width (mm)	600 to < 1 100	1 100 to 2 000	> 2 000	3 to 10	309	304	313	> 10 to 40	321	310	308	> 40 to 80	331	323	318	> 80 to 120	347	334	332	> 120	356	346	340	(EUA/tonne)				Thickness (mm) \ Width (mm)	600 to < 1 100	1 100 to 2 000	> 2 000	3 to 10	327	321	331	> 10 to 40	339	329	328	> 40 to 80	350	341	336	> 80 to 120	366	354	351	> 120	374	365	359	
(EUA/tonne)																																																										
Thickness (mm) \ Width (mm)	600 to < 1 100	1 100 to 2 000	> 2 000																																																							
3 to 10	309	304	313																																																							
> 10 to 40	321	310	308																																																							
> 40 to 80	331	323	318																																																							
> 80 to 120	347	334	332																																																							
> 120	356	346	340																																																							
(EUA/tonne)																																																										
Thickness (mm) \ Width (mm)	600 to < 1 100	1 100 to 2 000	> 2 000																																																							
3 to 10	327	321	331																																																							
> 10 to 40	339	329	328																																																							
> 40 to 80	350	341	336																																																							
> 80 to 120	366	354	351																																																							
> 120	374	365	359																																																							

(EUA/tonne)

CCT heading No	Description	Extra																								
73.13 B I a) (cont'd)	(b) for steel with guarantee of aptitude for heat treatment with S + P ≤ 0.070 %, Ck10, Ck15, Ck22, Ck35, Xc10, Xc18, Xc25, Xc35: price as above under this heading	+ 31																								
	4. (a) for qualities: Lloyds Grades DH27, AH32, DH32, BS 4360 – Grades 40D, 43D, 50B, BS 1501–161:																									
	(EUA/tonne) <table><tr><th>Width (mm) \ Thickness (mm)</th><th>600 to < 1 100</th><th>1 100 to 2 000</th><th>> 2 000</th></tr><tr><td>3 to 10</td><td>332</td><td>327</td><td>337</td></tr><tr><td>> 10 to 40</td><td>345</td><td>334</td><td>333</td></tr><tr><td>> 40 to 80</td><td>355</td><td>347</td><td>341</td></tr><tr><td>> 80 to 120</td><td>372</td><td>359</td><td>356</td></tr><tr><td>> 120</td><td>380</td><td>371</td><td>365</td></tr></table>	Width (mm) \ Thickness (mm)	600 to < 1 100	1 100 to 2 000	> 2 000	3 to 10	332	327	337	> 10 to 40	345	334	333	> 40 to 80	355	347	341	> 80 to 120	372	359	356	> 120	380	371	365	
	Width (mm) \ Thickness (mm)	600 to < 1 100	1 100 to 2 000	> 2 000																						
	3 to 10	332	327	337																						
> 10 to 40	345	334	333																							
> 40 to 80	355	347	341																							
> 80 to 120	372	359	356																							
> 120	380	371	365																							
		Effective price																								
		Extra																								
	(b) for steel with guarantee of aptitude for heat treatment with S + P ≤ 0.070 %, Ck45, Ck55, Xc42, Xc48: price as above under this heading	+ 31																								
	5. (a) for qualities: BS 4360 — Grades 40E, 50C Lloyds Grades EH27, EH32, AH36, DH36 BS 1501–211:																									

(EUA/tonne)

CCT heading No	Description				
73.13 B 1 a) (cont'd)					

(EUA/tonne)		
CCT heading No	Description	Effective price (basic + extra) cif duty-paid
73.13 B II b)	Sheets/plates, not further worked than cold-rolled, of a thickness greater than 1 mm:	
	1. <i>supplied in coils:</i>	
	(a) for commercial qualities: CR4GP (not stabilized)	345
	(b) for qualities: BS 1449 – CR4FF, CR3GP (not stabilized), CR2GP, CR34/20, CR37/23	357
	(c) for qualities: BS 1449 – CR4GP (stabilized), CR3GP (stabilized), CR3FF (not stabilized), CR1GP	368
	(d) for qualities: BS 1449 – CR4FF, CR3FF (stabilized), CR2FF, CR1FF, sheets/plates for special enamelling, low-perlite structural steels for cold-forming 340 N/mm ² , 380 N/mm ² , 420 N/mm ² , 460 N/mm ² , 500 N/mm ²	378
		Extra
	For widths from 500 to 999 mm, extra of	+ 11
	For widths from 1 000 to 1 500 mm, extra of	+ 7
	For widths of 1 501 mm and over, extra of	+ 21
		Effective price (basic + extra) cif duty-paid
	2. <i>supplied in cut lengths:</i>	
	(a) for commercial qualities: BS 1449 – CR4GP (not stabilized)	357
	(b) for qualities: BS 1449 – CR4FF, CR3GP (not stabilized), CR2GP, CR34/20, CR37/23	368
	(c) for qualities: BS 1449 – CR4GP, CR3GP (stabilized), CR3FF (not stabilized), CR1GP	380
	(d) for qualities: BS 1449 – CR4FF, CR3FF (stabilized), CR2FF, CR1FF, sheets/plates for special enamelling, low perlite structural steels for cold-forming 340 N/mm ² , 380 N/mm ² , 420 N/mm ² , 460 N/mm ² , 500 N/mm ²	391
		Extra
	For widths from 500 to 999 mm, extra of	+ 11
	For widths from 1 000 to 1 500 mm, extra of	+ 7
	For widths of 1 501 mm and over, extra of	+ 21
73.13 B II c)	Sheets/plates not further worked than cold-rolled, of a thickness equal to or less than 1 mm:	
	1. <i>supplied in coils:</i>	
	(a) for commercial qualities: BS 1449 – CR4GP (not stabilized)	355
	(b) for qualities: BS 1449 – CR4FF, CR3GP (not stabilized), CR2GP, CR34/20, CR37/23	366
	(c) for qualities: BS 1449 – CR4GP, CR3GP (stabilized), CR3FF (not stabilized), CR1GP	378
	(d) for qualities: BS 1449 – CR4FF, CR3FF (stabilized), CR2FF, CR1FF, sheets/plates for special enamelling, low perlite structural steels for cold-forming 340 N/mm ² , 380 N/mm ² , 420 N/mm ² , 460 N/mm ² , 500 N/mm ²	388
		Extra
	For widths from 500 to 999 mm, extra of	+ 11
	For widths from 1 000 to 1 500 mm, extra of	+ 7
	For widths of 1 501 mm and over, extra of	+ 21
	2. <i>supplied in cut lengths:</i>	
	(a) for commercial qualities: BS 1449 – CR4GP (not stabilized)	366
	(b) for qualities: BS 1449 – CR4FF, CR3GP (not stabilized), CR2GP, CR34/20, CR37/23	378
	(c) for qualities: BS 1449 – CR4GP, CR3GP (stabilized), CR3FF (not stabilized), CR1GP	391
	(d) for qualities: BS 1449 – CR4FF, CR3FF (stabilized), CR2FF, CR1FF, sheets/plates for special enamelling, low perlite structural steel for cold-forming 340 N/mm ² , 380 N/mm ² , 420 N/mm ² , 460 N/mm ² , 500 N/mm ²	400

(EUA/tonne)

CCT heading No	Description	Effective price (basic + extra) cif duty-paid
		Extra
73.13 B II c) (cont'd)	For widths from 500 to 999 mm, extra of	+ 11
	For widths from 1 000 to 1 500 mm, extra of	+ 7
	For widths of 1 501 mm and over, extra of	+ 21
73.13 B IV c) 1	Other sheets electro-zinc coated:	Effective price (basic + extra) cif duty-paid
	1. <i>supplied in coils:</i>	
	(a) commercial qualities BS 1449 – CR4:	
	thickness:	
	< 0.50 mm	480
	0.50 to < 0.70 mm	444
	0.70 to < 0.90 mm	417
	0.90 to < 1.25 mm	404
	1.25 mm and over	392
	(b) other qualities:	
	thickness:	
	< 0.50 mm	513
	0.50 to < 0.70 mm	477
	0.70 to < 0.90 mm	451
	0.90 to < 1.25 mm	437
	1.25 mm and over	426
	2. <i>supplied in cut lengths</i>	Extra
		+ 16
73.13 B IV c) 2	1. Other galvanized sheets	Effective price (basic + extra) cif duty-paid
	supplied in coils:	
	qualities: BS 2989 — Grades Z1 and Z2:	
	thickness:	
	< 0.5 mm	471
	0.5 to < 0.7 mm	437
	0.7 to < 1.0 mm	416
	1.0 to < 1.25 mm	399
	≥ 1.25 mm	382
	quality BS 2989 — Grade Z5:	
	thickness:	
	< 0.5 mm	527
	0.5 to < 0.7 mm	494
	0.7 to < 1.0 mm	471
	1.0 to < 1.25 mm	456
	≥ 1.25 mm	438
	Other qualities:	
	thickness:	
	< 0.5 mm	501
	0.5 to < 0.7 mm	468
	0.7 to < 1.0 mm	446
	1.0 to < 1.25 mm	430
	≥ 1.25 mm	412
	2. <i>supplied in cut lengths</i>	Extra
	For corrugated sheet, additional to the extra for cut lengths	+ 15
		+ 37

(EUA/tonne)

CCT heading No	Description	Effective price (basic + extra) cif duty-paid																																																							
73.15 B I b) 2 aa)	Stainless steels. Stainless steels are designated by analysis which must be clearly stated on the import licence and on the invoice Blooms, billets and slabs ⁽¹⁾ :																																																								
	<table><tr><th rowspan="2">AISI</th><th colspan="6">Alloying elements</th></tr><tr><th>C</th><th>S</th><th>Cr</th><th>Ni</th><th>Mo</th><th>Ti</th></tr><tr><td>420</td><td>0.15</td><td><0.03</td><td>13 ± 0.5</td><td>—</td><td>—</td><td>—</td></tr><tr><td>430</td><td>0.12</td><td><0.03</td><td>17 ± 0.5</td><td>—</td><td>—</td><td>—</td></tr><tr><td>431</td><td><0.16</td><td><0.03</td><td>16.5 ± 0.5</td><td>2 ± 0.25</td><td>—</td><td>—</td></tr><tr><td>304</td><td>>0.04</td><td><0.05</td><td>19 ± 0.5</td><td>9 ± 0.5</td><td>—</td><td>—</td></tr><tr><td>316</td><td>>0.04</td><td><0.05</td><td>17 ± 0.5</td><td>12 ± 0.5</td><td>2.3 ± 0.25</td><td>—</td></tr><tr><td>321</td><td>>0.04</td><td><0.05</td><td>18 ± 0.5</td><td>10 ± 0.5</td><td>—</td><td>≥ 5 C</td></tr></table>	AISI	Alloying elements						C	S	Cr	Ni	Mo	Ti	420	0.15	<0.03	13 ± 0.5	—	—	—	430	0.12	<0.03	17 ± 0.5	—	—	—	431	<0.16	<0.03	16.5 ± 0.5	2 ± 0.25	—	—	304	>0.04	<0.05	19 ± 0.5	9 ± 0.5	—	—	316	>0.04	<0.05	17 ± 0.5	12 ± 0.5	2.3 ± 0.25	—	321	>0.04	<0.05	18 ± 0.5	10 ± 0.5	—	≥ 5 C	744 882 988 1 510 2 215 1 624
	AISI		Alloying elements																																																						
		C	S	Cr	Ni	Mo	Ti																																																		
	420	0.15	<0.03	13 ± 0.5	—	—	—																																																		
	430	0.12	<0.03	17 ± 0.5	—	—	—																																																		
	431	<0.16	<0.03	16.5 ± 0.5	2 ± 0.25	—	—																																																		
	304	>0.04	<0.05	19 ± 0.5	9 ± 0.5	—	—																																																		
	316	>0.04	<0.05	17 ± 0.5	12 ± 0.5	2.3 ± 0.25	—																																																		
	321	>0.04	<0.05	18 ± 0.5	10 ± 0.5	—	≥ 5 C																																																		
The price for specifications with a special analysis other than those above may be constructed from the corresponding bar price with the application of the following coefficients: — 0.825 for the 400 series — 0.85 for the 300 series (see subheading 73.15 B V b) 2)																																																									
Size extras:																																																									
< 50 mm	Like corresponding round bar see 73.15 B V b) 2 aa)																																																								
50 to < 60 mm	+ 100																																																								
60 to < 70 mm	+ 50																																																								
70 to < 80 mm	+ 40																																																								
80 to ≤ 250 mm	Basic																																																								
> 250 mm	+ 40																																																								
	Basic price without extra																																																								
73.15 B V b) 1 aa)	I. Stainless steels Wire rod — price without extra for rolling, softening, pickling:																																																								
	<table><tr><th rowspan="2">AISI</th><th colspan="6">Alloying elements</th></tr><tr><th>C</th><th>S</th><th>Cr</th><th>Ni</th><th>Mo</th><th>Ti</th></tr><tr><td>420</td><td colspan="6" rowspan="6">See analysis, subheading 73.15 B I b) 2 aa)</td></tr><tr><td>430</td></tr><tr><td>431</td></tr><tr><td>304</td></tr><tr><td>316</td></tr><tr><td>321</td></tr></table>	AISI	Alloying elements						C	S	Cr	Ni	Mo	Ti	420	See analysis, subheading 73.15 B I b) 2 aa)						430	431	304	316	321	884 1 048 1 173 1 688 2 476 1 815																														
	AISI		Alloying elements																																																						
		C	S	Cr	Ni	Mo	Ti																																																		
	420	See analysis, subheading 73.15 B I b) 2 aa)																																																							
	430																																																								
	431																																																								
	304																																																								
	316																																																								
	321																																																								

⁽¹⁾ Including those by continuous casting.

(EUA/tonne)

CCT heading No	Description	Basic price without extra
73.15 B V b) 1 aa)	The price for specifications with a special analysis may be constructed from the corresponding bar price with the application of the coefficient: — 0.98 for the series 400, — 0.95 for the series 300. (subheading 73.15 B V b) 2) Size extras: 5.0 to < 5.5 mm 5.5 to < 6.0 mm 6.0 to < 7.0 mm 7.0 to < 8.0 mm 8.0 to ≤ 13.0 mm	
		Extra
		+ 150
		+ 100
		+ 75
		+ 25
		Wire rod basic price
		Effective price (basic + extra) cif duty-paid
cc)	II. S, Pb and P alloy steel wire rod (free cutting and other) A. Qualities 9S 20–9 S MN28 – S 250 – EN IA (a) of round sections ≤ 8 mm > 8 to ≤ 13 mm (b) of square and hexagonal section ≤ 8 mm > 8 to < 13 mm (c) other types of section	
		362
		351
		391
		381
		414
		Extra
	B. Qualities: 9S MN – S300 – EN IB supplement on top of Item A prices of: C. Pb structural qualities: E24–2Pb, E26–2Pb, A50–2Pb, A60–2Pb supplement on top of Item A prices of: D. Qualities: 10 S 20, 15 S 20, 22 S 20, 35 S 20, 45 S 20, 60 S 20, EN 32 M, EN 202, EN 7, EN 7 A, EN 8 AM, EN 8 M, EN 8 BM, EN 8 DM, supplement on top of Item A prices of: E. Qualities C 10 Pb, C 15 Pb, C 22 Pb, C 35 Pb, C 45 Pb, C 55 Pb, C 60 Pb, or similar supplement on top of Item A prices of: Extra for addition of Pb to qualities under Items A, B and D	
		+ 12
		+ 14
		+ 34
		+ 38
		+ 15

(EUA/tonne)

CCT heading No	Description	Basic price without extra																																	
73.15 B V b) 1 dd)	III. Wire rod in spring qualities																																		
	<table><tr><td></td><td colspan="4">Alloying elements</td></tr><tr><td>Cr</td><td>Mn</td><td>Va</td><td>Si</td></tr><tr><td>56 Si Cr 7</td><td>0.2-0.4</td><td>0.7-1.1</td><td>—</td><td>1.5-1.8</td><td>427</td></tr><tr><td>46 Si 7</td><td>—</td><td>0.5-0.8</td><td>—</td><td>1.5-1.8</td><td>421</td></tr><tr><td>55 Cr 3</td><td>0.6-0.9</td><td>0.7-1.0</td><td>—</td><td>0.15-0.40</td><td>431</td></tr><tr><td>50 Cr V 4</td><td>0.9-1.2</td><td>0.7-1.1</td><td>0.1-0.2</td><td>0.15-0.40</td><td>459</td></tr></table>		Alloying elements				Cr	Mn	Va	Si	56 Si Cr 7	0.2-0.4	0.7-1.1	—	1.5-1.8	427	46 Si 7	—	0.5-0.8	—	1.5-1.8	421	55 Cr 3	0.6-0.9	0.7-1.0	—	0.15-0.40	431	50 Cr V 4	0.9-1.2	0.7-1.1	0.1-0.2	0.15-0.40	459	
		Alloying elements																																	
	Cr	Mn	Va	Si																															
	56 Si Cr 7	0.2-0.4	0.7-1.1	—	1.5-1.8	427																													
	46 Si 7	—	0.5-0.8	—	1.5-1.8	421																													
	55 Cr 3	0.6-0.9	0.7-1.0	—	0.15-0.40	431																													
	50 Cr V 4	0.9-1.2	0.7-1.1	0.1-0.2	0.15-0.40	459																													
	Size and heat treatment extras																																		
	The size, annealing and treatment extras are the same as those for constructural steel qualities (see above).																																		
ee) IV. Other																																			
A. Alloy steel wire for solid and gaseous flux welding	321																																		
with Mo	455																																		
with Ti	378																																		
B. Bearing steels																																			
Wire rod in bearing steels:																																			
<table><tr><td></td><td colspan="5">Alloying elements</td></tr><tr><td></td><td>C</td><td>Mn</td><td>S and P</td><td>Si</td><td>Cr</td></tr><tr><td>100 C 6</td><td>0.98-1.10</td><td>0.25-0.45</td><td>< 0.025</td><td>0.15-0.30</td><td>1.30-1.60</td><td>473</td></tr></table>		Alloying elements						C	Mn	S and P	Si	Cr	100 C 6	0.98-1.10	0.25-0.45	< 0.025	0.15-0.30	1.30-1.60	473																
	Alloying elements																																		
	C	Mn	S and P	Si	Cr																														
100 C 6	0.98-1.10	0.25-0.45	< 0.025	0.15-0.30	1.30-1.60	473																													
The price for specifications with a special analysis may be constructed from the corresponding bar price with the application of the coefficient 0.98 (see subheading 73.15 B V b) 2)																																			
The size extras to be applied for wire rod are similar to those for structural steels (see above).	Extra																																		
Heat treatments:																																			
annealing	+ 56																																		
pickling and coating	+ 42																																		
pickling	+ 26																																		

(EUA/tonne)

CCT heading No	Description	Basic price without extra
73.15 B V b) 1	Wire rod — alloy constructional steel qualities	

(EUA/tonne)

CCT heading No	Description	Basic price without extra																															
73.15 B V b) 2 aa)	Stainless bars																																
	Price without extra for rolling, softening, pickling																																
	<table><tr><th rowspan="2">AISI</th><th colspan="6">Alloying elements</th></tr><tr><th>C</th><th>S</th><th>Cr</th><th>Ni</th><th>Mo</th><th>Ti</th></tr><tr><td>420</td><td colspan="6" rowspan="6">See analysis, subheading 73.15 B I b) 2</td><td>902</td></tr><tr><td>430</td><td>1 069</td></tr><tr><td>431</td><td>1 197</td></tr><tr><td>304</td><td>1 777</td></tr><tr><td>316</td><td>2 606</td></tr><tr><td>321</td><td>1 910</td></tr></table>	AISI	Alloying elements						C	S	Cr	Ni	Mo	Ti	420	See analysis, subheading 73.15 B I b) 2						902	430	1 069	431	1 197	304	1 777	316	2 606	321	1 910	
	AISI		Alloying elements																														
		C	S	Cr	Ni	Mo	Ti																										
	420	See analysis, subheading 73.15 B I b) 2						902																									
	430							1 069																									
	431							1 197																									
	304							1 777																									
	316							2 606																									
	321							1 910																									
		Extra																															
	Extra for treatment	+ 100																															
	Extra or reduction for special analyses:																																
	low carbon C 0.030 % and less	+ 139																															
titanium	+ 119																																
niobium or tantalum	+ 199																																
resulphurized steel S > 0.15 %	+ 97																																
Cr per additional 1 % above standard analysis	+ 15																																
Ni per additional 1 % above standard analysis	+ 76																																
Mo per additional 1 % above standard analysis	+ 269																																
Size extras:																																	
rounds:																																	
< 7 mm	+ 220																																
7 to < 8 mm	+ 210																																
8 to < 12 mm	+ 205																																
12 to < 16 mm	+ 200																																
16 to < 20 mm	+ 180																																
20 to < 25 mm	+ 136																																
25 to < 40 mm	+ 97																																
40 to < 60 mm	+ 58																																
60 to ≤ 150 mm	Base																																
> 150 mm	+ 40																																
coiled bars:	Wire rod																																
> 13 mm	basic price																																
square bars, hexagonal and octagonal bars:																																	
13.5 to < 25 mm	+ 311																																
25 to < 40 mm	+ 272																																
40 to < 60 mm	+ 233																																
60 to ≤ 150 mm	+ 175																																
> 150 mm	+ 215																																

(EUA/tonne)

CCT heading No	Description	Basic price without extra																																																																																
73.15 B V b) 2 aa) (cont'd)	Flats																																																																																	
		(EUA/tonne)																																																																																
	<table><tr><th>Thickness (mm) \ Width (mm)</th><th>4 to < 5</th><th>5 to < 6</th><th>6 to < 8</th><th>8 to < 10</th><th>10 to < 20</th><th>20 to < 40</th><th>40 and over</th></tr><tr><td>14 to < 17</td><td></td><td></td><td>860</td><td>680</td><td>680</td><td></td><td></td></tr><tr><td>17 to < 20</td><td></td><td>1 000</td><td>680</td><td>613</td><td>613</td><td></td><td></td></tr><tr><td>20 to < 25</td><td></td><td>694</td><td>627</td><td>584</td><td>467</td><td></td><td></td></tr><tr><td>25 to < 30</td><td>953</td><td>599</td><td>584</td><td>437</td><td>394</td><td></td><td></td></tr><tr><td>30 to < 40</td><td>762</td><td>568</td><td>482</td><td>394</td><td>365</td><td>365</td><td></td></tr><tr><td>40 to < 50</td><td>572</td><td>496</td><td>394</td><td>350</td><td>321</td><td>321</td><td></td></tr><tr><td>50 to < 70</td><td>817</td><td>653</td><td>394</td><td>350</td><td>321</td><td>292</td><td>292</td></tr><tr><td>70 to < 100</td><td>735</td><td>599</td><td>437</td><td>394</td><td>350</td><td>350</td><td>292</td></tr><tr><td>100 to < 150</td><td></td><td></td><td></td><td></td><td>482</td><td>350</td><td>350</td></tr></table>	Thickness (mm) \ Width (mm)	4 to < 5	5 to < 6	6 to < 8	8 to < 10	10 to < 20	20 to < 40	40 and over	14 to < 17			860	680	680			17 to < 20		1 000	680	613	613			20 to < 25		694	627	584	467			25 to < 30	953	599	584	437	394			30 to < 40	762	568	482	394	365	365		40 to < 50	572	496	394	350	321	321		50 to < 70	817	653	394	350	321	292	292	70 to < 100	735	599	437	394	350	350	292	100 to < 150					482	350	350	
	Thickness (mm) \ Width (mm)	4 to < 5	5 to < 6	6 to < 8	8 to < 10	10 to < 20	20 to < 40	40 and over																																																																										
	14 to < 17			860	680	680																																																																												
	17 to < 20		1 000	680	613	613																																																																												
	20 to < 25		694	627	584	467																																																																												
	25 to < 30	953	599	584	437	394																																																																												
	30 to < 40	762	568	482	394	365	365																																																																											
	40 to < 50	572	496	394	350	321	321																																																																											
50 to < 70	817	653	394	350	321	292	292																																																																											
70 to < 100	735	599	437	394	350	350	292																																																																											
100 to < 150					482	350	350																																																																											
cc)	These prices are for bars of diameter 16 mm to 90 mm																																																																																	
	S, Pb and P steel bars (free cutting and other):																																																																																	
	A. Qualities 9 S 20 – 9 S MN 28 – S 250 – EN 1A:																																																																																	
	(a) of round section less than or equal to 13 mm	346																																																																																
	(b) of round section more than 13 mm	333																																																																																
	(c) of square section and hexagonal section ≤ 13 mm	376																																																																																
	(d) of square and hexagonal section > 13 mm	348																																																																																
	(e) flat bars of width:																																																																																	
	< 20 mm	395																																																																																
	20 to < 50 mm	345																																																																																
	≥ 50 mm	336																																																																																
	(f) other types of section	395																																																																																
		Extra																																																																																
	B. Qualities 9 S MN 36 – S 300 – EN 1B Supplement on top of Item A prices of	+ 11																																																																																
	C. Pb structural qualities: E 24–2 PB – E 26–2 Pb – A 50–2 PB, – A 60–2 Pb Supplement on top of Item A prices of	+ 13																																																																																
	D. Qualities 10 S 20 – 15 S 20 – 22 S 20 – 35 S 20 – 45 S 20 – 60 S 20 EN 32 M – EN 202 – EN 7 – EN 7 A – EN 8 AM – EN 8 M – EN 8 HM – EN 8 DM Supplement on top of Item A prices of	+ 34																																																																																
	Extra for addition of Pb to qualities under Items A, B and D	+ 15																																																																																

(EUA/tonne)

CCT heading No	Description	Basic price without extra																																						
73.15 B V b) 2 dd)	Spring steel bars																																							
	<table><tr><th rowspan="2"></th><th colspan="4">Alloying elements</th></tr><tr><th>Cr</th><th>Mn</th><th>Va</th><th>Si</th></tr><tr><td>Rounds</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>56 Si Cr 7</td><td>0.2-0.4</td><td>0.7-1.1</td><td>—</td><td>1.5 -1.8</td><td>449</td></tr><tr><td>46 Si 7</td><td>—</td><td>0.5-0.8</td><td>—</td><td>1.5 -1.8</td><td>443</td></tr><tr><td>55 Cr 3</td><td>0.6-0.9</td><td>0.7-1.0</td><td>—</td><td>0.15-0.40</td><td>454</td></tr><tr><td>50 Cr V 4</td><td>0.9-1.2</td><td>0.7-1.1</td><td>0.1-0.2</td><td>0.15-0.40</td><td>483</td></tr></table> Flats from: 46 Si 7 to 61 Si Cr 7 55 Cr 3 50 Cr V 4 Size and heat treatment extras: rounds: the extras applicable to rounds (size, annealing, treatments) are the same as those for constructional steels (see below) flats: for spring steel flats of width up to and including 50 mm wide in all thicknesses, the extra applicable is other sizes Alloy constructional steel quality bars		Alloying elements				Cr	Mn	Va	Si	Rounds						56 Si Cr 7	0.2-0.4	0.7-1.1	—	1.5 -1.8	449	46 Si 7	—	0.5-0.8	—	1.5 -1.8	443	55 Cr 3	0.6-0.9	0.7-1.0	—	0.15-0.40	454	50 Cr V 4	0.9-1.2	0.7-1.1	0.1-0.2	0.15-0.40	483
	Alloying elements																																							
	Cr	Mn	Va	Si																																				
Rounds																																								
56 Si Cr 7	0.2-0.4	0.7-1.1	—	1.5 -1.8	449																																			
46 Si 7	—	0.5-0.8	—	1.5 -1.8	443																																			
55 Cr 3	0.6-0.9	0.7-1.0	—	0.15-0.40	454																																			
50 Cr V 4	0.9-1.2	0.7-1.1	0.1-0.2	0.15-0.40	483																																			

		(EUA/tonne)	
CCT heading No	Description	Basic price without extra	
73.15 B V b) 2 (cont'd)	The prices without extras stated above enable the prices without extras to be determined for the different specifications taking into account the following values: Ni: 76 EUA/tonne/1 % Mo: 269 EUA/tonne/1 % Cr: 15 EUA/tonne/1 % Va: 222 EUA/tonne/1 % Mn: 6 EUA/tonne/1 % For boron-treated steels, there will be a standard extra of 20 EUA/tonne applied to the prices of the specifications without boron. For lead-treated steels, there will be a standard extra of 30 EUA/tonne applied to the prices of the specifications without lead. Size and heat treatment extras With the exception of coiled bars less than 13 mm, the extras to be applied (size, annealing, treatment extras) are as follows: For coiled bars less than 13 mm, the basic price for wire rod plus the extras for heat treatment of wire rod will be applied.	Extra	
		Rounds	Squares
		+ 150 + 117 + 93 + 70 + 54 + 35 + 20 + 10 + 4 Base + 4 + 8 + 12 + 18 + 19 + 31 + 39 + 60	Extra for round sections: + 12 Extra for round sections: + 8 Extra for round sections: + 4
		Hexagonals	Octagonals
		+ 214 + 171 + 148 + 120 + 113 + 120 + 140 + 171	

(EUA/tonne)

CCT heading No	Description	Basic price without extra																																																																																																																																																																																						
73.15 B V b) 2 (cont'd)	Flats (EUA/tonne)																																																																																																																																																																																							
	<table><tr><th>Thickness (mm) \ Width (mm)</th><th>4 to < 5</th><th>5 to < 6.5</th><th>6.5 to < 8</th><th>8 to < 10</th><th>10 to < 12</th><th>12 to < 15</th><th>15 to < 20</th><th>20 to < 25</th><th>25 to < 30</th><th>30 to < 40</th><th>40 to < 50</th><th>50 to < 60</th><th>60 and over</th></tr><tr><td>10 to < 12</td><td>380</td><td>330</td><td>260</td><td>290</td><td>290</td><td>—</td><td>—</td><td>—</td><td>—</td><td>—</td><td>—</td><td>—</td><td>—</td></tr><tr><td>12 to < 15</td><td>350</td><td>290</td><td>250</td><td>250</td><td>250</td><td>260</td><td>—</td><td>—</td><td>—</td><td>—</td><td>—</td><td>—</td><td>—</td></tr><tr><td>15 to < 20</td><td>320</td><td>270</td><td>245</td><td>240</td><td>240</td><td>210</td><td>220</td><td>—</td><td>—</td><td>—</td><td>—</td><td>—</td><td>—</td></tr><tr><td>20 to < 25</td><td>310</td><td>260</td><td>240</td><td>200</td><td>170</td><td>160</td><td>150</td><td>160</td><td>—</td><td>—</td><td>—</td><td>—</td><td>—</td></tr><tr><td>25 to < 30</td><td>310</td><td>260</td><td>235</td><td>190</td><td>160</td><td>140</td><td>130</td><td>130</td><td>150</td><td>—</td><td>—</td><td>—</td><td>—</td></tr><tr><td>30 to < 35</td><td>290</td><td>255</td><td>210</td><td>160</td><td>150</td><td>130</td><td>115</td><td>95</td><td>95</td><td>120</td><td>—</td><td>—</td><td>—</td></tr><tr><td>35 to < 40</td><td>260</td><td>210</td><td>190</td><td>140</td><td>140</td><td>115</td><td>110</td><td>90</td><td>90</td><td>120</td><td>—</td><td>—</td><td>—</td></tr><tr><td>40 to < 60</td><td>210</td><td>170</td><td>170</td><td>130</td><td>130</td><td>100</td><td>90</td><td>90</td><td>90</td><td>120</td><td>120</td><td>—</td><td>—</td></tr><tr><td>60 to < 80</td><td>210</td><td>170</td><td>170</td><td>120</td><td>120</td><td>90</td><td>90</td><td>90</td><td>90</td><td>90</td><td>120</td><td>120</td><td>—</td></tr><tr><td>80 to < 100</td><td>210</td><td>170</td><td>155</td><td>100</td><td>100</td><td>90</td><td>90</td><td>80</td><td>70</td><td>70</td><td>90</td><td>100</td><td>100</td></tr><tr><td>100 to < 120</td><td>210</td><td>170</td><td>155</td><td>110</td><td>110</td><td>95</td><td>95</td><td>80</td><td>80</td><td>90</td><td>100</td><td>110</td><td>110</td></tr><tr><td>120 to ≤ 200</td><td>—</td><td>200</td><td>170</td><td>130</td><td>130</td><td>110</td><td>110</td><td>95</td><td>95</td><td>90</td><td>120</td><td>130</td><td>130</td></tr></table>	Thickness (mm) \ Width (mm)	4 to < 5	5 to < 6.5	6.5 to < 8	8 to < 10	10 to < 12	12 to < 15	15 to < 20	20 to < 25	25 to < 30	30 to < 40	40 to < 50	50 to < 60	60 and over	10 to < 12	380	330	260	290	290	—	—	—	—	—	—	—	—	12 to < 15	350	290	250	250	250	260	—	—	—	—	—	—	—	15 to < 20	320	270	245	240	240	210	220	—	—	—	—	—	—	20 to < 25	310	260	240	200	170	160	150	160	—	—	—	—	—	25 to < 30	310	260	235	190	160	140	130	130	150	—	—	—	—	30 to < 35	290	255	210	160	150	130	115	95	95	120	—	—	—	35 to < 40	260	210	190	140	140	115	110	90	90	120	—	—	—	40 to < 60	210	170	170	130	130	100	90	90	90	120	120	—	—	60 to < 80	210	170	170	120	120	90	90	90	90	90	120	120	—	80 to < 100	210	170	155	100	100	90	90	80	70	70	90	100	100	100 to < 120	210	170	155	110	110	95	95	80	80	90	100	110	110	120 to ≤ 200	—	200	170	130	130	110	110	95	95	90	120	130	130	
	Thickness (mm) \ Width (mm)	4 to < 5	5 to < 6.5	6.5 to < 8	8 to < 10	10 to < 12	12 to < 15	15 to < 20	20 to < 25	25 to < 30	30 to < 40	40 to < 50	50 to < 60	60 and over																																																																																																																																																																										
	10 to < 12	380	330	260	290	290	—	—	—	—	—	—	—	—																																																																																																																																																																										
	12 to < 15	350	290	250	250	250	260	—	—	—	—	—	—	—																																																																																																																																																																										
	15 to < 20	320	270	245	240	240	210	220	—	—	—	—	—	—																																																																																																																																																																										
	20 to < 25	310	260	240	200	170	160	150	160	—	—	—	—	—																																																																																																																																																																										
	25 to < 30	310	260	235	190	160	140	130	130	150	—	—	—	—																																																																																																																																																																										
	30 to < 35	290	255	210	160	150	130	115	95	95	120	—	—	—																																																																																																																																																																										
	35 to < 40	260	210	190	140	140	115	110	90	90	120	—	—	—																																																																																																																																																																										
	40 to < 60	210	170	170	130	130	100	90	90	90	120	120	—	—																																																																																																																																																																										
	60 to < 80	210	170	170	120	120	90	90	90	90	90	120	120	—																																																																																																																																																																										
80 to < 100	210	170	155	100	100	90	90	80	70	70	90	100	100																																																																																																																																																																											
100 to < 120	210	170	155	110	110	95	95	80	80	90	100	110	110																																																																																																																																																																											
120 to ≤ 200	—	200	170	130	130	110	110	95	95	90	120	130	130																																																																																																																																																																											
Heat treatments (extras)		Extra																																																																																																																																																																																						
(a) as bought condition G (soft annealing)		+ 40																																																																																																																																																																																						
(b) as bought condition N (normalizing):																																																																																																																																																																																								
$\varnothing > 35$ mm		+ 40																																																																																																																																																																																						
≤ 35 mm		+ 60																																																																																																																																																																																						
(c) as bought condition BF (heat treatment to produce specified tensile strength)		+ 40																																																																																																																																																																																						
(d) as bought condition BC (heat treatment to produce pearlitic or ferritic structure)		+ 60																																																																																																																																																																																						
(e) as bought condition B (heat treatment to produce improved workability)		+ 60																																																																																																																																																																																						
(f) as bought condition GKZ (heat treatment to produce spheroidal cementite)		+ 63																																																																																																																																																																																						
(g) as bought condition V (hardening and tempering):																																																																																																																																																																																								
$\varnothing > 35$ mm		+ 90																																																																																																																																																																																						
≤ 35 mm		+ 130																																																																																																																																																																																						
(h) stress-free annealing		+ 40																																																																																																																																																																																						
Bearing steel bars																																																																																																																																																																																								
	<table><tr><th rowspan="2"></th><th colspan="5">Alloying elements</th></tr><tr><th>C</th><th>Mn</th><th>S and P</th><th>Si</th><th>Cr</th></tr><tr><td>100 C 6</td><td>0.98–1.10</td><td>0.25–0.45</td><td>< 0.025</td><td>0.15–0.30</td><td>1.30–1.60</td></tr></table>		Alloying elements					C	Mn	S and P	Si	Cr	100 C 6	0.98–1.10	0.25–0.45	< 0.025	0.15–0.30	1.30–1.60	Basic price without extra																																																																																																																																																																					
	Alloying elements																																																																																																																																																																																							
	C	Mn	S and P	Si	Cr																																																																																																																																																																																			
100 C 6	0.98–1.10	0.25–0.45	< 0.025	0.15–0.30	1.30–1.60																																																																																																																																																																																			
		483																																																																																																																																																																																						
The price without extras stated above enables the prices without extras for the different specifications to be determined taking into account the alloying values published for structural steel bars (see subheading 73.15 B V b) 2).																																																																																																																																																																																								
Size extras																																																																																																																																																																																								
The size extras to be applied for the bars are the same as those for structural steels (see above).																																																																																																																																																																																								

CCT heading No	Description	(EUA/tonne) Basic price without extra
73.15 B V b) 2 (cont'd)	Coiled bars: > 13 mm Heat treatments: annealing softening for shearing	Wire rod basic price
		Extra
		+ 52
		+ 44
73.15 B VII a) 2	Electrical sheets, other (a) Sheets in thicknesses of 0.5 mm and over: Sheets with a maximum watt loss of 2W6 Sheets with a maximum watt loss of 2W3 Sheets with a maximum watt loss of 2W Sheets with a maximum watt loss of 1W7 Sheets with a maximum watt loss of 1W5 Sheets with a maximum watt loss of 1W3 Sheets with a maximum watt loss of 1W25 (b) Sheets 0.35 mm thick: Sheets with a maximum watt loss of 1W55 Sheets with a maximum watt loss of 1W3 Sheets with a maximum watt loss of 1W2 Sheets with a maximum watt loss of 1W1 Extras: for widths of 500 to < 1 000 mm for insulation for cutting to length	Effective price (basic + extra) cif duty-paid
		509
		530
		553
		634
		667
		709
		727
		681
		723
		741
		777
		Extra
		+23
		+32
		+24
73.15 B VII b) 1 aa) 11 bb) 11 cc) 11	5. Hot-rolled stainless or refractory steel plates/sheets (a)	Basic price without extra
		1 145
		1 180
		1 255
		1 703
		1 869
		2 195
		2 617
		2 687
		2 967
		3 027
		3 095
		6 011

CCT heading No	Description	Extra																																																																												
73.15 B VII b) 1 (cont'd)	Size extras: 3 to < 4 mm 4 to < 6 mm 6 to < 8 mm ≥ 30 mm Width ≥ 2 500 mm For provision of discs, supplement of 30 %. (b) For plates/sheets obtained from broad strips in thicknesses from 3 to 8 mm and in lengths from ≤ 1 800 mm, allowances to be applied on basic prices included in (a) are as follows: 410 S – 430 – 420 304 – 304 L – 321 – 302 B) – 309 – 310 – 314 316 – 316 L – 316 Ti – 316 Mo Sup – 316 L Mo Sup These prices refer to one single quality, format and thickness per 5 tonnes and over in standard format, or 10 tonnes and over in non-standard format. Prices include alloy extras. For provision of discs, a supplement of 30 % is applicable.	+ 145 + 69 Base + 25 + 30 – 35 – 47 – 60																																																																												
73.15 B VII b) 2 bb)	Cold rolled stainless steel coil and sheet less than 3 mm thick and of width equal to or greater than 500 mm (EUA/tonne) <table><tr><th rowspan="2">Width (mm)</th><th colspan="2">AISI 430 Works No 4016</th><th colspan="2">AISI 304 Works No 4301</th><th colspan="2">AISI 316 Works No 4401</th></tr><tr><th>Coils</th><th>Plates/ sheets</th><th>Coils</th><th>Plates/ sheets</th><th>Coils</th><th>Plates/ sheets</th></tr><tr><td>0.4 to < 0.5</td><td>1 455</td><td>1 514</td><td>2 061</td><td>2 120</td><td>3 047</td><td>3 106</td></tr><tr><td>0.5 to < 0.6</td><td>1 365</td><td>1 424</td><td>1 981</td><td>2 040</td><td>2 917</td><td>2 976</td></tr><tr><td>0.6 to < 0.7</td><td>1 305</td><td>1 364</td><td>1 901</td><td>1 960</td><td>2 827</td><td>2 886</td></tr><tr><td>0.7 to < 0.8</td><td>1 265</td><td>1 324</td><td>1 841</td><td>1 900</td><td>2 767</td><td>2 826</td></tr><tr><td>0.8 to < 1.0</td><td>1 225</td><td>1 284</td><td>1 781</td><td>1 840</td><td>2 697</td><td>2 756</td></tr><tr><td>1.0 to < 1.2</td><td>1 205</td><td>1 264</td><td>1 761</td><td>1 820</td><td>2 677</td><td>2 736</td></tr><tr><td>1.2 to < 1.5</td><td>1 185</td><td>1 244</td><td>1 741</td><td>1 800</td><td>2 657</td><td>2 716</td></tr><tr><td>1.5 to < 2.0</td><td>1 165</td><td>1 224</td><td>1 721</td><td>1 780</td><td>2 637</td><td>2 696</td></tr><tr><td>2.0 to < 3.0</td><td>1 145</td><td>1 204</td><td>1 701</td><td>1 760</td><td>2 617</td><td>2 676</td></tr></table>	Width (mm)	AISI 430 Works No 4016		AISI 304 Works No 4301		AISI 316 Works No 4401		Coils	Plates/ sheets	Coils	Plates/ sheets	Coils	Plates/ sheets	0.4 to < 0.5	1 455	1 514	2 061	2 120	3 047	3 106	0.5 to < 0.6	1 365	1 424	1 981	2 040	2 917	2 976	0.6 to < 0.7	1 305	1 364	1 901	1 960	2 827	2 886	0.7 to < 0.8	1 265	1 324	1 841	1 900	2 767	2 826	0.8 to < 1.0	1 225	1 284	1 781	1 840	2 697	2 756	1.0 to < 1.2	1 205	1 264	1 761	1 820	2 677	2 736	1.2 to < 1.5	1 185	1 244	1 741	1 800	2 657	2 716	1.5 to < 2.0	1 165	1 224	1 721	1 780	2 637	2 696	2.0 to < 3.0	1 145	1 204	1 701	1 760	2 617	2 676	
Width (mm)	AISI 430 Works No 4016		AISI 304 Works No 4301		AISI 316 Works No 4401																																																																									
	Coils	Plates/ sheets	Coils	Plates/ sheets	Coils	Plates/ sheets																																																																								
0.4 to < 0.5	1 455	1 514	2 061	2 120	3 047	3 106																																																																								
0.5 to < 0.6	1 365	1 424	1 981	2 040	2 917	2 976																																																																								
0.6 to < 0.7	1 305	1 364	1 901	1 960	2 827	2 886																																																																								
0.7 to < 0.8	1 265	1 324	1 841	1 900	2 767	2 826																																																																								
0.8 to < 1.0	1 225	1 284	1 781	1 840	2 697	2 756																																																																								
1.0 to < 1.2	1 205	1 264	1 761	1 820	2 677	2 736																																																																								
1.2 to < 1.5	1 185	1 244	1 741	1 800	2 657	2 716																																																																								
1.5 to < 2.0	1 165	1 224	1 721	1 780	2 637	2 696																																																																								
2.0 to < 3.0	1 145	1 204	1 701	1 760	2 617	2 676																																																																								

CCT heading No	Description	(EUA/tonne)	
		Basic price without extra	
73.15 B VII b) 2 bb) (cont'd)	Quality extras: prices of following qualities are calculated from above prices, reduced or increased as follows:		