

Official Journal of the European Union

L 71



English edition

Legislation

Volume 58

14 March 2015

Contents

II *Non-legislative acts*

REGULATIONS

- ★ **Commission Regulation (EU) 2015/399 of 25 February 2015 amending Annexes II, III and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for 1,4-dimethylnaphthalene, benfuracarb, carbofuran, carbosulfan, ethephon, fenamidone, fenvalerate, fenhexamid, furathiocarb, imazapyr, malathion, picoxystrobin, spirotetramat, tepraloxydim and trifloxystrobin in or on certain products ⁽¹⁾** 1
- ★ **Commission Regulation (EU) 2015/400 of 25 February 2015 amending Annexes II, III and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for bone oil, carbon monoxide, cyprodinil, dodemorph, iprodione, metaldehyde, metazachlor, paraffin oil (CAS 64742-54-7), petroleum oils (CAS 92062-35-6) and propargite in or on certain products ⁽¹⁾** 56
- ★ **Commission Regulation (EU) 2015/401 of 25 February 2015 amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for acetamiprid, chromafenozide, cyazofamid, dicamba, difenocnazole, fenpyrazamine, fluazinam, formetanate, nicotine, penconazole, pymetrozine, pyraclostrobin, tau-fluvalinate and tebuconazole in or on certain products ⁽¹⁾** 114

⁽¹⁾ Text with EEA relevance

EN

Acts whose titles are printed in light type are those relating to day-to-day management of agricultural matters, and are generally valid for a limited period.

The titles of all other acts are printed in bold type and preceded by an asterisk.

II

(Non-legislative acts)

REGULATIONS

COMMISSION REGULATION (EU) 2015/399

of 25 February 2015

amending Annexes II, III and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for 1,4-dimethylnaphthalene, benfuracarb, carbofuran, carbosulfan, ethephon, fenamidone, fenvalerate, fenhexamid, furathiocarb, imazapyr, malathion, picoxystrobin, spirotetramat, tepraloxydim and trifloxystrobin in or on certain products

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC ⁽¹⁾, and in particular Article 14(1)(a) and Article 49(2) thereof,

Whereas:

- (1) For ethephon, fenvalerate, picoxystrobin and tepraloxydim maximum residue levels (MRLs) were set in Annex II to Regulation (EC) No 396/2005. For carbofuran, carbosulfan, fenamidone, fenhexamid and trifloxystrobin MRLs were set in Annex II and Part B of Annex III to Regulation (EC) No 396/2005. For malathion and spirotetramat MRLs were set in Part A of Annex III to Regulation (EC) No 396/2005. For benfuracarb and furathiocarb MRLs were set in Annex V to Regulation (EC) No 396/2005. As regards 1,4-dimethylnaphthalene and imazapyr, no specific MRLs were set in these Annexes, nor were the substances included in Annex IV to that Regulation, so the default value of 0,01 mg/kg applies.
- (2) In the context of a procedure for the authorisation of the use of a plant protection product containing the active substance 1,4-dimethylnaphthalene on potatoes, an application was submitted in accordance with Article 6(1) of Regulation (EC) No 396/2005 for modification of the existing MRL.
- (3) As regards fenvalerate, such an application was made for peppers, broccoli and lettuce. As regards ethephon, an application for modification of the existing MRLs was made for table olives. As regards fenhexamid, such an application was made for blueberries, cranberries, gooseberries and azarole. As regards malathion, such an application was made for citrus fruit, strawberries and lettuce. As regards picoxystrobin, such an application was made for sugar beet. As regards spirotetramat, such an application was made for olives for oil production. As regards tepraloxydim, such an application was made for Jerusalem artichokes and radishes. As regards trifloxystrobin, such an application was made for cane fruit.
- (4) In accordance with Article 6(2) and (4) of Regulation (EC) No 396/2005 an application was submitted for fenamidone used on root and tuber vegetables of code number 0213000, bulb vegetables, tomatoes, peppers, chilli peppers, aubergines, broccoli, Chinese cabbage, lettuce and other salad plants, spinach and similar (leaves),

⁽¹⁾ OJ L 70, 16.3.2005, p. 1.

herbs, cardoons, celery, fennel and rhubarb. The applicant claims that the authorised uses of that substance on such crops in the United States lead to residues exceeding the MRLs contained in Regulation (EC) No 396/2005 and that higher MRLs are necessary to avoid trade barriers for the importation of those crops.

- (5) As regards imazapyr, an application for modification of the existing MRLs was submitted on genetically modified soya bean, lentils, sunflower seed, rape seed, mustard seed. The applicant claims that the authorised uses of such substance on those crops in Argentina, Brazil and Canada lead to residues exceeding the MRLs in Regulation (EC) No 396/2005 and that higher MRLs are necessary to avoid trade barriers for the importation of those crops. As regards malathion, such an application was submitted on apple, pears and plums. The applicant claims that the authorised uses of that substance on those crops in Argentina, Chile and South Africa lead to residues exceeding the MRLs in Regulation (EC) No 396/2005 and that higher MRLs are necessary to avoid trade barriers for the importation of those crops.
- (6) In accordance with Article 8 of Regulation (EC) No 396/2005 these applications were evaluated by the Member States concerned and the evaluation reports were forwarded to the Commission.
- (7) The European Food Safety Authority, hereinafter 'the Authority', assessed the applications and the evaluation reports, examining in particular the risks to the consumer and, where relevant, to animals and gave reasoned opinions on the proposed MRLs ⁽¹⁾. It forwarded these opinions to the Commission and the Member States and made them available to the public.
- (8) The Authority concluded in its reasoned opinion that the submitted data were not sufficient to set new MRLs for the use of malathion on apples, pears, plums and strawberries. The existing MRLs should therefore remain unchanged.
- (9) The Commission has been informed by the European Spice Association that a significant number of lots of dried white mushrooms imported from China contain residue levels of carbofuran above 0,1 mg/kg. In accordance with Article 43 of Regulation (EC) No 396/2005, the Commission asked the Authority to evaluate that information for the purpose of setting an import tolerance on cultivated mushrooms. In parallel, the Commission asked the Authority to review all existing MRLs for the N-methyl-carbamate insecticides carbofuran, carbosulfan, benfuracarb and furathiocarb, including the MRLs set by the Codex Alimentarius Commission (CXLs) that were implemented by that Regulation.
- (10) In its reasoned opinion of 3 February 2014 ⁽²⁾ the Authority recommended maintaining the MRL for carbofuran in fresh cultivated mushrooms at the current limit of determination (LOD) of 0,01 mg/kg, since higher values may result in an acute consumer intake concern. Moreover, the Authority recommended the deletion of the MRLs set for carbofuran and carbosulfan on mandarin, orange, sunflower, rape seed and spices, which

⁽¹⁾ EFSA scientific reports available online: <http://www.efsa.europa.eu>:

Reasoned opinion on the setting of a new MRL for 1,4-dimethylnaphthalene in potatoes. *EFSA Journal* 2014;12(6):3735 [24 pp.]. doi:10.2903/j.efsa.2014.3735.

Reasoned Opinion on the modification of the existing maximum residue levels for esfenvalerate in peppers, broccoli and lettuce. *EFSA Journal* 2014;12(5):3693 [27 pp.]. doi:10.2903/j.efsa.2014.3693.

Reasoned opinion on the modification of the existing MRLs for ethephon in table olive and table grape. *EFSA Journal* 2014;12(5):3698 [22 pp.]. doi:10.2903/j.efsa.2014.3698.

Reasoned opinion on the modification of the existing MRLs for fenamidone in various vegetables. *EFSA Journal* 2014;12(3):3627 [36 pp.]. doi:10.2903/j.efsa.2014.3627.

Reasoned opinion on the modification of the MRLs for fenhexamid in various berries. *EFSA Journal* 2014;12(7):3785 [18 pp.]. doi:10.2903/j.efsa.2014.3785.

Reasoned opinion on the setting of MRLs for imazapyr in genetically modified soya bean and other oilseeds and in lentils. *EFSA Journal* 2014;12(6):3743 [31 pp.]. doi:10.2903/j.efsa.2014.3743.

Reasoned Opinion on the modification of the existing MRLs for malathion in various crops. *EFSA Journal* 2014;12(2):3588 [56 pp.]. doi:10.2903/j.efsa.2014.3588.

Reasoned opinion on the modification of the existing MRL for picoxystrobin in sugar beet. *EFSA Journal* 2014;12(5):3716 [26 pp.]. doi:10.2903/j.efsa.2014.3716.

Reasoned opinion on the modification of the existing MRLs for spirotetramat in olives for oil production. *EFSA Journal* 2014;12(6):3739 [25 pp.]. doi:10.2903/j.efsa.2014.3739.

Reasoned opinion on the modification of the existing MRLs for tepraloxymid in Jerusalem artichoke and radishes. *EFSA Journal* 2014;12(7):3788 [18 pp.]. doi:10.2903/j.efsa.2014.3788.

Reasoned opinion on the modification of the existing MRL for trifloxystrobin in cane fruit. *EFSA Journal* 2014;12(7):3751 [17 pp.]. doi:10.2903/j.efsa.2014.3751.

⁽²⁾ Reasoned opinion on the review of the existing MRLs for carbofuran, carbosulfan, benfuracarb and furathiocarb and the setting of an import tolerance for carbofuran in cultivated mushrooms. *EFSA Journal* 2014;12(2):3559 [38 pp.]. doi:10.2903/j.efsa.2014.3559.

correspond to CXLs. As regards carbofuran, in view of its low toxicological reference values, the Authority recommended setting MRLs below the current LOD for products that contribute significantly to consumer diets.

- (11) The Commission consulted the European Union reference laboratories which provided evidence that during the analytical process, carbosulfan, benfuracarb and furathiocarb are partially converted to carbofuran. It is therefore appropriate to set a common residue definition for the N-methyl carbamate compounds. In addition, the European Union reference laboratories confirmed that for certain products technical development permits the setting of lower LODs.
- (12) Based on the reasoned opinions of the Authority and taking into account the factors relevant to the matter under consideration, the appropriate modifications to the MRLs fulfil the requirements of Article 14(2) of Regulation (EC) No 396/2005.
- (13) Through the World Trade Organisation, the trading partners of the Union were consulted on the new MRLs and their comments have been taken into account.
- (14) Regulation (EC) No 396/2005 should therefore be amended accordingly.
- (15) In order to allow normal marketing, processing and consumption of products, this Regulation should provide for a transitional arrangement for products which have been lawfully produced before the modification of the MRLs and for which information shows that a high level of consumer protection is maintained.
- (16) A reasonable period should be allowed to elapse before the modified MRLs become applicable in order to permit Member States and interested parties to prepare themselves to meet the new requirements which will result from the modification of the MRLs.
- (17) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS REGULATION:

Article 1

Annexes II, III and V to Regulation (EC) No 396/2005 are amended in accordance with the Annex to this Regulation.

Article 2

Regulation (EC) No 396/2005 as it stood before being amended by this Regulation shall continue to apply to products which were lawfully produced before 3 October 2015.

Article 3

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 3 October 2015 as regards the MRLs for benfuracarb, carbofuran, carbosulfan and furathiocarb.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 25 February 2015.

For the Commission
The President
Jean-Claude JUNCKER

ANNEX

Annexes II, III and V to Regulation (EC) No 396/2005 are amended as follows:

(1) Annex II is amended as follows:

(a) the columns for carbofuran, ethephon, fenamidone, fenhexamid, fenvalerate, picoxystrobin, tepraloxym and trifloxystrobin are replaced by the following:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxym (sum of tepraloxym and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxym)	Trifloxystrobin (F) (R)
0100000	1. FRUIT FRESH OR FROZEN NUTS						0,01 (*)	0,1 (*)	
0110000	(i) Citrus fruit	0,01 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)			0,3
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)								
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)								
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))								
0110040	Limes								
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))								
0110990	Others								
0120000	(ii) Tree nuts	0,02 (*)		0,02 (*)	0,05 (*)	0,05 (*)			0,02 (*)
0120010	Almonds		0,1			(+)			
0120020	Brazil nuts		0,1						
0120030	Cashew nuts		0,1						
0120040	Chestnuts		0,1						
0120050	Coconuts		0,1						
0120060	Hazelnuts (Filbert)		0,2						
0120070	Macadamia		0,1						
0120080	Pecans		0,1						
0120090	Pine nuts		0,1						

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfluracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepaloxystrobin (sum of tepaloxystrobin and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxystrobin)	Trifloxystrobin (F) (R)
0120100	Pistachios		0,1						
0120110	Walnuts		0,5						
0120990	Others		0,1						
0130000	(iii) Pome fruit	0,001 (*)		0,02 (*)	0,05 (*)				0,5
0130010	Apples (Crab apple)		0,6			0,1 (+)			
0130020	Pears (Oriental pear)		0,05 (*)			0,1 (+)			
0130030	Quinces		0,05 (*)			0,02 (*)			
0130040	Medlar	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0130050	Loquat	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0130990	Others		0,05 (*)			0,02 (*)			
0140000	(iv) Stone fruit	0,002 (*)		0,02 (*)					
0140010	Apricots		0,05 (*)		5	0,2			1
0140020	Cherries (Sweet cherries, sour cherries)		3		5	0,02 (*) (+)			1
0140030	Peaches (Nectarines and similar hybrids)		0,05 (*)		5	0,2			1
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))		0,05 (*)		1	0,02 (*) (+)			0,2
0140990	Others		0,05 (*)		0,05 (*)	0,02 (*)			0,02 (*)
0150000	(v) Berries & small fruit								
0151000	(a) <i>Table and wine grapes</i>	0,002 (*)		0,5	5	0,3			5
0151010	Table grapes		0,7						
0151020	Wine grapes		2						
0152000	(b) <i>Strawberries</i>	0,005 (*)	0,05 (*)	0,04	5	0,02 (*) (+)		(+)	1
0153000	(c) <i>Cane fruit</i>	0,01 (*)	0,05 (*)	0,02 (*)	10	0,02 (*)			3
0153010	Blackberries								
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other Rubus hybrids)								

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))					(+)			
0153990	Others								
0154000	(d) <i>Other small fruit & berries</i>	0,01 (*)		0,02 (*)		0,02 (*)		(+)	
0154010	Blueberries (Bilberries)		20		15				2
0154020	Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>))		0,05 (*)		15				0,02 (*)
0154030	Currants (red, black and white)		0,05 (*)		15				1
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		0,05 (*)		15				1
0154050	Rose hips	(**)	0,05 (*)	(**)	(**)				(**)
0154060	Mulberries (<i>Arbutus</i> berry)	(**)	0,05 (*)	(**)	(**)				(**)
0154070	Azarole (mediteranean medlar) (<i>Kiwi</i> -berry (<i>Actinidia arguta</i>))	(**)	0,05 (*)	(**)	(**)				(**)
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	(**)	0,05 (*)	(**)	(**)				(**)
0154990	Others		0,05 (*)		5				0,02 (*)
0160000	(vi) Miscellaneous fruit			0,02 (*)					
0161000	(a) <i>Edible peel</i>	0,003 (*)			0,05 (*)	0,02 (*)			
0161010	Dates		0,05 (*)						0,02 (*)
0161020	Figs		0,05 (*)						0,02 (*)
0161030	Table olives		7						0,3
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (<i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))		0,05 (*)						0,02 (*)
0161050	Carambola (<i>Bilimbi</i>)	(**)	0,05 (*)	(**)	(**)				(**)
0161060	Persimmon	(**)	0,05 (*)	(**)	(**)				(**)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/gru-michama (<i>Eugenia uniflora</i>))	(**)	0,05 (*)	(**)	(**)				(**)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0161990	Others		0,05 (*)						0,02 (*)
0162000	(b) <i>Inedible peel, small</i>	0,01 (*)	0,05 (*)			0,02 (*)			
0162010	Kiwi				10				0,02 (*)
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsak, salak)				0,05 (*)				0,02 (*)
0162030	Passion fruit				0,05 (*)				4
0162040	Prickly pear (cactus fruit)	(**)		(**)	(**)				(**)
0162050	Star apple	(**)		(**)	(**)				(**)
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mam-mey sapote)	(**)		(**)	(**)				(**)
0162990	Others				0,05 (*)				0,02 (*)
0163000	(c) <i>Inedible peel, large</i>	0,01 (*)			0,05 (*)				
0163010	Avocados		0,05 (*)			0,02 (*)			0,02 (*)
0163020	Bananas (Dwarf banana, plantain, apple banana)		0,05 (*)			0,02 (*)			0,05
0163030	Mangoes		0,05 (*)			1,5			0,5
0163040	Papaya		0,05 (*)			0,02 (*)			1
0163050	Pomegranate		0,05 (*)			0,02 (*)			0,02 (*)
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized Annonaceae fruits)	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0163080	Pineapples		2			0,02 (*)			0,02 (*)
0163090	Bread fruit (Jackfruit)	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0163100	Durian	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0163110	Soursop (guanabana)	(**)	0,05 (*)	(**)	(**)	0,02 (*)			(**)
0163990	Others		0,05 (*)			0,02 (*)			0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0200000	2. VEGETABLES FRESH OR FROZEN								
0210000	(i) Root and tuber vegetables		0,05 (*)		0,05 (*)	0,02 (*)	0,01 (*)		
0211000	(a) <i>Potatoes</i>	0,001 (*)		0,02 (*)				0,4	0,02 (*)
0212000	(b) <i>Tropical root and tuber vegetables</i>	0,002 (*)		0,02 (*)				0,1 (*)	0,02 (*)
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)								
0212020	Sweet potatoes								
0212030	Yams (Potato bean/yam bean, Mexican yam bean)								
0212040	Arrowroot	(**)		(**)	(**)				(**)
0212990	Others								
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	0,002 (*)		0,15					
0213010	Beetroot							0,2	0,02 (*)
0213020	Carrots					(+)		0,4	0,05
0213030	Celeriac							0,3	0,02 (*)
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)					(+)		0,4	0,08
0213050	Jerusalem artichokes (Crosne)							0,4	0,02 (*)
0213060	Parsnips							0,4	0,04
0213070	Parsley root					(+)		0,4	0,08
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))					(+)		0,4	0,08
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)							0,4	0,04
0213100	Swedes							0,3	0,04
0213110	Turnips							0,3	0,04
0213990	Others							0,1 (*)	0,02 (*)
0220000	(ii) Bulb vegetables	0,002 (*)	0,05 (*)			0,02 (*)	0,01 (*)	0,3	
0220010	Garlic			0,2	0,05 (*)	(+)			0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfluracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0220020	Onions (Other bulb onions, silverskin onions)			0,2	0,6	(+)			0,02 (*)
0220030	Shallots			0,2	0,05 (*)				0,02 (*)
0220040	Spring onions and welsh onions (Other green onions and similar varieties)			1,5	0,05 (*)				0,1
0220990	Others			0,02 (*)	0,05 (*)				0,02 (*)
0230000	(iii) Fruiting vegetables						0,01 (*)	0,1 (*)	
0231000	(a) <i>Solanacea</i>	0,002 (*)							
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)		1	1	1	0,1			0,5
0231020	Peppers (Chilli peppers)		0,05 (*)	1 (+)	2	0,05			0,3
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macro-carpon))		0,05 (*)	1	1	0,06			0,7
0231040	Okra (lady's fingers)		0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)			0,02 (*)
0231990	Others		0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)			0,02 (*)
0232000	(b) <i>Cucurbits — edible peel</i>	0,002 (*)	0,05 (*)	0,2	1	0,02 (*) (+)		(+)	0,2
0232010	Cucumbers								
0232020	Gherkins								
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)								
0232990	Others								
0233000	(c) <i>Cucurbits-inedible peel</i>	0,01 (*)	0,05 (*)	0,2	0,05 (*)	0,02 (*)			
0233010	Melons (Kiwano)					(+)			0,3
0233020	Pumpkins (Winter squash, marrow (late variety))								0,2
0233030	Watermelons								0,2
0233990	Others								0,02 (*)
0234000	(d) <i>Sweet corn (Baby corn)</i>	0,002 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*) (+)			0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepaloxystrobin (sum of tepaloxystrobin and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxystrobin)	Trifloxystrobin (F) (R)
0239000	(e) <i>Other fruiting vegetables</i>	0,01 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)			0,02 (*)
0240000	(iv) Brassica vegetables	0,002 (*)	0,05 (*)		0,05 (*)		0,01 (*)		
0241000	(a) <i>Flowering brassica</i>							0,5 (+)	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)			5		0,05			0,05
0241020	Cauliflower			0,02 (*)		0,02 (*) (+)			0,05
0241990	Others			0,02 (*)		0,02 (*) (+)			0,02 (*)
0242000	(b) <i>Head brassica</i>			0,02 (*)					
0242010	Brussels sprouts					0,05 (+)		0,6 (+)	0,5
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)					0,08		0,8 (+)	0,3
0242990	Others					0,02 (*)		0,1 (*) (+)	0,02 (*)
0243000	(c) <i>Leafy brassica</i>					0,02 (*)		1 (+)	3
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)			55					
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)			0,02 (*)					
0243990	Others			0,02 (*)					
0244000	(d) <i>Kohlrabi</i>			0,02 (*)		0,02 (*)		0,5 (+)	0,5
0250000	(v) Leaf vegetables & fresh herbs		0,05 (*)						
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>						0,01 (*)	0,1 (*)	
0251010	Lamb's lettuce (Italian corn salad)	0,002 (*)		40	30	0,02 (*)			0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepaloxystrobin (sum of tepaloxystrobin and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxystrobin)	Trifloxystrobin (F) (R)
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	0,002 (*)		30	40	0,2 (+)			15
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)	0,001 (*)		40	30	0,02 (*)			10
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	0,002 (*)		40	30	0,02 (*)			0,02 (*)
0251050	Land cress	(**)		(**)	(**)	0,02 (*)			(**)
0251060	Rocket, Rucola (Wild rocket (Diplo-taxis spp.))	0,002 (*)		40	30	0,02 (*)			0,02 (*)
0251070	Red mustard	(**)		(**)	(**)	0,02 (*)			(**)
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	0,002 (*)		40	30	0,02 (*)			15
0251990	Others	0,002 (*)		2	30	0,02 (*)			0,02 (*)
0252000	(b) <i>Spinach & similar (leaves)</i>	0,005 (*)		60	0,05 (*)	0,02 (*)	0,01 (*)	0,1 (*)	0,02 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)					(+)			
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))	(**)		(**)	(**)				(**)
0252030	Beet leaves (chard) (Leaves of beet-root)								
0252990	Others								
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	(**)		(**)	(**)	0,02 (*)	0,01 (*)	0,1 (*)	(**)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,01 (*)		0,02 (*)	0,05 (*)	0,02 (*)	0,01 (*)	0,1 (*)	0,02 (*)
0255000	(e) <i>Witloof</i>	0,002 (*)		0,02 (*)	0,05 (*)	0,02 (*)	0,01 (*)	0,1 (*)	0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benflurcarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0256000	(f) <i>Herbs</i>	0,02 (*)		60	30	0,05 (*)	0,02 (*)		10
0256010	Chervil							0,1 (*)	
0256020	Chives							0,3	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (<i>Eryngium foetidum</i>))							0,1 (*) (+)	
0256040	Parsley (leaves of root parsley)					(+)		0,1 (*)	
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)	(**)		(**)	(**)			0,1 (*)	(**)
0256060	Rosemary	(**)		(**)	(**)			0,1 (*)	(**)
0256070	Thyme (Marjoram, oregano)	(**)		(**)	(**)			0,1 (*)	(**)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	(**)		(**)	(**)			0,1 (*)	(**)
0256090	Bay leaves (laurel) (Lemon grass)	(**)		(**)	(**)			0,1 (*)	(**)
0256100	Tarragon (Hyssop)	(**)		(**)	(**)			0,1 (*)	(**)
0256990	Others							0,1 (*)	
0260000	(vi) Legume vegetables (fresh)	0,01 (*)	0,05 (*)	0,02 (*)			0,01 (*)	0,1 (*)	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)				5	0,1			1
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)				0,05 (*)	0,02 (*)			0,02 (*)
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)				0,05 (*)	0,1			0,02 (*)
0260040	Peas (without pods) (Garden pea, green pea, chickpea)				0,05 (*)	0,02 (*)			0,02 (*)
0260050	Lentils				0,05 (*)	0,02 (*)			0,02 (*)
0260990	Others				0,05 (*)	0,02 (*)			0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfluracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0270000	(vii) Stem vegetables (fresh)	0,002 (*)	0,05 (*)		0,05 (*)	0,02 (*)	0,01 (*)		
0270010	Asparagus			0,02 (*)				0,1 (*)	0,05
0270020	Cardoons (Borago officinalis stems)			40				0,1 (*)	0,02 (*)
0270030	Celery			40				0,1 (*)	1
0270040	Fennel			4				0,1 (*)	0,02 (*)
0270050	Globe artichokes (Banana flower)			0,02 (*)				0,1 (*)	0,2
0270060	Leek			0,02 (*)		(+)		0,3 (+)	0,2
0270070	Rhubarb			4				0,1 (*)	0,02 (*)
0270080	Bamboo shoots	(**)		(**)	(**)			0,1 (*)	(**)
0270090	Palm hearts	(**)		(**)	(**)			0,1 (*)	(**)
0270990	Others			0,02 (*)				0,1 (*)	0,02 (*)
0280000	(viii) Fungi	0,01 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)	0,01 (*)	0,1 (*)	0,02 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))								
0280020	Wild fungi (Chanterelle, truffle, morel, cep)								
0280990	Others								
0290000	(ix) Sea weeds	(**)	0,05 (*)	(**)	(**)	0,02 (*)	0,01 (*)	0,1 (*)	(**)
0300000	3. PULSES, DRY	0,005 (*)	0,05 (*)	0,02 (*)	0,05 (*)	0,02 (*)	0,01 (*)		0,02 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)							0,6 (+)	
0300020	Lentils					(+)		0,6 (+)	
0300030	Peas (Chickpeas, field peas, chickling vetch)							0,6 (+)	
0300040	Lupins							0,1 (*)	
0300990	Others							0,1 (*)	
0400000	4. OILSEEDS AND OILFRUITS					0,05 (*)			
0401000	(i) Oilseeds			0,05 (*)	0,1 (*)				0,05 (*)
0401010	Linseed	0,02 (*)	0,1 (*)				0,01 (*)	0,8	
0401020	Peanuts	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0401030	Poppy seed	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0401040	Sesame seed	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0401050	Sunflower seed	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0401060	Rape seed (Bird rapeseed, turnip rape)	0,02 (*)	0,1 (*)				0,02 (+)	0,8	
0401070	Soya bean	0,02 (*)	0,1 (*)				0,01 (*)	5	
0401080	Mustard seed	0,02 (*)	0,1 (*)				0,01 (*)	1	
0401090	Cotton seed	0,1	2 (+)				0,01 (*)	1	
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0401110	Safflower	(**)	0,1 (*)	(**)	(**)		0,01 (*)	0,1 (*)	(**)
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))	(**)	0,1 (*)	(**)	(**)		0,01 (*)	0,8	(**)
0401130	Gold of pleasure	(**)	0,1 (*)	(**)	(**)		0,01 (*)	0,1 (*)	(**)
0401140	Hempseed	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0401150	Castor bean	(**)	0,1 (*)	(**)	(**)		0,01 (*)	0,1 (*)	(**)
0401990	Others	0,02 (*)	0,1 (*)				0,01 (*)	0,1 (*)	
0402000	(ii) Oilfruits	0,02 (*)					0,01 (*)	0,1 (*)	
0402010	Olives for oil production		10	0,02 (*)	0,05 (*)				0,3
0402020	Palm nuts (palmoil kernels)	(**)	0,05 (*)	(**)	(**)				(**)
0402030	Palmfruit	(**)	0,05 (*)	(**)	(**)				(**)
0402040	Kapok	(**)	0,05 (*)	(**)	(**)				(**)
0402990	Others		0,05 (*)	0,05 (*)	0,1 (*)				0,05 (*)
0500000	5. CEREALS	0,01 (*)		0,02 (*)	0,05 (*)			0,1 (*)	
0500010	Barley		1			0,3 (+)	0,3		0,3
0500020	Buckwheat (Amaranthus, quinoa)		0,05 (*)			0,02 (*)	0,01 (*)		0,02 (*)
0500030	Maize		0,05 (*)			0,02 (*) (+)	0,01 (*)		0,02 (*)
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		0,05 (*)			0,02 (*)	0,01 (*)		0,02 (*)
0500050	Oats		0,05 (*)			0,3 (+)	0,3		0,02 (*)
0500060	Rice (Indian/wild rice (Zizania aquatica))		0,05 (*)			0,02 (*)	0,01 (*)		0,02 (*)
0500070	Rye		1			0,2 (+)	0,05		0,05
0500080	Sorghum		0,05 (*)			0,02 (*) (+)	0,01 (*)		0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0500090	Wheat (Spelt, triticale)		1			0,2 (+)	0,05		0,05
0500990	Others (Canary grass seeds (<i>Phalaris canariensis</i>))		0,05 (*)			0,02 (*)	0,01 (*)		0,02 (*)
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	0,05 (*)	0,1 (*)	0,05 (*)	0,1 (*)	0,1 (*)	0,05 (*)	0,1 (*)	0,05 (*)
0610000	(i) Tea								
0620000	(ii) Coffee beans	(**)		(**)	(**)				(**)
0630000	(iii) Herbal infusions (dried)	(**)		(**)	(**)				(**)
0631000	(a) <i>Flowers</i>	(**)		(**)	(**)				(**)
0631010	Camomille flowers	(**)		(**)	(**)				(**)
0631020	Hybiscus flowers	(**)		(**)	(**)				(**)
0631030	Rose petals	(**)		(**)	(**)				(**)
0631040	Jasmine flowers (Elderflowers (<i>Sambucus nigra</i>))	(**)		(**)	(**)				(**)
0631050	Lime (linden)	(**)		(**)	(**)				(**)
0631990	Others	(**)		(**)	(**)				(**)
0632000	(b) <i>Leaves</i>	(**)		(**)	(**)				(**)
0632010	Strawberry leaves	(**)		(**)	(**)				(**)
0632020	Rooibos leaves (<i>Ginkgo</i> leaves)	(**)		(**)	(**)				(**)
0632030	Maté	(**)		(**)	(**)				(**)
0632990	Others	(**)		(**)	(**)				(**)
0633000	(c) <i>Roots</i>	(**)		(**)	(**)				(**)
0633010	Valerian root	(**)		(**)	(**)				(**)
0633020	Ginseng root	(**)		(**)	(**)				(**)
0633990	Others	(**)		(**)	(**)				(**)
0639000	(d) <i>Other herbal infusions</i>	(**)		(**)	(**)				(**)
0640000	(iv) Cocoa beans (fermented or dried)	(**)		(**)	(**)				(**)
0650000	(v) Carob (st johns bread)	(**)		(**)	(**)				(**)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0700000	7. HOPS (dried)	0,05 (*)	0,1 (*)	0,05 (*)	0,1 (*)	0,1 (*)	0,05 (*)	0,1 (*)	30
0800000	8. SPICES	(**)		(**)	(**)				(**)
0810000	(i) Seeds	(**)	0,1 (*)	(**)	(**)	0,1 (*) (+)	0,05 (*)	0,1 (*)	(**)
0810010	Anise	(**)		(**)	(**)				(**)
0810020	Black caraway	(**)		(**)	(**)				(**)
0810030	Celery seed (Lovage seed)	(**)		(**)	(**)				(**)
0810040	Coriander seed	(**)		(**)	(**)				(**)
0810050	Cumin seed	(**)		(**)	(**)				(**)
0810060	Dill seed	(**)		(**)	(**)				(**)
0810070	Fennel seed	(**)		(**)	(**)				(**)
0810080	Fenugreek	(**)		(**)	(**)				(**)
0810090	Nutmeg	(**)		(**)	(**)				(**)
0810990	Others	(**)		(**)	(**)				(**)
0820000	(ii) Fruits and berries	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0820010	Allspice	(**)		(**)	(**)				(**)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	(**)		(**)	(**)				(**)
0820030	Caraway	(**)		(**)	(**)				(**)
0820040	Cardamom	(**)		(**)	(**)				(**)
0820050	Juniper berries	(**)		(**)	(**)				(**)
0820060	Pepper, black, green and white (Long pepper, pink pepper)	(**)		(**)	(**)				(**)
0820070	Vanilla pods	(**)		(**)	(**)				(**)
0820080	Tamarind	(**)		(**)	(**)				(**)
0820990	Others	(**)		(**)	(**)				(**)
0830000	(iii) Bark	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0830010	Cinnamon (Cassia)	(**)		(**)	(**)				(**)
0830990	Others	(**)		(**)	(**)				(**)
0840000	(iv) Roots or rhizome	(**)		(**)	(**)				(**)
0840010	Liquorice	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
0840020	Ginger	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0840030	Turmeric (Curcuma)	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0840040	Horseradish	(**)	(+)	(**)	(**)	(+)	(+)	(+)	(**)
0840990	Others	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0850000	(v) Buds	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0850010	Cloves	(**)		(**)	(**)				(**)
0850020	Capers	(**)		(**)	(**)				(**)
0850990	Others	(**)		(**)	(**)				(**)
0860000	(vi) Flower stigma	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0860010	Saffron	(**)		(**)	(**)				(**)
0860990	Others	(**)		(**)	(**)				(**)
0870000	(vii) Aril	(**)	0,1 (*)	(**)	(**)	0,1 (*)	0,05 (*)	0,1 (*)	(**)
0870010	Mace	(**)		(**)	(**)				(**)
0870990	Others	(**)		(**)	(**)				(**)
0900000	9. SUGAR PLANTS	(**)	0,05 (*)	(**)	(**)	0,02 (*)		0,1 (*)	(**)
0900010	Sugar beet (root)	(**)		(**)	(**)		0,015		(**)
0900020	Sugar cane	(**)		(**)	(**)		0,01 (*)		(**)
0900030	Chicory roots	(**)		(**)	(**)		0,01 (*)		(**)
0900990	Others	(**)		(**)	(**)		0,01 (*)		(**)
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS		0,05 (*)		0,05 (*)				
1010000	(i) Tissue	0,01 (*)		0,01 (*)			0,01 (*)		0,04 (*)
1011000	(a) <i>Swine</i>					(+)		0,1 (*)	
1011010	Muscle					0,02 (*)			
1011020	Fat					0,03			
1011030	Liver					0,02 (*)			
1011040	Kidney					0,02 (*)			

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
1011050	Edible offal					0,02 (*)			
1011990	Others					0,02 (*)			
1012000	(b) <i>Bovine</i>					(+)		0,1 (*)	
1012010	Muscle					0,025			
1012020	Fat					0,25			
1012030	Liver					0,07			
1012040	Kidney					0,05			
1012050	Edible offal					0,02 (*)			
1012990	Others					0,02 (*)			
1013000	(c) <i>Sheep</i>					(+)		0,1 (*)	
1013010	Muscle					0,02 (*)			
1013020	Fat					0,2			
1013030	Liver					0,07			
1013040	Kidney					0,05			
1013050	Edible offal					0,02 (*)			
1013990	Others					0,02 (*)			
1014000	(d) <i>Goat</i>					(+)		0,1 (*)	
1014010	Muscle					0,02 (*)			
1014020	Fat					0,2			
1014030	Liver					0,07			
1014040	Kidney					0,05			
1014050	Edible offal					0,02 (*)			
1014990	Others					0,02 (*)			
1015000	(e) <i>Horses, asses, mules or hinnies</i>	(**)		(**)	(**)	(+)		0,1 (*)	(**)
1015010	Muscle	(**)		(**)	(**)	0,02 (*)			(**)
1015020	Fat	(**)		(**)	(**)	0,2			(**)
1015030	Liver	(**)		(**)	(**)	0,07			(**)
1015040	Kidney	(**)		(**)	(**)	0,05			(**)
1015050	Edible offal	(**)		(**)	(**)	0,02 (*)			(**)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepraloxydim (sum of tepraloxydim and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepraloxydim)	Trifloxystrobin (F) (R)
1015990	Others	(**)		(**)	(**)	0,02 (*)			(**)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>					0,02 (*) (+)			
1016010	Muscle							0,1 (*)	
1016020	Fat							0,1 (*)	
1016030	Liver							0,2	
1016040	Kidney							0,1 (*)	
1016050	Edible offal							0,1 (*)	
1016990	Others							0,1 (*)	
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	(**)		(**)	(**)	(+)		0,1 (*)	(**)
1017010	Muscle	(**)		(**)	(**)	0,02 (*)			(**)
1017020	Fat	(**)		(**)	(**)	0,2			(**)
1017030	Liver	(**)		(**)	(**)	0,07			(**)
1017040	Kidney	(**)		(**)	(**)	0,05			(**)
1017050	Edible offal	(**)		(**)	(**)	0,02 (*)			(**)
1017990	Others	(**)		(**)	(**)	0,02 (*)			(**)
1020000	(ii) Milk	0,001 (*)		0,01 (*)		(+)	0,01	0,02 (*)	0,02 (*)
1020010	Cattle					0,04			
1020020	Sheep					0,02 (*)			
1020030	Goat					0,02 (*)			
1020040	Horse					0,02 (*)			
1020990	Others					0,02 (*)			
1030000	(iii) Bird eggs	0,01 (*)		0,01 (*)		0,02 (*) (+)	0,01 (*)	0,1 (*)	0,04*
1030010	Chicken								
1030020	Duck	(**)		(**)	(**)				(**)
1030030	Goose	(**)		(**)	(**)				(**)
1030040	Quail	(**)		(**)	(**)				(**)
1030990	Others	(**)		(**)	(**)				(**)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Ethephon	Fenamidone	Fenhexamid	Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R)	Picoxystrobin (F)	Tepaloxystrobin (sum of tepaloxystrobin and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxystrobin)	Trifloxystrobin (F) (R)
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	(**)		(**)	(**)	0,05 (*)	0,05 (*)	0,05 (*)	(**)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	(**)		(**)	(**)	0,02 (*) (+)	0,01 (*)	0,1 (*)	(**)
1060000	(vi) Snails	(**)		(**)	(**)	0,02 (*) (+)	0,01 (*)	0,1 (*)	(**)
1070000	(vii) Other terrestrial animal products (Wild game)	(**)		(**)	(**)	0,02 (*) (+)	0,01 (*)	0,1 (*)	(**)

(*) Indicates lower limit of analytical determination

(**) Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(+) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(f) = Fat soluble

Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Carbofuran — code 1000000 except 1040000: 3-OH-carbofuran (free and conjugated) expressed as carbofuran

Ethephon

(+) MRL will be valid until 1 July 2011 pending submission and evaluation of an additional metabolism study

0401090 Cotton seed

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fenamidone

(+) The following MRL applies to Chilli peppers: 3,5 mg/kg.

0231020 Peppers (Chilli peppers)

Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (f) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Esfenvalerate — codes 1011030, 1011040, 1012030, 1012040, 1013030, 1013040, 1014030, 1014040, 1015030, 1015040, 1016030, 1016040, 1017030 and 1017040: sum of fenvalerate (any ratio of constituent isomers including esfenvalerate) and CPIA (chlorophenyl isovaleric acid), expressed as fenvalerate

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

0120010 Almonds

0130010 Apples (Crab apple)

0130020 Pears (Oriental pear)

0140020	Cherries (Sweet cherries, sour cherries)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (<i>Ziziphus zizyphus</i>))
0152000	(b) Strawberries
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))
0213020	Carrots
0213040	Horseradish (<i>Angelica</i> roots, lovage roots, gentiana roots)
0213070	Parsley root
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))
0220010	Garlic
0220020	Onions (Other bulb onions, silverskin onions)
0232000	(b) Cucurbits — edible peel
0232010	Cucumbers
0232020	Gherkins
0232030	Courgettes (Summer squash, marrow (<i>patisson</i>), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)
0232990	Others
0233010	Melons (Kiwano)
0234000	(d) Sweet corn (Baby corn)
0241020	Cauliflower
0241990	Others
0242010	Brussels sprouts
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)
0256040	Parsley (leaves of root parsley)
0270060	Leek
0300020	Lentils
0500010	Barley
0500030	Maize
0500050	Oats
0500070	Rye
0500080	Sorghum
0500090	Wheat (Spelt, triticale)
0810000	(i) Seeds
0810010	Anise
0810020	Black caraway
0810030	Celery seed (Lovage seed)
0810040	Coriander seed
0810050	Cumin seed
0810060	Dill seed
0810070	Fennel seed
0810080	Fenugreek
0810090	Nutmeg
0810990	Others

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1011000 (a) Swine

1011010 Muscle

1011020 Fat

1011030 Liver

1011040 Kidney

1011050 Edible offal

1011990 Others

- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1012000 (b) Bovine

1012010 Muscle

1012020 Fat

1012030 Liver

1012040 Kidney

1012050 Edible offal

1012990 Others

- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1013000 (c) Sheep

1013010 Muscle

1013020 Fat

1013030 Liver

1013040 Kidney

1013050 Edible offal

1013990 Others

- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1014000 (d) Goat

1014010 Muscle

1014020 Fat

1014030 Liver

1014040 Kidney

1014050 Edible offal

1014990 Others

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1015000 (e) Horses, asses, mules or hinnies

1015010 Muscle

1015020 Fat

1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others

- (+) The European Food Safety Authority identified some information on analytical methods and a feeding study for lactating ruminants as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 30 January 2016, or, if that information is not submitted by that date, the lack of it.

1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)
1060000	(vi) Snails
1070000	(vii) Other terrestrial animal products (Wild game)

Picoxystrobin (F)

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

0401060	Rape seed (Bird rapeseed, turnip rape)
----------------	---

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
----------------	--------------------

Tepaloxymid (sum of tepaloxymid and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxymid)

(+) The European Food Safety Authority identified some information on crop metabolism as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

0152000	(b) Strawberries
0154000	(d) Other small fruit & berries
0154010	Blueberries (Bilberries)
0154020	Cranberries (Cowberries/red bilberries (V. vitis-idaea))
0154030	Currants (red, black and white)
0154040	Gooseberries (Including hybrids with other Ribes species)
0154050	Rose hips
0154060	Mulberries (Arbutus berry)
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)
0154990	Others
0232000	(b) Cucurbits — edible peel
0232010	Cucumbers
0232020	Gherkins
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)
0232990	Others
0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0241990	Others
0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0242990	Others
0243000	(c) Leafy brassica
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0243990	Others
0244000	(d) Kohlrabi
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))
0270060	Leek

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 17 August 2015, or, if that information is not submitted by that date, the lack of it.

0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)
0300020	Lentils
0300030	Peas (Chickpeas, field peas, chickling vetch)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
----------------	--------------------

Trifloxystrobin (f) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Trifloxystrobin- code 1000000: the sum of trifloxystrobin and its metabolite (E, E)-methoxyimino- [2-[1-(3-trifluoromethyl-phenyl)-ethylideneamino-oxymethyl]-phenyl]-acetic acid (CGA 321113)

(b) the column for carbosulfan is deleted;

(2) Part A of Annex III is amended as follows:

(a) the columns for malathion and spirotetramat are replaced by the following:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0100000	1. FRUIT FRESH OR FROZEN NUTS		
0110000	(i) Citrus fruit	2	1
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))		
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))		
0110990	Others		
0120000	(ii) Tree nuts	0,02 (*)	0,5
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0130000	(iii) Pome fruit	0,02 (*)	1
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) Stone fruit	0,02 (*)	3
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (<i>Ziziphus zizyphus</i>))		
0140990	Others		
0150000	(v) Berries & small fruit	0,02 (*)	
0151000	(a) <i>Table and wine grapes</i>		2
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		0,4
0153000	(c) <i>Cane fruit</i>		0,1 (*)
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))		
0153990	Others		
0154000	(d) <i>Other small fruit & berries</i>		0,1 (*)
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0154060	Mulberries (Arbutus berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))		
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea shallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) Miscellaneous fruit	0,02 (*)	
0161000	(a) <i>Edible peel</i>		
0161010	Dates		0,1 (*)
0161020	Figs		0,1 (*)
0161030	Table olives		4
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.))		0,1 (*)
0161050	Carambola (Bilimbi)		0,1 (*)
0161060	Persimmon		0,1 (*)
0161070	Jambolan (java plum) (Java apple/water apple, pommerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))		0,1 (*)
0161990	Others		0,1 (*)
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		0,3
0162020	Lycée (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)		15
0162030	Passion fruit		0,1 (*)
0162040	Prickly pear (cactus fruit)		0,1 (*)
0162050	Star apple		0,1 (*)
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammy sapote)		0,1 (*)
0162990	Others		0,1 (*)
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		0,7
0163020	Bananas (Dwarf banana, plantain, apple banana)		0,6
0163030	Mangoes		0,3
0163040	Papaya		0,4
0163050	Pomegranate		0,1 (*)
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits)		0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))		0,1 (*)
0163080	Pineapples		0,3
0163090	Bread fruit (Jackfruit)		0,1 (*)
0163100	Durian		0,1 (*)
0163110	Soursop (guanabana)		0,1 (*)
0163990	Others		0,1 (*)
0200000	2. VEGETABLES FRESH OR FROZEN		
0210000	(i) Root and tuber vegetables	0,02 (*)	
0211000	(a) <i>Potatoes</i>		0,8
0212000	(b) <i>Tropical root and tuber vegetables</i>		0,1 (*)
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		0,1 (*)
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))		
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		
0220000	(ii) Bulb vegetables	0,02 (*)	
0220010	Garlic		0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0220020	Onions (Other bulb onions, silverskin onions)		0,4
0220030	Shallots		0,4
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		0,1 (*)
0220990	Others		0,1 (*)
0230000	(iii) Fruiting vegetables	0,02 (*)	
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)		2
0231020	Peppers (Chilli peppers)		2
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))		2
0231040	Okra (lady's fingers)		1
0231990	Others		1
0232000	(b) <i>Cucurbits — edible peel</i>		0,2
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) <i>Cucurbits-inedible peel</i>		0,2
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn (Baby corn)</i>		0,1 (*)
0239000	(e) <i>Other fruiting vegetables</i>		0,1 (*)
0240000	(iv) Brassica vegetables	0,02 (*)	
0241000	(a) <i>Flowering brassica</i>		1
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		

Code number	Groups and examples of individual products to which the MRLs apply ⁽ⁱ⁾	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		0,3
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		2
0242990	Others		0,1 (*)
0243000	(c) <i>Leafy brassica</i>		7
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		2
0250000	(v) Leaf vegetables & fresh herbs		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		7
0251010	Lamb's lettuce (Italian corn salad)	0,02 (*)	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	0,5	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)	0,02 (*)	
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	0,02 (*)	
0251050	Land cress	0,02 (*)	
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))	0,02 (*)	
0251070	Red mustard	0,02 (*)	
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other baby leaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	0,02 (*)	
0251990	Others	0,02 (*)	
0252000	(b) <i>Spinach & similar (leaves)</i>	0,02 (*)	7
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitter-blad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glass-worth, agretti (Salsola soda))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	0,02 (*)	0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,02 (*)	7
0255000	(e) <i>Witloof</i>	0,02 (*)	0,1 (*)
0256000	(f) <i>Herbs</i>	0,02 (*)	4
0256010	Chervil		
0256020	Chives		
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	(vi) Legume vegetables (fresh)	0,02 (*)	1,5
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	(vii) Stem vegetables (fresh)	0,02 (*)	
0270010	Asparagus		0,1 (*)
0270020	Cardoons (Borago officinalis stems)		0,1 (*)
0270030	Celery		4
0270040	Fennel		0,1 (*)
0270050	Globe artichokes (Banana flower)		0,1 (*)
0270060	Leek		0,1 (*)
0270070	Rhubarb		0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0270080	Bamboo shoots		0,1 (*)
0270090	Palm hearts		0,1 (*)
0270990	Others		0,1 (*)
0280000	(viii) Fungi	0,02 (*)	0,1 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	(ix) Sea weeds	0,02 (*)	0,1 (*)
0300000	3. PULSES, DRY	0,02 (*)	2
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	4. OILSEEDS AND OILFRUITS	0,02 (*)	
0401000	(i) Oilseeds		
0401010	Linseed		0,1 (*)
0401020	Peanuts		0,1 (*)
0401030	Poppy seed		0,1 (*)
0401040	Sesame seed		0,1 (*)
0401050	Sunflower seed		0,1 (*)
0401060	Rape seed (Bird rapeseed, turnip rape)		0,1 (*)
0401070	Soya bean		4
0401080	Mustard seed		0,1 (*)
0401090	Cotton seed		0,4
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)		0,1 (*)
0401110	Safflower		0,1 (*)
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))		0,1 (*)
0401130	Gold of pleasure		0,1 (*)
0401140	Hempseed		0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0401150	Castor bean		0,1 (*)
0401990	Others		0,1 (*)
0402000	(ii) Oilfruits		
0402010	Olives for oil production		4
0402020	Palm nuts (palmoil kernels)		0,1 (*)
0402030	Palmfruit		0,1 (*)
0402040	Kapok		0,1 (*)
0402990	Others		0,1 (*)
0500000	5. CEREALS	8	0,1 (*)
0500010	Barley		
0500020	Buckwheat (Amaranthus, quinoa)		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		
0500060	Rice (Indian/wild rice (Zizania aquatica))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		
0500990	Others (Canary grass seeds (Phalaris canariensis))		
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA		0,1 (*)
0610000	(i) Tea	0,5	
0620000	(ii) Coffee beans	0,02 (*)	
0630000	(iii) Herbal infusions (dried)		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers	1,5	
0631020	Hybiscus flowers	0,02 (*)	
0631030	Rose petals	0,02 (*)	
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	0,02 (*)	
0631050	Lime (linden)	0,02 (*)	
0631990	Others	0,02 (*)	

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0632000	(b) <i>Leaves</i>	0,02 (*)	
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>	0,02 (*)	
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>	0,02 (*)	
0640000	(iv) Cocoabeans (fermented or dried)	0,02 (*)	
0650000	(v) Carob (st johns bread)	0,02 (*)	
0700000	7. HOPS (dried)	0,02 (*)	15
0800000	8. SPICES		
0810000	(i) Seeds	0,02 (*)	0,1 (*)
0810010	Anise		
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) Fruits and berries	0,02 (*)	0,1 (*)
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) Bark	0,02 (*)	0,1 (*)
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) Roots or rhizome		
0840010	Liquorice	0,02 (*)	0,1 (*)
0840020	Ginger	0,02 (*)	0,1 (*)
0840030	Turmeric (Curcuma)	0,02 (*)	0,1 (*)
0840040	Horseradish	(+)	(+)
0840990	Others	0,02 (*)	0,1 (*)
0850000	(v) Buds	0,02 (*)	0,1 (*)
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) Flower stigma	0,02 (*)	0,1 (*)
0860010	Saffron		
0860990	Others		
0870000	(vii) Aril	0,02 (*)	0,1 (*)
0870010	Mace		
0870990	Others		
0900000	9. SUGAR PLANTS	0,02 (*)	0,1 (*)
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS		
1010000	(i) Tissue	0,02 (*)	
1011000	(a) <i>Swine</i>		
1011010	Muscle		0,05
1011020	Fat		0,01 (*)
1011030	Liver		0,7
1011040	Kidney		0,7
1011050	Edible offal		0,7
1011990	Others		0,01 (*)
1012000	(b) <i>Bovine</i>		
1012010	Muscle		0,05
1012020	Fat		0,01 (*)
1012030	Liver		0,7
1012040	Kidney		0,7
1012050	Edible offal		0,7
1012990	Others		0,01 (*)
1013000	(c) <i>Sheep</i>		
1013010	Muscle		0,05
1013020	Fat		0,01 (*)
1013030	Liver		0,7
1013040	Kidney		0,7
1013050	Edible offal		0,7
1013990	Others		0,01 (*)
1014000	(d) <i>Goat</i>		
1014010	Muscle		0,05
1014020	Fat		0,01 (*)
1014030	Liver		0,7
1014040	Kidney		0,7
1014050	Edible offal		0,7
1014990	Others		0,01 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Muscle		0,05

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
1015020	Fat		0,01 (*)
1015030	Liver		0,7
1015040	Kidney		0,7
1015050	Edible offal		0,7
1015990	Others		0,01 (*)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		0,01 (*)
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>		
1017010	Muscle		0,05
1017020	Fat		0,01 (*)
1017030	Liver		0,7
1017040	Kidney		0,7
1017050	Edible offal		0,7
1017990	Others		0,01 (*)
1020000	(ii) Milk	0,02 (*)	0,005 (*)
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) Bird eggs	0,02 (*)	0,01 (*)
1030010	Chicken		
1030020	Duck		
1030030	Goose		
1030040	Quail		
1030990	Others		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Malathion (sum of malathion and malaoxon expressed as malathion)	Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	0,05 (*)	0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	0,02 (*)	0,01 (*)
1060000	(vi) Snails	0,02 (*)	0,01 (*)
1070000	(vii) Other terrestrial animal products (Wild game)	0,02 (*)	0,01 (*)

(*) Indicates lower limit of analytical determination

(^e) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Malathion (sum of malathion and malaoxon expressed as malathion)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330 enol-glucoside, expressed as spirotetramat (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Spirotetramat — Code 1000000 except 1040000: Spirotetramat and its metabolite BY108330-enol expressed as spirotetramat

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

(b) the columns for 1,4-dimethylnaphthalene and imazapyr are added:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	1,4-Dimethylnaphthalene	Imazapyr
0100000	1. FRUIT FRESH OR FROZEN NUTS		
0110000	(i) Citrus fruit		
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)		
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)		
0110030	Lemons (Citron, lemon, Buddha's hand (<i>Citrus medica</i> var. <i>sarcodactylis</i>))		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0110040	Limes		
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))		
0110990	Others		
0120000	(ii) Tree nuts		
0120010	Almonds		
0120020	Brazil nuts		
0120030	Cashew nuts		
0120040	Chestnuts		
0120050	Coconuts		
0120060	Hazelnuts (Filbert)		
0120070	Macadamia		
0120080	Pecans		
0120090	Pine nuts		
0120100	Pistachios		
0120110	Walnuts		
0120990	Others		
0130000	(iii) Pome fruit		
0130010	Apples (Crab apple)		
0130020	Pears (Oriental pear)		
0130030	Quinces		
0130040	Medlar		
0130050	Loquat		
0130990	Others		
0140000	(iv) Stone fruit		
0140010	Apricots		
0140020	Cherries (Sweet cherries, sour cherries)		
0140030	Peaches (Nectarines and similar hybrids)		
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))		
0140990	Others		
0150000	(v) Berries & small fruit		
0151000	(a) <i>Table and wine grapes</i>		
0151010	Table grapes		
0151020	Wine grapes		
0152000	(b) <i>Strawberries</i>		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0153000	(c) <i>Cane fruit</i>		
0153010	Blackberries		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))		
0153990	Others		
0154000	(d) <i>Other small fruit & berries</i>		
0154010	Blueberries (Bilberries)		
0154020	Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>))		
0154030	Currants (red, black and white)		
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)		
0154050	Rose hips		
0154060	Mulberries (<i>Arbutus</i> berry)		
0154070	Azarole (mediteranean medlar) (Kiwiberry (<i>Actinidia arguta</i>))		
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/seaallowthorn, hawthorn, serviceberries, and other treeberries)		
0154990	Others		
0160000	(vi) Miscellaneous fruit		
0161000	(a) <i>Edible peel</i>		
0161010	Dates		
0161020	Figs		
0161030	Table olives		
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (<i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))		
0161050	Carambola (Bilimbi)		
0161060	Persimmon		
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (<i>Eugenia uniflora</i>))		
0161990	Others		
0162000	(b) <i>Inedible peel, small</i>		
0162010	Kiwi		
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)		
0162030	Passion fruit		
0162040	Prickly pear (cactus fruit)		
0162050	Star apple		
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)		
0162990	Others		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0163000	(c) <i>Inedible peel, large</i>		
0163010	Avocados		
0163020	Bananas (Dwarf banana, plantain, apple banana)		
0163030	Mangoes		
0163040	Papaya		
0163050	Pomegranate		
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized Annonaceae fruits)		
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))		
0163080	Pineapples		
0163090	Bread fruit (Jackfruit)		
0163100	Durian		
0163110	Soursop (guanabana)		
0163990	Others		
0200000	2. VEGETABLES FRESH OR FROZEN		
0210000	(i) Root and tuber vegetables		
0211000	(a) <i>Potatoes</i>	15	
0212000	(b) <i>Tropical root and tuber vegetables</i>		
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)		
0212020	Sweet potatoes		
0212030	Yams (Potato bean/yam bean, Mexican yam bean)		
0212040	Arrowroot		
0212990	Others		
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		
0213010	Beetroot		
0213020	Carrots		
0213030	Celeriac		
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		
0213050	Jerusalem artichokes (Crosne)		
0213060	Parsnips		
0213070	Parsley root		
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))		
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)		
0213100	Swedes		
0213110	Turnips		
0213990	Others		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0220000	(ii) Bulb vegetables		
0220010	Garlic		
0220020	Onions (Other bulb onions, silverskin onions)		
0220030	Shallots		
0220040	Spring onions and welsh onions (Other green onions and similar varieties)		
0220990	Others		
0230000	(iii) Fruiting vegetables		
0231000	(a) <i>Solanacea</i>		
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)		
0231020	Peppers (Chilli peppers)		
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))		
0231040	Okra (lady's fingers)		
0231990	Others		
0232000	(b) <i>Cucurbits — edible peel</i>		
0232010	Cucumbers		
0232020	Gherkins		
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)		
0232990	Others		
0233000	(c) <i>Cucurbits-inedible peel</i>		
0233010	Melons (Kiwano)		
0233020	Pumpkins (Winter squash, marrow (late variety))		
0233030	Watermelons		
0233990	Others		
0234000	(d) <i>Sweet corn (Baby corn)</i>		
0239000	(e) <i>Other fruiting vegetables</i>		
0240000	(iv) Brassica vegetables		
0241000	(a) <i>Flowering brassica</i>		
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)		
0241020	Cauliflower		
0241990	Others		
0242000	(b) <i>Head brassica</i>		
0242010	Brussels sprouts		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)		
0242990	Others		
0243000	(c) <i>Leafy brassica</i>		
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)		
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)		
0243990	Others		
0244000	(d) <i>Kohlrabi</i>		
0250000	(v) Leaf vegetables & fresh herbs		
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		
0251010	Lamb's lettuce (Italian corn salad)		
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)		
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)		
0251040	Cress (Mung bean sprouts, alfalfa sprouts)		
0251050	Land cress		
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))		
0251070	Red mustard		
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)		
0251990	Others		
0252000	(b) Spinach & similar (leaves)		
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)		
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glass-worth, agretti (Salsola soda))		
0252030	Beet leaves (chard) (Leaves of beetroot)		
0252990	Others		
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>		
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>		
0255000	(e) <i>Witloof</i>		
0256000	(f) <i>Herbs</i>		
0256010	Chervil		
0256020	Chives		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (<i>Eryngium foetidum</i>))		
0256040	Parsley (leaves of root parsley)		
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)		
0256060	Rosemary		
0256070	Thyme (Marjoram, oregano)		
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)		
0256090	Bay leaves (laurel) (Lemon grass)		
0256100	Tarragon (Hyssop)		
0256990	Others		
0260000	(vi) Legume vegetables (fresh)		
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)		
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)		
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)		
0260040	Peas (without pods) (Garden pea, green pea, chickpea)		
0260050	Lentils		
0260990	Others		
0270000	(vii) Stem vegetables (fresh)		
0270010	Asparagus		
0270020	Cardoons (<i>Borago officinalis</i> stems)		
0270030	Celery		
0270040	Fennel		
0270050	Globe artichokes (Banana flower)		
0270060	Leek		
0270070	Rhubarb		
0270080	Bamboo shoots		
0270090	Palm hearts		
0270990	Others		
0280000	(viii) Fungi		
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))		
0280020	Wild fungi (Chanterelle, truffle, morel, cep)		
0280990	Others		
0290000	(ix) Sea weeds		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0300000	3. PULSES, DRY		
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)		0,2
0300020	Lentils		
0300030	Peas (Chickpeas, field peas, chickling vetch)		
0300040	Lupins		
0300990	Others		
0400000	4. OILSEEDS AND OILFRUITS		
0401000	(i) Oilseeds		
0401010	Linseed		0,05 0,05 (*) 3 0,05 (*)
0401020	Peanuts		
0401030	Poppy seed		
0401040	Sesame seed		
0401050	Sunflower seed		
0401060	Rape seed (Bird rapeseed, turnip rape)		
0401070	Soya bean		
0401080	Mustard seed		
0401090	Cotton seed		
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)		
0401110	Safflower		
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))		
0401130	Gold of pleasure		
0401140	Hempseed		
0401150	Castor bean		
0401990	Others		
0402000	(ii) Oilfruits		
0402010	Olives for oil production		
0402020	Palm nuts (palmoil kernels)		
0402030	Palmfruit		
0402040	Kapok		
0402990	Others		
0500000	5. CEREALS		
0500010	Barley		
0500020	Buckwheat (Amaranthus, quinoa)		
0500030	Maize		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		
0500050	Oats		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0500060	Rice (Indian/wild rice (<i>Zizania aquatica</i>))		
0500070	Rye		
0500080	Sorghum		
0500090	Wheat (Spelt, triticale)		
0500990	Others (Canary grass seeds (<i>Phalaris canariensis</i>))		
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA		
0610000	(i) Tea		
0620000	(ii) Coffee beans		
0630000	(iii) Herbal infusions (dried)		
0631000	(a) <i>Flowers</i>		
0631010	Camomille flowers		
0631020	Hybiscus flowers		
0631030	Rose petals		
0631040	Jasmine flowers (Elderflowers (<i>Sambucus nigra</i>))		
0631050	Lime (linden)		
0631990	Others		
0632000	(b) <i>Leaves</i>		
0632010	Strawberry leaves		
0632020	Rooibos leaves (Ginkgo leaves)		
0632030	Maté		
0632990	Others		
0633000	(c) <i>Roots</i>		
0633010	Valerian root		
0633020	Ginseng root		
0633990	Others		
0639000	(d) <i>Other herbal infusions</i>		
0640000	(iv) Cocoabeans (fermented or dried)		
0650000	(v) Carob (st johns bread)		
0700000	7. HOPS (dried)		
0800000	8. SPICES		
0810000	(i) Seeds		
0810010	Anise		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0810020	Black caraway		
0810030	Celery seed (Lovage seed)		
0810040	Coriander seed		
0810050	Cumin seed		
0810060	Dill seed		
0810070	Fennel seed		
0810080	Fenugreek		
0810090	Nutmeg		
0810990	Others		
0820000	(ii) Fruits and berries		
0820010	Allspice		
0820020	Sichuan pepper (Anise pepper, Japan pepper)		
0820030	Caraway		
0820040	Cardamom		
0820050	Juniper berries		
0820060	Pepper, black, green and white (Long pepper, pink pepper)		
0820070	Vanilla pods		
0820080	Tamarind		
0820990	Others		
0830000	(iii) Bark		
0830010	Cinnamon (Cassia)		
0830990	Others		
0840000	(iv) Roots or rhizome		
0840010	Liquorice		
0840020	Ginger		
0840030	Turmeric (Curcuma)		
0840040	Horseradish		
0840990	Others		
0850000	(v) Buds		
0850010	Cloves		
0850020	Capers		
0850990	Others		
0860000	(vi) Flower stigma		
0860010	Saffron		
0860990	Others		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
0870000	(vii) Aril		
0870010	Mace		
0870990	Others		
0900000	9. SUGAR PLANTS		
0900010	Sugar beet (root)		
0900020	Sugar cane		
0900030	Chicory roots		
0900990	Others		
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS		
1010000	(i) Tissue		0,05 (*)
1011000	(a) <i>Swine</i>		
1011010	Muscle		
1011020	Fat		
1011030	Liver		
1011040	Kidney		
1011050	Edible offal		
1011990	Others		
1012000	(b) <i>Bovine</i>		
1012010	Muscle		
1012020	Fat		
1012030	Liver		
1012040	Kidney		
1012050	Edible offal		
1012990	Others		
1013000	(c) <i>Sheep</i>		
1013010	Muscle		
1013020	Fat		
1013030	Liver		
1013040	Kidney		
1013050	Edible offal		
1013990	Others		
1014000	(d) <i>Goat</i>		
1014010	Muscle		
1014020	Fat		

Code number	Groups and examples of individual products to which the MRLs apply (*)	1,4-Dimethylnaphthalene	Imazapyr
1014030	Liver		
1014040	Kidney		
1014050	Edible offal		
1014990	Others		
1015000	(e) <i>Horses, asses, mules or hinnies</i>		
1015010	Muscle		
1015020	Fat		
1015030	Liver		
1015040	Kidney		
1015050	Edible offal		
1015990	Others		
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>		
1016010	Muscle		
1016020	Fat		
1016030	Liver		
1016040	Kidney		
1016050	Edible offal		
1016990	Others		
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>		
1017010	Muscle		
1017020	Fat		
1017030	Liver		
1017040	Kidney		
1017050	Edible offal		
1017990	Others		
1020000	(ii) Milk		0,01 (*)
1020010	Cattle		
1020020	Sheep		
1020030	Goat		
1020040	Horse		
1020990	Others		
1030000	(iii) Bird eggs		0,01 (*)
1030010	Chicken		
1030020	Duck		
1030030	Goose		

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	1,4-Dimethylnaphthalene	Imazapyr
1030040	Quail		
1030990	Others		
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))		0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)		0,01 (*)
1060000	(vi) Snails		0,01 (*)
1070000	(vii) Other terrestrial animal products (Wild game)		0,01 (*)

(*) Indicates lower limit of analytical determination

(^e) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(3) Part B of Annex III is amended as follows:

(a) the columns for carbofuran, fenamidone and fenhexamid are replaced by the following:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, bentfurcarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
0130040	Medlar	0,001 (*)	0,02 (*)	0,05 (*)
0130050	Loquat	0,001 (*)	0,02 (*)	0,05 (*)
0154050	Rose hips	0,01 (*)	0,02 (*)	5
0154060	Mulberries (Arbutus berry)	0,01 (*)	0,02 (*)	10
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))	0,01 (*)	0,02 (*)	15
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sal-lowthorn, hawthorn, serviceberries, and other treeberries)	0,01 (*)	0,02 (*)	5
0161050	Carambola (Bilimbi)	0,003 (*)	0,02 (*)	0,05 (*)
0161060	Persimmon	0,003 (*)	0,02 (*)	0,05 (*)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))	0,003 (*)	0,02 (*)	0,05 (*)
0162040	Prickly pear (cactus fruit)	0,01 (*)	0,02 (*)	0,05 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
0162050	Star apple	0,01 (*)	0,02 (*)	0,05 (*)
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	0,01 (*)	0,02 (*)	0,05 (*)
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits)	0,01 (*)	0,02 (*)	0,05 (*)
0163070	Guava (Red pitaya/dragon fruit (Hylocereus undatus))	0,01 (*)	0,02 (*)	0,05 (*)
0163090	Bread fruit (Jackfruit)	0,01 (*)	0,02 (*)	0,05 (*)
0163100	Durian	0,01 (*)	0,02 (*)	0,05 (*)
0163110	Soursop (guanabana)	0,01 (*)	0,02 (*)	0,05 (*)
0212040	Arrowroot	0,002 (*)	0,02 (*)	0,05 (*)
0251050	Land cress	0,002 (*)	40	30
0251070	Red mustard	0,002 (*)	40	30
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))	0,005 (*)	60	0,05 (*)
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	0,01 (*)	0,02 (*)	0,05 (*)
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)	0,02 (*)	60	30
0256060	Rosemary	0,02 (*)	60	30
0256070	Thyme (Marjoram, oregano)	0,02 (*)	60	30
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	0,02 (*)	60	30
0256090	Bay leaves (laurel) (Lemon grass)	0,02 (*)	60	30
0256100	Tarragon (Hyssop)	0,02 (*)	60	30
0270080	Bamboo shoots	0,002 (*)	0,02 (*)	0,05 (*)
0270090	Palm hearts	0,002 (*)	0,02 (*)	0,05 (*)
0290000	(ix) Sea weeds	0,01 (*)	0,02	0,05 (*)
0401110	Safflower	0,02 (*)	0,05 (*)	0,1 (*)
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))	0,02 (*)	0,05 (*)	0,1 (*)
0401130	Gold of pleasure	0,02 (*)	0,05 (*)	0,1 (*)
0401150	Castor bean	0,02 (*)	0,05 (*)	0,1 (*)
0402020	Palm nuts (palmoil kernels)	0,02 (*)	0,05 (*)	0,1 (*)
0402030	Palmfruit	0,02 (*)	0,05 (*)	0,1 (*)
0402040	Kapok	0,02 (*)	0,05 (*)	0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
0620000	(ii) Coffee beans	0,05 (*)	0,05 (*)	0,1 (*)
0630000	(iii) Herbal infusions (dried)	0,05 (*)	0,05 (*)	0,1 (*)
0631000	(a) <i>Flowers</i>	0,05 (*)	0,05 (*)	0,1 (*)
0631010	Camomille flowers	0,05 (*)	0,05 (*)	0,1 (*)
0631020	Hybiscus flowers	0,05 (*)	0,05 (*)	0,1 (*)
0631030	Rose petals	0,05 (*)	0,05 (*)	0,1 (*)
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	0,05 (*)	0,05 (*)	0,1 (*)
0631050	Lime (linden)	0,05 (*)	0,05 (*)	0,1 (*)
0631990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0632000	(b) <i>Leaves</i>	0,05 (*)	0,05 (*)	0,1 (*)
0632010	Strawberry leaves	0,05 (*)	0,05 (*)	0,1 (*)
0632020	Rooibos leaves (Ginkgo leaves)	0,05 (*)	0,05 (*)	0,1 (*)
0632030	Maté	0,05 (*)	0,05 (*)	0,1 (*)
0632990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0633000	(c) <i>Roots</i>	0,05 (*)	0,05 (*)	0,1 (*)
0633010	Valerian root	0,05 (*)	0,05 (*)	0,1 (*)
0633020	Ginseng root	0,05 (*)	0,05 (*)	0,1 (*)
0633990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0639000	(d) <i>Other herbal infusions</i>	0,05 (*)	0,05 (*)	0,1 (*)
0640000	(iv) Cocoabeans (fermented or dried)	0,05 (*)	0,05 (*)	0,1 (*)
0650000	(v) Carob (st johns bread)	0,05 (*)	0,05 (*)	0,1 (*)
0800000	8. SPICES			
0810000	(i) Seeds	0,05 (*)	0,05 (*)	0,1 (*)
0810010	Anise	0,05 (*)	0,05 (*)	0,1 (*)
0810020	Black caraway	0,05 (*)	0,05 (*)	0,1 (*)
0810030	Celery seed (Lovage seed)	0,05 (*)	0,05 (*)	0,1 (*)
0810040	Coriander seed	0,05 (*)	0,05 (*)	0,1 (*)
0810050	Cumin seed	0,05 (*)	0,05 (*)	0,1 (*)
0810060	Dill seed	0,05 (*)	0,05 (*)	0,1 (*)
0810070	Fennel seed	0,05 (*)	0,05 (*)	0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
0810080	Fenugreek	0,05 (*)	0,05 (*)	0,1 (*)
0810090	Nutmeg	0,05 (*)	0,05 (*)	0,1 (*)
0810990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0820000	(ii) Fruits and berries	0,05 (*)	0,05 (*)	0,1 (*)
0820010	Allspice	0,05 (*)	0,05 (*)	0,1 (*)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	0,05 (*)	0,05 (*)	0,1 (*)
0820030	Caraway	0,05 (*)	0,05 (*)	0,1 (*)
0820040	Cardamom	0,05 (*)	0,05 (*)	0,1 (*)
0820050	Juniper berries	0,05 (*)	0,05 (*)	0,1 (*)
0820060	Pepper, black, green and white (Long pepper, pink pepper)	0,05 (*)	0,05 (*)	0,1 (*)
0820070	Vanilla pods	0,05 (*)	0,05 (*)	0,1 (*)
0820080	Tamarind	0,05 (*)	0,05 (*)	0,1 (*)
0820990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0830000	(iii) Bark	0,05 (*)	0,05 (*)	0,1 (*)
0830010	Cinnamon (Cassia)	0,05 (*)	0,05 (*)	0,1 (*)
0830990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0840000	(iv) Roots or rhizome			
0840010	Liquorice	0,05 (*)	0,05 (*)	0,1 (*)
0840020	Ginger	0,05 (*)	0,05 (*)	0,1 (*)
0840030	Turmeric (Curcuma)	0,05 (*)	0,05 (*)	0,1 (*)
0840040	Horseradish	(+)	(+)	(+)
0840990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0850000	(v) Buds	0,05 (*)	0,05 (*)	0,1 (*)
0850010	Cloves	0,05 (*)	0,05 (*)	0,1 (*)
0850020	Capers	0,05 (*)	0,05 (*)	0,1 (*)
0850990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0860000	(vi) Flower stigma	0,05 (*)	0,05 (*)	0,1 (*)
0860010	Saffron	0,05 (*)	0,05 (*)	0,1 (*)
0860990	Others	0,05 (*)	0,05 (*)	0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
0870000	(vii) Aril	0,05 (*)	0,05 (*)	0,1 (*)
0870010	Mace	0,05 (*)	0,05 (*)	0,1 (*)
0870990	Others	0,05 (*)	0,05 (*)	0,1 (*)
0900000	9. SUGAR PLANTS	0,01 (*)	0,02 (*)	0,05 (*)
0900010	Sugar beet (root)	0,01 (*)	0,02 (*)	0,05 (*)
0900020	Sugar cane	0,01 (*)	0,02 (*)	0,05 (*)
0900030	Chicory roots	0,01 (*)	0,02 (*)	0,05 (*)
0900990	Others	0,01 (*)	0,02 (*)	0,05 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>	0,01 (*)	0,01 (*)	0,05 (*)
1015010	Muscle	0,01 (*)	0,01 (*)	0,05 (*)
1015020	Fat	0,01 (*)	0,01 (*)	0,05 (*)
1015030	Liver	0,01 (*)	0,01 (*)	0,05 (*)
1015040	Kidney	0,01 (*)	0,01 (*)	0,05 (*)
1015050	Edible offal	0,01 (*)	0,01 (*)	0,05 (*)
1015990	Others	0,01 (*)	0,01 (*)	0,05 (*)
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	0,01 (*)	0,01 (*)	0,05 (*)
1017010	Muscle	0,01 (*)	0,01 (*)	0,05 (*)
1017020	Fat	0,01 (*)	0,01 (*)	0,05 (*)
1017030	Liver	0,01 (*)	0,01 (*)	0,05 (*)
1017040	Kidney	0,01 (*)	0,01 (*)	0,05 (*)
1017050	Edible offal	0,01 (*)	0,01 (*)	0,05 (*)
1017990	Others	0,01 (*)	0,01 (*)	0,05 (*)
1030020	Duck	0,01 (*)	0,01 (*)	0,05 (*)
1030030	Goose	0,01 (*)	0,01 (*)	0,05 (*)
1030040	Quail	0,01 (*)	0,01 (*)	0,05 (*)
1030990	Others	0,01 (*)	0,01 (*)	0,05 (*)
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	0,05 (*)	0,05 (*)	0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	0,01 (*)	0,01 (*)	0,05 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)	Fenamidone	Fenhexamid
1060000	(vi) Snails	0,01 (*)	0,01 (*)	0,05 (*)
1070000	(vii) Other terrestrial animal products (Wild game)	0,01 (*)	0,01 (*)	0,05 (*)

(*) Indicates lower limit of analytical determination

(e) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Carbofuran — code 1000000 except 1040000: 3-OH-carbofuran (free and conjugated) expressed as carbofuran

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fenamidone

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fenhexamid

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish'

(b) the column for carbosulfan is deleted;

(4) in Annex V, the columns for benfuracarb and furathiocarb are deleted.

COMMISSION REGULATION (EU) 2015/400**of 25 February 2015****amending Annexes II, III and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for bone oil, carbon monoxide, cyprodinil, dodemorph, iprodione, metaldehyde, metazachlor, paraffin oil (CAS 64742-54-7), petroleum oils (CAS 92062-35-6) and propargite in or on certain products****(Text with EEA relevance)**

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC ⁽¹⁾, and in particular Article 14(1)(a), Article 18(1)(b) and Article 49(2) thereof,

Whereas:

- (1) For iprodione, maximum residue levels (MRLs) were set in Annex II and Part B of Annex III to Regulation (EC) No 396/2005. For cyprodinil, metaldehyde, metazachlor and propargite, MRLs were set in Part A of Annex III to Regulation (EC) No 396/2005. For bone oil, carbon monoxide, dodemorph, paraffin oil CAS 64742-54-7 and petroleum oils (CAS 92062-35-6), no MRLs are set in Regulation (EC) No 396/2005, and as those active substances are not included in Annex IV to that Regulation, the default value of 0,01 mg/kg laid down in Article 18(1)(b) of that Regulation applies.
- (2) For bone oil the European Food Safety Authority, hereinafter ‘the Authority’, submitted a reasoned opinion on the existing MRLs in accordance with Article 12(1) of Regulation (EC) No 396/2005 ⁽²⁾. The non-inclusion of bone oil in Annex I to Council Directive 91/414/EEC ⁽³⁾ is provided for in Commission Decision 2008/943/EC ⁽⁴⁾. Considering that the use of bone oil is no longer authorised within the Union and no authorised uses in third countries have been notified, it is appropriate to set the MRLs at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (3) For carbon monoxide the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(1) of Regulation (EC) No 396/2005 ⁽⁵⁾. The non-inclusion of carbon monoxide in Annex I to Directive 91/414/EEC is provided for in Commission Decision 2008/967/EC ⁽⁶⁾. Considering that the use of carbon monoxide is no longer authorised within the Union and no authorised uses in third countries have been notified, it is appropriate to set the MRLs at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (4) For cyprodinil the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction of Article 12(1) thereof ⁽⁷⁾. It proposed to change the residue

⁽¹⁾ OJ L 70, 16.3.2005, p. 1.

⁽²⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for bone oil according to Article 12 of Regulation (EC) No 396/2005. *EFSA Journal* 2012; 10(6):2766 (6 pp.).

⁽³⁾ Council Directive 91/414/EEC of 15 July 1991 concerning the placing of plant protection products on the market (OJ L 230, 19.8.1991, p. 1).

⁽⁴⁾ Commission Decision 2008/943/EC of 12 December 2008 concerning the non-inclusion of bone oil in Annex I to Council Directive 91/414/EEC and the withdrawal of authorisations for plant protection products containing that substance (OJ L 335, 13.12.2008, p. 97).

⁽⁵⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for carbon monoxide according to Article 12 of Regulation (EC) No 396/2005. *EFSA Journal* 2012; 10(6):2762 (6 pp.).

⁽⁶⁾ Commission Decision 2008/967/EC of 12 December 2008 concerning the non-inclusion of carbon monoxide in Annex I to Council Directive 91/414/EEC and the withdrawal of authorisations for plant protection products containing that substance (OJ L 344, 20.12.2008, p. 121).

⁽⁷⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for cyprodinil according to Article 12 of Regulation (EC) No 396/2005. *EFSA Journal* 2013; 11(10):3406 (81 pp.).

definition for products of animal origin. It recommended lowering the MRLs for medlar, loquat, table and wine grapes, blackberries, raspberries, other small fruits and berries, carrots, horseradish, parsnips, parsley roots, salsify, garlic, shallots, spring onions, beans (without pods), peas (without pods), asparagus, peas (dry) and lupins (dry). It recommended keeping or raising the existing MRLs for certain products. It concluded that concerning the MRLs for almonds, herbal infusions from roots, spices from roots and rhizomes and for all products of animal origin, some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, the MRLs for these products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. These MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation.

- (5) For dodemorph the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(1) of Regulation (EC) No 396/2005 ⁽¹⁾. The inclusion of dodemorph in Annex I to Directive 91/414/EEC is provided for in Commission Directive 2008/125/EC ⁽²⁾. According to Commission Implementing Regulation (EU) No 540/2011 ⁽³⁾, the use of dodemorph is limited to ornamental plants in glasshouse only. Considering that the use of dodemorph is authorised within the Union only for not edible crops and no authorised uses on edible crops in third countries have been notified, it is appropriate to set the MRLs at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (6) For iprodione the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(2) of Regulation (EC) No 396/2005 in conjunction of Article 12(1) thereof ⁽⁴⁾. It proposed to change residue definition for products of animal origin. It concluded that concerning the MRLs for lemons, almonds, hazelnuts, apples, pears, quinces, medlar, loquat, apricots, cherries, peaches, plums, table and wine grapes, strawberries, blackberries, dewberries, raspberries, blueberries, cranberries, currants, gooseberries, azaroles, kiwi, potatoes, beetroot, carrots, horseradish, parsnips, parsley roots, radishes, garlic, onions, shallots, spring onions, tomatoes, peppers, aubergines, cucumbers, gherkins, courgettes, cucurbits with inedible peel, broccoli, cauliflowers, Brussels sprouts, head cabbages, Chinese cabbages, lambs lettuce, scarole, cress, rocket, lettuce, leaves and sprouts of *Brassica* spp., witloof, herbs, beans (fresh, with pods), beans (fresh, without pods), peas (fresh, with pods), peas (fresh, without pods), rhubarb, beans (dry), lentils (dry), peas (dry), linseed, sunflower seeds, wheat, barley, rice, herbal infusions from flowers, herbal infusions from roots, sugar beet and for all products of animal origin, some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, the MRLs for these products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. These MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation. The Authority also concluded that concerning the MRLs for celeriac, swedes, turnips, kale, kohlrabi, land cress, spinach, beet leaves (chard), peas (fresh, without pods), asparagus, celery, fennel, leek, rape seed, herbal infusions from leaves, spices and sugar beets, no information was available and that further consideration by risk managers was required. The MRLs for these products should be set at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (7) For metaldehyde the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(1) of Regulation (EC) No 396/2005 ⁽⁵⁾. It recommended lowering the MRLs for strawberries, swedes, asparagus, celery and fennel. It recommended keeping or raising the existing MRLs for certain products. It concluded that concerning the MRLs for potatoes, beetroot, carrots, celeriac, horseradish, Jerusalem artichokes,

⁽¹⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for dodemorph according to Article 12 of Regulation (EC) No 396/2005. *EFSA Journal* 2014; 12(5):3683 (11 pp.).

⁽²⁾ Commission Directive 2008/125/EC of 19 December 2008 amending Council Directive 91/414/EEC to include aluminium phosphide, calcium phosphide, magnesium phosphide, cymoxanil, dodemorph, 2,5-dichlorobenzoic acid methylester, metamitron, sulcotrione, tebuconazole and triadimenol as active substances (OJ L 344, 20.12.2008, p. 78).

⁽³⁾ Commission Implementing Regulation (EU) No 540/2011 of 25 May 2011 implementing Regulation (EC) No 1107/2009 of the European Parliament and of the Council as regards the list of approved active substances (OJ L 153, 11.6.2011, p. 1).

⁽⁴⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for iprodione according to Article 12 of Regulation (EC) No 396/2005. *EFSA Journal* 2013; 11(10):3438 (94 pp.).

⁽⁵⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for metaldehyde according to Article 12 of Regulation (EC) No 396/2005. *EFSA Journal* 2014; 12(5):3682 (64 pp.).

parsnips, parsley roots, radishes, salsify, turnips, tomatoes, aubergines, flowering, head and leafy *Brassica*, kohlrabi, lettuce and other salad plants, spinach and similar, leeks and globe artichokes, some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, the MRLs for these products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. These MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation. The Authority also concluded that, concerning the MRLs for all products of animal origin, no information was available and that further consideration by risk managers was required. The MRLs for these products should be set at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.

- (8) For metazachlor the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(1) of Regulation (EC) No 396/2005 ⁽¹⁾. It proposed to change the residue definition for risk assessment and enforcement purposes of the products of plant origin, as well as the products of animal origin. It recommended lowering the MRLs for garlic, Brussels sprouts, globe artichokes, leek, linseeds, sunflower seeds, rape seeds, mustard seeds, borage, gold of pleasure and milk. It recommended keeping or raising the existing MRLs for certain products. It concluded that concerning the MRLs for horseradish, radishes, swedes, turnips, flowering brassica, head cabbages, leafy brassica and kohlrabi, some information was not available and that further consideration by risk managers was required. As there is no risk for consumers, the MRLs for these products should be set in Annex II to Regulation (EC) No 396/2005 at the existing level or the level identified by the Authority. These MRLs will be reviewed; the review will take into account the information available within two years from the publication of this Regulation. The Authority also concluded that concerning the MRLs for oranges, lemons, tree nuts, pome fruits, stone fruits, berries and small fruits, potatoes, rocket and asparagus, no information was available and that further consideration by risk managers was required. The MRLs for these products should be set at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (9) For paraffin oil (CAS 64742-54-7) the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(1) of Regulation (EC) No 396/2005 ⁽²⁾. The non-inclusion of paraffin oil (CAS 64742-54-7) in Annex I to Directive 91/414/EEC is provided for in Commission Decision 2009/617/EC ⁽³⁾. Considering that the use of paraffin oil (CAS 64742-54-7) is no longer authorised within the Union and no authorised uses in third countries have been notified, it is appropriate to set the MRLs at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.
- (10) For petroleum oils (CAS 92062-35-6) the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(1) of Regulation (EC) No 396/2005 ⁽⁴⁾. The non-inclusion of petroleum oils (CAS 92062-35-6) in Annex I to Directive 91/414/EEC is provided for in Commission Decision 2009/616/EC ⁽⁵⁾. Considering that the use of petroleum oils (CAS 92062-35-6) is no longer authorised within the Union and no authorised uses in third countries have been notified, it is appropriate to set the MRLs at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005.

⁽¹⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for metazachlor according to Article 12 of Regulation (EC) No 396/2005. *EFSA Journal* 2014; 12(4):3634 (51 pp.).

⁽²⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for paraffin oil (CAS 64742-54-7) according to Article 12 of Regulation (EC) No 396/2005. *EFSA Journal* 2012; 10(7):2841 (7 pp.).

⁽³⁾ Commission Decision 2009/617/EC of 17 August 2009 concerning the non-inclusion of paraffin oil CAS 64742-54-7 in Annex I to Council Directive 91/414/EEC and the withdrawal of authorisations for plant protection products containing that substance (OJ L 213, 18.8.2009, p. 28).

⁽⁴⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for petroleum oils (CAS 92062-35-6) according to Article 12 of Regulation (EC) No 396/2005. *EFSA Journal* 2012; 10(7):2840 (7 pp.).

⁽⁵⁾ Commission Decision 2009/616/EC of 17 August 2009 concerning the non-inclusion of petroleum oil CAS 92062-35-6 in Annex I to Council Directive 91/414/EEC and the withdrawal of authorisations for plant protection products containing that substance (OJ L 213, 18.8.2009, p. 26).

- (11) For propargite the Authority submitted a reasoned opinion on the existing MRLs in accordance with Article 12(1) of Regulation (EC) No 396/2005 ⁽¹⁾. The non-inclusion of propargite in Annex I to Directive 91/414/EEC is provided for in Commission Decision 2008/934/EC ⁽²⁾ and confirmed in Commission Implementing Regulation (EU) No 943/2011 ⁽³⁾. Considering that the use of propargite is no longer authorised within the Union and no authorised uses in third countries have been notified, it is appropriate to set the MRLs at the specific limit of determination or at the default MRL as set out in Article 18(1)(b) of Regulation (EC) No 396/2005. In accordance with Article 17 of Regulation (EC) No 396/2005 in conjunction with Article 14(1)(a) thereof the MRLs set out for that active substance in Annex III to that Regulation should therefore be deleted.
- (12) The Commission consulted the European Union reference laboratories for residues of pesticides as regards the need to adapt certain limits of determination. As regards several substances, those laboratories concluded that for certain commodities technical development requires the setting of specific limits of determination.
- (13) Based on the reasoned opinions of the Authority and taking into account the factors relevant to the matter under consideration, the appropriate modifications to the MRLs fulfil the requirements of Article 14(2) of Regulation (EC) No 396/2005.
- (14) Regulation (EC) No 396/2005 should therefore be amended accordingly.
- (15) In order to allow for the normal marketing, processing and consumption of products, this Regulation should provide for a transitional arrangement for products which have been lawfully produced before the modification of the MRLs and for which information shows that a high level of consumer protection is maintained.
- (16) A reasonable period should be allowed to elapse before the modified MRLs become applicable in order to permit Member States, third countries and food business operators to prepare themselves to meet the new requirements which will result from the modification of the MRLs.
- (17) Through the World Trade Organisation, the trading partners of the Union were consulted on the new MRLs and their comments have been taken into account.
- (18) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS REGULATION:

Article 1

Annexes II, III and V to Regulation (EC) No 396/2005 are amended in accordance with the Annex to this Regulation.

Article 2

Regulation (EC) No 396/2005 as it stood before being amended by this Regulation shall continue to apply to products which were lawfully produced before 3 October 2015.

⁽¹⁾ European Food Safety Authority; Reasoned opinion on the review of the existing maximum residue levels (MRLs) for propargite according to Article 12 of Regulation (EC) No 396/2005. *EFSA Journal* 2013; 11(8):3350 (26 pp.).

⁽²⁾ Commission Decision 2008/934/EC of 5 December 2008 concerning the non-inclusion of certain active substances in Annex I to Council Directive 91/414/EEC and the withdrawal of authorisations for plant protection products containing these substances (OJ L 333, 11.12.2008, p. 11).

⁽³⁾ Commission Implementing Regulation (EU) No 943/2011 of 22 September 2011 concerning the non-approval of the active substance propargite, in accordance with Regulation (EC) No 1107/2009 of the European Parliament and of the Council concerning the placing of plant protection products on the market, and amending Commission Decision 2008/934/EC (OJ L 246, 23.9.2011, p. 16).

Article 3

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

It shall however apply from 3 October 2015.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 25 February 2015.

For the Commission

The President

Jean-Claude JUNKER

ANNEX

Annexes II, III and V to Regulation (EC) No 396/2005 are amended as follows:

(1) Annex II is amended as follows:

(a) The column for iprodione is replaced by the following:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Iprodione (R)
0100000	1. FRUIT FRESH OR FROZEN NUTS	
0110000	(i) Citrus fruit	
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)	0,01 (*)
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)	0,01 (*)
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))	6 (+)
0110040	Limes	0,01 (*)
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))	0,01 (*)
0110990	Others	0,01 (*)
0120000	(ii) Tree nuts	
0120010	Almonds	0,2 (+)
0120020	Brazil nuts	0,01 (*)
0120030	Cashew nuts	0,01 (*)
0120040	Chestnuts	0,01 (*)
0120050	Coconuts	0,01 (*)
0120060	Hazelnuts (Filbert)	0,01 (*)
0120070	Macadamia	0,01 (*)
0120080	Pecans	0,01 (*)
0120090	Pine nuts	0,01 (*)
0120100	Pistachios	0,01 (*)
0120110	Walnuts	0,01 (*)
0120990	Others	0,01 (*)
0130000	(iii) Pome fruit	(+)
0130010	Apples (Crab apple)	6
0130020	Pears (Oriental pear)	6
0130030	Quinces	5
0130040	Medlar	5
0130050	Loquat	5
0130990	Others	0,01 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Iprodione (R)
0140000	(iv) Stone fruit	(+)
0140010	Apricots	6
0140020	Cherries (Sweet cherries, sour cherries)	10
0140030	Peaches (Nectarines and similar hybrids)	10
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (<i>Ziziphus zizyphus</i>))	3
0140990	Others	0,01 (*)
0150000	(v) Berries & small fruit	
0151000	(a) <i>Table and wine grapes</i>	20 (+)
0151010	Table grapes	
0151020	Wine grapes	
0152000	(b) <i>Strawberries</i>	20 (+)
0153000	(c) <i>Cane fruit</i>	(+)
0153010	Blackberries	30
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)	15
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))	30
0153990	Others	0,01 (*)
0154000	(d) <i>Other small fruit & berries</i>	
0154010	Blueberries (Bilberries)	20 (+)
0154020	Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>))	20 (+)
0154030	Currants (red, black and white)	20 (+)
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)	20 (+)
0154050	Rose hips	0,01 (*)
0154060	Mulberries (<i>Arbutus</i> berry)	0,01 (*)
0154070	Azarole (mediteranean medlar) (Kiwiberry (<i>Actinidia arguta</i>))	20 (+)
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	0,01 (*)
0154990	Others	0,01 (*)
0160000	(vi) Miscellaneous fruit	
0161000	(a) <i>Edible peel</i>	0,01 (*)
0161010	Dates	
0161020	Figs	

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Iprodione (R)
0161030	Table olives	
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.))	
0161050	Carambola (Bilimbi)	
0161060	Persimmon	
0161070	Jambolan (java plum) (Java apple/water apple, pomarac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))	
0161990	Others	
0162000	(b) <i>Inedible peel, small</i>	
0162010	Kiwi	5 (+)
0162020	Lycée (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)	0,01 (*)
0162030	Passion fruit	0,01 (*)
0162040	Prickly pear (cactus fruit)	0,01 (*)
0162050	Star apple	0,01 (*)
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammy sapote)	0,01 (*)
0162990	Others	0,01 (*)
0163000	(c) <i>Inedible peel, large</i>	0,01 (*)
0163010	Avocados	
0163020	Bananas (Dwarf banana, plantain, apple banana)	
0163030	Mangoes	
0163040	Papaya	
0163050	Pomegranate	
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits)	
0163070	Guava (Red pitaya/dragon fruit (Hylocereus undatus))	
0163080	Pineapples	
0163090	Bread fruit (Jackfruit)	
0163100	Durian	
0163110	Soursop (guanabana)	
0163990	Others	
0200000	2. VEGETABLES FRESH OR FROZEN	
0210000	(i) Root and tuber vegetables	
0211000	(a) <i>Potatoes</i>	0,05 (+)
0212000	(b) <i>Tropical root and tuber vegetables</i>	0,01 (*)
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)	

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Iprodione (R)
0212020	Sweet potatoes	
0212030	Yams (Potato bean/yam bean, Mexican yam bean)	
0212040	Arrowroot	
0212990	Others	
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>	
0213010	Beetroot	0,1 (+)
0213020	Carrots	10 (+)
0213030	Celeriac	0,01 (*)
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)	0,06 (+)
0213050	Jerusalem artichokes (Crosne)	0,01 (*)
0213060	Parsnips	0,5 (+)
0213070	Parsley root	0,5 (+)
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))	0,6 (+)
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)	0,01 (*)
0213100	Swedes	0,01 (*)
0213110	Turnips	0,01 (*)
0213990	Others	0,01 (*)
0220000	(ii) Bulb vegetables	(+)
0220010	Garlic	0,4
0220020	Onions (Other bulb onions, silverskin onions)	0,2
0220030	Shallots	0,2
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	4
0220990	Others	0,01 (*)
0230000	(iii) Fruiting vegetables	
0231000	(a) <i>Solanacea</i>	
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)	5 (+)
0231020	Peppers (Chilli peppers)	7 (+)
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))	6 (+)
0231040	Okra (lady's fingers)	0,01 (*)
0231990	Others	0,01 (*)
0232000	(b) <i>Cucurbits — edible peel</i>	4 (+)
0232010	Cucumbers	
0232020	Gherkins	
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)	
0232990	Others	

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Iprodione (R)
0233000	(c) <i>Cucurbits-inedible peel</i>	1,5 (+)
0233010	Melons (Kiwano)	
0233020	Pumpkins (Winter squash, marrow (late variety))	
0233030	Watermelons	
0233990	Others	
0234000	(d) <i>Sweet corn (Baby corn)</i>	0,01 (*)
0239000	(e) <i>Other fruiting vegetables</i>	0,01 (*)
0240000	(iv) Brassica vegetables	
0241000	(a) <i>Flowering brassica</i>	(+)
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)	25
0241020	Cauliflower	0,5
0241990	Others	0,01 (*)
0242000	(b) <i>Head brassica</i>	(+)
0242010	Brussels sprouts	0,7
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	15
0242990	Others	0,01 (*)
0243000	(c) <i>Leafy brassica</i>	
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)	0,7 (+)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)	0,01 (*)
0243990	Others	0,01 (*)
0244000	(d) <i>Kohlrabi</i>	0,01 (*)
0250000	(v) Leaf vegetables & fresh herbs	
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>	
0251010	Lamb's lettuce (Italian corn salad)	20 (+)
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	25 (+)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)	20 (+)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	7 (+)
0251050	Land cress	0,01 (*)
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))	20 (+)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Iprodione (R)
0251070	Red mustard	0,01 (*)
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	20 (+)
0251990	Others	0,01 (*)
0252000	(b) <i>Spinach & similar (leaves)</i>	0,02
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))	
0252030	Beet leaves (chard) (Leaves of beetroot)	
0252990	Others	
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	0,01 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,01 (*)
0255000	(e) <i>Witloof</i>	3 (+)
0256000	(f) <i>Herbs</i>	20 (+)
0256010	Chervil	
0256020	Chives	
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))	
0256040	Parsley (leaves of root parsley)	
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)	
0256060	Rosemary	
0256070	Thyme (Marjoram, oregano)	
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	
0256090	Bay leaves (laurel) (Lemon grass)	
0256100	Tarragon (Hyssop)	
0256990	Others	
0260000	(vi) Legume vegetables (fresh)	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	2 (+)
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	0,08 (+)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Iprodione (R)
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	2 (+)
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	0,3 (+)
0260050	Lentils	0,01 (*)
0260990	Others	0,01 (*)
0270000	(vii) Stem vegetables (fresh)	
0270010	Asparagus	0,01 (*)
0270020	Cardoons (Borago officinalis stems)	0,01 (*)
0270030	Celery	0,01 (*)
0270040	Fennel	0,01 (*)
0270050	Globe artichokes (Banana flower)	0,01 (*)
0270060	Leek	0,01 (*)
0270070	Rhubarb	0,15 (+)
0270080	Bamboo shoots	0,01 (*)
0270090	Palm hearts	0,01 (*)
0270990	Others	0,01 (*)
0280000	(viii) Fungi	0,01 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))	
0280020	Wild fungi (Chanterelle, truffle, morel, cep)	
0280990	Others	
0290000	(ix) Sea weeds	0,01 (*)
0300000	3. PULSES, DRY	
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	0,4 (+)
0300020	Lentils	0,4 (+)
0300030	Peas (Chickpeas, field peas, chickling vetch)	0,2 (+)
0300040	Lupins	0,02 (*)
0300990	Others	0,02 (*)
0400000	4. OILSEEDS AND OILFRUITS	
0401000	(i) Oilseeds	
0401010	Linseed	0,06 (+)
0401020	Peanuts	0,01 (*)
0401030	Poppy seed	0,01 (*)
0401040	Sesame seed	0,01 (*)
0401050	Sunflower seed	0,5 (+)
0401060	Rape seed (Bird rapeseed, turnip rape)	0,5 (+)
0401070	Soya bean	0,01 (*)
0401080	Mustard seed	0,01 (*)
0401090	Cotton seed	0,01 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Iprodione (R)
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)	0,01 (*)
0401110	Safflower	0,01 (*)
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))	0,01 (*)
0401130	Gold of pleasure	0,01 (*)
0401140	Hempseed	0,01 (*)
0401150	Castor bean	0,01 (*)
0401990	Others	0,01 (*)
0402000	(ii) Oilfruits	0,01 (*)
0402010	Olives for oil production	
0402020	Palm nuts (palmoil kernels)	
0402030	Palmfruit	
0402040	Kapok	
0402990	Others	
0500000	5. CEREALS	
0500010	Barley	2 (+)
0500020	Buckwheat (Amaranthus, quinoa)	0,02 (*)
0500030	Maize	0,02 (*)
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	0,02 (*)
0500050	Oats	0,02 (*)
0500060	Rice (Indian/wild rice (Zizania aquatica))	10 (+)
0500070	Rye	0,02 (*)
0500080	Sorghum	0,02 (*)
0500090	Wheat (Spelt, triticale)	0,02 (*) (+)
0500990	Others (Canary grass seeds (Phalaris canariensis))	0,02 (*)
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	
0610000	(i) Tea	0,05 (*)
0620000	(ii) Coffee beans	0,05 (*)
0630000	(iii) Herbal infusions (dried)	
0631000	(a) <i>Flowers</i>	0,05 (*)
0631010	Camomille flowers	
0631020	Hybiscus flowers	
0631030	Rose petals	
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	
0631050	Lime (linden)	
0631990	Others	

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Iprodione (R)
0632000	(b) <i>Leaves</i>	0,05 (*)
0632010	Strawberry leaves	
0632020	Rooibos leaves (Ginkgo leaves)	
0632030	Maté	
0632990	Others	
0633000	(c) <i>Roots</i>	2 (+)
0633010	Valerian root	
0633020	Ginseng root	
0633990	Others	
0639000	(d) <i>Other herbal infusions</i>	0,05 (*)
0640000	(iv) Cocoabeans (fermented or dried)	0,05 (*)
0650000	(v) Carob (st johns bread)	0,05 (*)
0700000	7. HOPS (dried)	0,05 (*)
0800000	8. SPICES	
0810000	(i) Seeds	0,05 (*)
0810010	Anise	
0810020	Black caraway	
0810030	Celery seed (Lovage seed)	
0810040	Coriander seed	
0810050	Cumin seed	
0810060	Dill seed	
0810070	Fennel seed	
0810080	Fenugreek	
0810090	Nutmeg	
0810990	Others	
0820000	(ii) Fruits and berries	0,05 (*)
0820010	Allspice	
0820020	Sichuan pepper (Anise pepper, Japan pepper)	
0820030	Caraway	
0820040	Cardamom	
0820050	Juniper berries	
0820060	Pepper, black, green and white (Long pepper, pink pepper)	
0820070	Vanilla pods	
0820080	Tamarind	
0820990	Others	

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Iprodione (R)
0830000	(iii) Bark	0,05 (*)
0830010	Cinnamon (Cassia)	
0830990	Others	
0840000	(iv) Roots or rhizome	
0840010	Liquorice	0,05 (*)
0840020	Ginger	0,05 (*)
0840030	Turmeric (Curcuma)	0,05 (*)
0840040	Horseradish	(+)
0840990	Others	0,05 (*)
0850000	(v) Buds	0,05 (*)
0850010	Cloves	
0850020	Capers	
0850990	Others	
0860000	(vi) Flower stigma	0,05 (*)
0860010	Saffron	
0860990	Others	
0870000	(vii) Aril	0,05 (*)
0870010	Mace	
0870990	Others	
0900000	9. SUGAR PLANTS	
0900010	Sugar beet (root)	0,1 (+)
0900020	Sugar cane	0,01 (*)
0900030	Chicory roots	0,01 (*)
0900990	Others	0,01 (*)
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS	(+)
1010000	(i) Tissue	
1011000	(a) <i>Swine</i>	0,1
1011010	Muscle	
1011020	Fat	
1011030	Liver	
1011040	Kidney	
1011050	Edible offal	
1011990	Others	
1012000	(b) <i>Bovine</i>	
1012010	Muscle	0,1
1012020	Fat	0,1
1012030	Liver	0,2

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Iprodione (R)
1012040	Kidney	0,3
1012050	Edible offal	0,3
1012990	Others	0,01 (*)
1013000	(c) <i>Sheep</i>	
1013010	Muscle	0,1
1013020	Fat	0,1
1013030	Liver	0,2
1013040	Kidney	0,3
1013050	Edible offal	0,3
1013990	Others	0,01 (*)
1014000	(d) <i>Goat</i>	
1014010	Muscle	0,1
1014020	Fat	0,1
1014030	Liver	0,2
1014040	Kidney	0,3
1014050	Edible offal	0,3
1014990	Others	0,01 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>	
1015010	Muscle	0,1
1015020	Fat	0,1
1015030	Liver	0,2
1015040	Kidney	0,3
1015050	Edible offal	0,3
1015990	Others	0,01 (*)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	
1016010	Muscle	0,1
1016020	Fat	0,2
1016030	Liver	1
1016040	Kidney	0,01 (*)
1016050	Edible offal	1
1016990	Others	0,01 (*)
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	
1017010	Muscle	0,1
1017020	Fat	0,1
1017030	Liver	0,2
1017040	Kidney	0,3
1017050	Edible offal	0,3
1017990	Others	0,01 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Iprodione (R)
1020000	(ii) Milk	
1020010	Cattle	0,1
1020020	Sheep	0,1
1020030	Goat	0,1
1020040	Horse	0,05 (*)
1020990	Others	0,05 (*)
1030000	(iii) Bird eggs	0,1
1030010	Chicken	
1030020	Duck	
1030030	Goose	
1030040	Quail	
1030990	Others	
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	0,01 (*)
1060000	(vi) Snails	0,01 (*)
1070000	(vii) Other terrestrial animal products (Wild game)	0,01 (*)

(*) Indicates lower limit of analytical determination

^(a) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

Iprodione (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Iprodione — code 1000000: Sum of iprodione and all metabolites containing the 3,5-dichloroaniline moiety expressed as iprodione

(+) The European Food Safety Authority identified some information on storage stability, analytical methods, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0110030 **Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))**

0120010 **Almonds**

0130000 (iii) **Pome fruit**

0130010 **Apples (Crab apple)**

0130020 **Pears (Oriental pear)**

0130030 **Quinces**

0130040 **Medlar**

0130050 **Loquat**

0140000	(iv) Stone fruit
0140010	Apricots
0140020	Cherries (Sweet cherries, sour cherries)
0140030	Peaches (Nectarines and similar hybrids)
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (<i>Ziziphus zizyphus</i>))
0151000	(a) Table and wine grapes
0151010	Table grapes
0151020	Wine grapes
0152000	(b) Strawberries
0153000	(c) Cane fruit
0153010	Blackberries
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other <i>Rubus</i> hybrids)
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> × <i>Rubus idaeus</i>))
0154010	Blueberries (Bilberries)
0154020	Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>))
0154030	Currants (red, black and white)
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)
0154070	Azarole (mediteranean medlar) (Kiwiberry (<i>Actinidia arguta</i>))
0162010	Kiwi
0211000	(a) Potatoes
0213010	Beetroot
0213020	Carrots
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)
0213060	Parsnips
0213070	Parsley root
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))
0220000	(ii) Bulb vegetables
0220010	Garlic
0220020	Onions (Other bulb onions, silverskin onions)
0220030	Shallots
0220040	Spring onions and welsh onions (Other green onions and similar varieties)
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato)
0231020	Peppers (Chilli peppers)
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (<i>S. macrocarpon</i>))
0232000	(b) Cucurbits — edible peel
0232010	Cucumbers

0232020	Gherkins
0232030	Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)
0232990	Others
0233000	(c) Cucurbits-inedible peel
0233010	Melons (Kiwano)
0233020	Pumpkins (Winter squash, marrow (late variety))
0233030	Watermelons
0233990	Others
0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0242000	(b) Head brassica
0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)
0251010	Lamb's lettuce (Italian corn salad)
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (<i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i>), dandelion greens)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)
0251060	Rocket, Rucola (Wild rocket (<i>Diplotaxis</i> spp.))
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other baby leaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)
0255000	(e) Witloof
0256000	(f) Herbs
0256010	Chervil
0256020	Chives
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (<i>Eryngium foetidum</i>))
0256040	Parsley (leaves of root parsley)
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)
0256060	Rosemary
0256070	Thyme (Marjoram, oregano)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)
0256090	Bay leaves (laurel) (Lemon grass)
0256100	Tarragon (Hyssop)
0256990	Others
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)

- (+) Footnotes: The European Food Safety Authority identified some information on storage stability, analytical methods, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0260040 Peas (without pods) (Garden pea, green pea, chickpea)

- (+) The European Food Safety Authority identified some information on storage stability, analytical methods, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0270070 Rhubarb

0300010 Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)

0300020 Lentils

0300030 Peas (Chickpeas, field peas, chickling vetch)

0401010 Linseed

0401050 Sunflower seed

0401060 Rape seed (Bird rapeseed, turnip rape)

0500010 Barley

0500060 Rice (Indian/wild rice (*Zizania aquatica*))

0500090 Wheat (Spelt, triticale)

0633000 (c) Roots

0633010 Valerian root

0633020 Ginseng root

0633990 Others

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (+) The European Food Safety Authority identified some information on storage stability, analytical methods, crop metabolism and residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0900010 Sugar beet (root)

- (+) The European Food Safety Authority identified some information on analytical and/or confirmatory methods and a feeding study as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

1000000 10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS

1010000 (i) Tissue

1011000 (a) Swine

1011010 Muscle

1011020 Fat

1011030 Liver

1011040 Kidney

1011050 Edible offal

1011990 Others

1012000 (b) Bovine

1012010 Muscle

1012020 Fat

1012030	Liver
1012040	Kidney
1012050	Edible offal
1012990	Others
1013000	(c) Sheep
1013010	Muscle
1013020	Fat
1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others
1014000	(d) Goat
1014010	Muscle
1014020	Fat
1014030	Liver
1014040	Kidney
1014050	Edible offal
1014990	Others
1015000	(e) Horses, asses, mules or hinnies
1015010	Muscle
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat

1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others'

(b) The following columns for cyprodinil, metaldehyde and metazachlor are added:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Cyprodinil (F) (R)	Metaldehyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0100000	1. FRUIT FRESH OR FROZEN NUTS		0,05 (*)	0,02 (*)
0110000	(i) Citrus fruit	0,02 (*)		
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)			
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)			
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))			
0110040	Limes			
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))			
0110990	Others			
0120000	(ii) Tree nuts	0,02 (*)		
0120010	Almonds	(+)		
0120020	Brazil nuts			
0120030	Cashew nuts			
0120040	Chestnuts			
0120050	Coconuts			
0120060	Hazelnuts (Filbert)			
0120070	Macadamia			
0120080	Pecans			

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelhyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0120090	Pine nuts			
0120100	Pistachios			
0120110	Walnuts			
0120990	Others			
0130000	(iii) Pome fruit			
0130010	Apples (Crab apple)	1,5		
0130020	Pears (Oriental pear)	1,5		
0130030	Quinces	1,5		
0130040	Medlar	0,9		
0130050	Loquat	0,9		
0130990	Others	0,02 (*)		
0140000	(iv) Stone fruit	2		
0140010	Apricots			
0140020	Cherries (Sweet cherries, sour cherries)			
0140030	Peaches (Nectarines and similar hybrids)			
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))			
0140990	Others			
0150000	(v) Berries & small fruit			
0151000	(a) <i>Table and wine grapes</i>	3		
0151010	Table grapes			
0151020	Wine grapes			
0152000	(b) <i>Strawberries</i>	5		
0153000	(c) <i>Cane fruit</i>			
0153010	Blackberries	3		
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrys and other Rubus hybrids)	0,02 (*)		
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus))	3		
0153990	Others	0,02 (*)		

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelhyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0154000	(d) <i>Other small fruit & berries</i>	3		
0154010	Blueberries (Bilberries)			
0154020	Cranberries (Cowberries/red bilberries (<i>V. vitis-idaea</i>))			
0154030	Currants (red, black and white)			
0154040	Gooseberries (Including hybrids with other <i>Ribes</i> species)			
0154050	Rose hips			
0154060	Mulberries (<i>Arbutus</i> berry)			
0154070	Azarole (mediteranean medlar) (Kiwiberry (<i>Actinidia arguta</i>))			
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)			
0154990	Others			
0160000	(vi) Miscellaneous fruit	0,02 (*)		
0161000	(a) <i>Edible peel</i>			
0161010	Dates			
0161020	Figs			
0161030	Table olives			
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (<i>Citrus aurantifolia</i> × <i>Fortunella</i> spp.))			
0161050	Carambola (Bilimbi)			
0161060	Persimmon			
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (<i>Eugenia uniflora</i>))			
0161990	Others			
0162000	(b) <i>Inedible peel, small</i>			
0162010	Kiwi			
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)			
0162030	Passion fruit			
0162040	Prickly pear (cactus fruit)			
0162050	Star apple			

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)			
0162990	Others			
0163000	(c) <i>Inedible peel, large</i>			
0163010	Avocados			
0163020	Bananas (Dwarf banana, plantain, apple banana)			
0163030	Mangoes			
0163040	Papaya			
0163050	Pomegranate			
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized Annonaceae fruits)			
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))			
0163080	Pineapples			
0163090	Bread fruit (Jackfruit)			
0163100	Durian			
0163110	Soursop (guanabana)			
0163990	Others			
0200000	2. VEGETABLES FRESH OR FROZEN			
0210000	(i) Root and tuber vegetables			
0211000	(a) <i>Potatoes</i>	0,02 (*)	0,15 (+)	0,02 (*)
0212000	(b) <i>Tropical root and tuber vegetables</i>	0,02 (*)	0,05 (*)	0,02 (*)
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)			
0212020	Sweet potatoes			
0212030	Yams (Potato bean/yam bean, Mexican yam bean)			
0212040	Arrowroot			
0212990	Others			
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>		(+)	
0213010	Beetroot	1,5	0,3	0,02 (*)
0213020	Carrots	1,5	0,3	0,02 (*)
0213030	Celeriac	0,3	0,3	0,02 (*)
0213040	Horseradish (<i>Angelica</i> roots, lovage roots, gentiana roots)	1,5	0,3	0,15 (+)
0213050	Jerusalem artichokes (Crosne)	0,02 (*)	0,3	0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0213060	Parsnips	1,5	0,3	0,02 (*)
0213070	Parsley root	1,5	0,3	0,02 (*)
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))	0,08	0,3	0,4 (+)
0213090	Salsify (<i>Scorzonera</i> , Spanish salsify/Spanish oysterplant, edible burdock)	1,5	0,3	0,02 (*)
0213100	Swedes	0,02 (*)	0,05 (*)	0,15 (+)
0213110	Turnips	0,02 (*)	0,3	0,15 (+)
0213990	Others	0,02 (*)	0,05 (*)	0,02 (*)
0220000	(ii) Bulb vegetables		0,05 (*)	
0220010	Garlic	0,07		0,06 (*)
0220020	Onions (Other bulb onions, silverskin onions)	0,3		0,02 (*)
0220030	Shallots	0,07		0,02 (*)
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	0,8		0,02 (*)
0220990	Others	0,02 (*)		0,02 (*)
0230000	(iii) Fruiting vegetables			0,02 (*)
0231000	(a) <i>Solanacea</i>			
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato)	1,5	0,15 (+)	
0231020	Peppers (Chilli peppers)	1,5	0,05 (*)	
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (<i>S. macrocarpon</i>))	1,5	0,15 (+)	
0231040	Okra (lady's fingers)	0,02 (*)	0,05 (*)	
0231990	Others	0,02 (*)	0,05 (*)	
0232000	(b) <i>Cucurbits — edible peel</i>	0,5	0,05 (*)	
0232010	Cucumbers			
0232020	Gherkins			
0232030	Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)			
0232990	Others			

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0233000	(c) <i>Cucurbits-inedible peel</i>	0,6	0,05 (*)	
0233010	Melons (Kiwano)			
0233020	Pumpkins (Winter squash, marrow (late variety))			
0233030	Watermelons			
0233990	Others			
0234000	(d) <i>Sweet corn (Baby corn)</i>	0,02 (*)	0,05 (*)	
0239000	(e) <i>Other fruiting vegetables</i>	0,02 (*)	0,05 (*)	
0240000	(iv) Brassica vegetables	0,02 (*)	(+)	
0241000	(a) <i>Flowering brassica</i>		0,4	0,4 (+)
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)			
0241020	Cauliflower			
0241990	Others			
0242000	(b) <i>Head brassica</i>		0,4	
0242010	Brussels sprouts			0,06 (*)
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)			0,4 (+)
0242990	Others			0,02 (*)
0243000	(c) <i>Leafy brassica</i>		0,4	0,2 (+)
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choy sum, Peking cabbage/pe-tsai)			
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)			
0243990	Others			
0244000	(d) <i>Kohlrabi</i>		0,15	0,3 (+)
0250000	(v) Leaf vegetables & fresh herbs			
0251000	(a) <i>Lettuce and other salad plants including Brassicaceae</i>	15	2 (+)	0,02 (*)
0251010	Lamb's lettuce (Italian corn salad)			
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)			

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)			
0251040	Cress (Mung bean sprouts, alfalfa sprouts)			
0251050	Land cress			
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))			
0251070	Red mustard			
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)			
0251990	Others			
0252000	(b) <i>Spinach & similar (leaves)</i>	15	2 (+)	0,02 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri)			
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))			
0252030	Beet leaves (chard) (Leaves of beetroot)			
0252990	Others			
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>	0,02 (*)	0,05 (*)	0,02 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>	0,02 (*)	0,05 (*)	0,02 (*)
0255000	(e) <i>Witloof</i>	0,06	0,05 (*)	0,02 (*)
0256000	(f) <i>Herbs</i>	15	2	0,1 (*)
0256010	Chervil			
0256020	Chives			
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cisel and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))			
0256040	Parsley (leaves of root parsley)			

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)			
0256060	Rosemary			
0256070	Thyme (Marjoram, oregano)			
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)			
0256090	Bay leaves (laurel) (Lemon grass)			
0256100	Tarragon (Hyssop)			
0256990	Others			
0260000	(vi) Legume vegetables (fresh)			0,02 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	2	0,4	
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	0,08	0,3	
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	2	0,4	
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	0,08	0,3	
0260050	Lentils	0,2	0,05 (*)	
0260990	Others	0,02 (*)	0,05 (*)	
0270000	(vii) Stem vegetables (fresh)			
0270010	Asparagus	0,02 (*)	0,05 (*)	0,02 (*)
0270020	Cardoons (Borago officinalis stems)	0,02 (*)	0,05 (*)	0,02 (*)
0270030	Celery	5	0,05 (*)	0,02 (*)
0270040	Fennel	0,3	0,05 (*)	0,02 (*)
0270050	Globe artichokes (Banana flower)	0,02 (*)	0,07 (+)	0,06 (*)
0270060	Leek	0,02 (*)	0,5 (+)	0,06 (*)
0270070	Rhubarb	0,02 (*)	0,05 (*)	0,02 (*)
0270080	Bamboo shoots	0,02 (*)	0,05 (*)	0,02 (*)
0270090	Palm hearts	0,02 (*)	0,05 (*)	0,02 (*)
0270990	Others	0,02 (*)	0,05 (*)	0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0280000	(viii) Fungi	0,02 (*)	0,05 (*)	0,02 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))			
0280020	Wild fungi (Chanterelle, truffle, morel, cep)			
0280990	Others			
0290000	(ix) Sea weeds	0,02 (*)	0,05 (*)	0,02 (*)
0300000	3. PULSES, DRY		0,2	0,02 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	0,2		
0300020	Lentils	0,02 (*)		
0300030	Peas (Chickpeas, field peas, chickling vetch)	0,1		
0300040	Lupins	0,1		
0300990	Others	0,02 (*)		
0400000	4. OILSEEDS AND OILFRUITS	0,02 (*)		
0401000	(i) Oilseeds			
0401010	Linseed		0,6	0,06 (*)
0401020	Peanuts		0,05 (*)	0,02 (*)
0401030	Poppy seed		0,6	0,02 (*)
0401040	Sesame seed		0,6	0,02 (*)
0401050	Sunflower seed		0,6	0,06 (*)
0401060	Rape seed (Bird rapeseed, turnip rape)		0,6	0,06 (*)
0401070	Soya bean		0,6	0,02 (*)
0401080	Mustard seed		0,6	0,06 (*)
0401090	Cotton seed		0,6	0,02 (*)
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)		0,6	0,02 (*)
0401110	Safflower		0,6	0,02 (*)
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))		0,6	0,06 (*)
0401130	Gold of pleasure		0,6	0,06 (*)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0401140	Hempseed		0,6	0,02 (*)
0401150	Castor bean		0,05 (*)	0,02 (*)
0401990	Others		0,05 (*)	0,02 (*)
0402000	(ii) Oilfruits		0,05 (*)	0,02 (*)
0402010	Olives for oil production			
0402020	Palm nuts (palmoil kernels)			
0402030	Palmfruit			
0402040	Kapok			
0402990	Others			
0500000	5. CEREALS		0,05 (*)	0,02 (*)
0500010	Barley	4		
0500020	Buckwheat (Amaranthus, quinoa)	0,02 (*)		
0500030	Maize	0,02 (*)		
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	0,02 (*)		
0500050	Oats	4		
0500060	Rice (Indian/wild rice (Zizania aquatica))	0,02 (*)		
0500070	Rye	0,5		
0500080	Sorghum	0,02 (*)		
0500090	Wheat (Spelt, triticale)	0,5		
0500990	Others (Canary grass seeds (Phalaris canariensis))	0,02 (*)		
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA		0,1 (*)	0,1 (*)
0610000	(i) Tea	0,1 (*)		
0620000	(ii) Coffee beans	0,1 (*)		
0630000	(iii) Herbal infusions (dried)			
0631000	(a) <i>Flowers</i>	0,1 (*)		
0631010	Camomille flowers			
0631020	Hybiscus flowers			
0631030	Rose petals			
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))			

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0631050	Lime (linden)			
0631990	Others			
0632000	(b) <i>Leaves</i>	0,1 (*)		
0632010	Strawberry leaves			
0632020	Rooibos leaves (Ginkgo leaves)			
0632030	Maté			
0632990	Others			
0633000	(c) <i>Roots</i>	1,5 (+)		
0633010	Valerian root			
0633020	Ginseng root			
0633990	Others			
0639000	(d) <i>Other herbal infusions</i>	0,1 (*)		
0640000	(iv) Cocoabeans (fermented or dried)	0,1 (*)		
0650000	(v) Carob (st johns bread)	0,1 (*)		
0700000	7. HOPS (dried)	0,1 (*)	0,1 (*)	0,1 (*)
0800000	8. SPICES			
0810000	(i) Seeds	0,1 (*)	0,1 (*)	0,1 (*)
0810010	Anise			
0810020	Black caraway			
0810030	Celery seed (Lovage seed)			
0810040	Coriander seed			
0810050	Cumin seed			
0810060	Dill seed			
0810070	Fennel seed			
0810080	Fenugreek			
0810090	Nutmeg			
0810990	Others			

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0820000	(ii) Fruits and berries	0,1 (*)	0,1 (*)	0,1 (*)
0820010	Allspice			
0820020	Sichuan pepper (Anise pepper, Japan pepper)			
0820030	Caraway			
0820040	Cardamom			
0820050	Juniper berries			
0820060	Pepper, black, green and white (Long pepper, pink pepper)			
0820070	Vanilla pods			
0820080	Tamarind			
0820990	Others			
0830000	(iii) Bark	0,1 (*)	0,1 (*)	0,1 (*)
0830010	Cinnamon (Cassia)			
0830990	Others			
0840000	(iv) Roots or rhizome	(+)		
0840010	Liquorice	1,5	0,1 (*)	0,1 (*)
0840020	Ginger	1,5	0,1 (*)	0,1 (*)
0840030	Turmeric (Curcuma)	1,5	0,1 (*)	0,1 (*)
0840040	Horseradish		(+)	(+)
0840990	Others	1,5	0,1 (*)	0,1 (*)
0850000	(v) Buds	0,1 (*)	0,1 (*)	0,1 (*)
0850010	Cloves			
0850020	Capers			
0850990	Others			
0860000	(vi) Flower stigma	0,1 (*)	0,1 (*)	0,1 (*)
0860010	Saffron			
0860990	Others			
0870000	(vii) Aril	0,1 (*)	0,1 (*)	0,1 (*)
0870010	Mace			
0870990	Others			

Code number	Groups and examples of individual products to which the MRLs apply (*)	Cyprodinil (F) (R)	Metaldelhyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
0900000	9. SUGAR PLANTS	0,02 (*)	0,05 (*)	0,02 (*)
0900010	Sugar beet (root)			
0900020	Sugar cane			
0900030	Chicory roots			
0900990	Others			
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS	(+)	(+)	
1010000	(i) Tissue		0,01 (*)	
1011000	(a) <i>Swine</i>	0,02 (*)		
1011010	Muscle			0,05 (*)
1011020	Fat			0,05 (*)
1011030	Liver			0,2
1011040	Kidney			0,05 (*)
1011050	Edible offal			0,05 (*)
1011990	Others			0,05 (*)
1012000	(b) <i>Bovine</i>			
1012010	Muscle	0,02 (*)		0,05 (*)
1012020	Fat	0,02 (*)		0,05 (*)
1012030	Liver	0,05		0,3
1012040	Kidney	0,05		0,05 (*)
1012050	Edible offal	0,02 (*)		0,05 (*)
1012990	Others	0,02 (*)		0,05 (*)
1013000	(c) <i>Sheep</i>			
1013010	Muscle	0,02 (*)		0,05 (*)
1013020	Fat	0,02 (*)		0,05 (*)
1013030	Liver	0,05		0,3
1013040	Kidney	0,05		0,05 (*)
1013050	Edible offal	0,02 (*)		0,05 (*)
1013990	Others	0,02 (*)		0,05 (*)
1014000	(d) <i>Goat</i>			
1014010	Muscle	0,02 (*)		0,05 (*)
1014020	Fat	0,02 (*)		0,05 (*)
1014030	Liver	0,05		0,3

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Cyprodinil (F) (R)	Metaldelhyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
1014040	Kidney	0,05		0,05 (*)
1014050	Edible offal	0,02 (*)		0,05 (*)
1014990	Others	0,02 (*)		0,05 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>			
1015010	Muscle	0,02 (*)		0,05 (*)
1015020	Fat	0,02 (*)		0,05 (*)
1015030	Liver	0,05		0,3
1015040	Kidney	0,05		0,05 (*)
1015050	Edible offal	0,02 (*)		0,05 (*)
1015990	Others	0,02 (*)		0,05 (*)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>	0,02 (*)		0,05 (*)
1016010	Muscle			
1016020	Fat			
1016030	Liver			
1016040	Kidney			
1016050	Edible offal			
1016990	Others			
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>			
1017010	Muscle	0,02 (*)		0,05 (*)
1017020	Fat	0,02 (*)		0,05 (*)
1017030	Liver	0,05		0,3
1017040	Kidney	0,05		0,05 (*)
1017050	Edible offal	0,02 (*)		0,05 (*)
1017990	Others	0,02 (*)		0,05 (*)
1020000	(ii) Milk	0,02 (*)	0,01 (*)	0,01 (*)
1020010	Cattle			
1020020	Sheep			
1020030	Goat			
1020040	Horse			
1020990	Others			

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Cyprodinil (F) (R)	Metaldelhyde	Sum of metabolites 479M04, 479M08, 479M16, expressed as etazachlor (R)
1030000	(iii) Bird eggs	0,02 (*)	0,01 (*)	0,05 (*)
1030010	Chicken			
1030020	Duck			
1030030	Goose			
1030040	Quail			
1030990	Others			
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	0,05 (*)	0,05 (*)	0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	0,02 (*)	0,01 (*)	0,05 (*)
1060000	(vi) Snails	0,02 (*)	0,01 (*)	0,05 (*)
1070000	(vii) Other terrestrial animal products (Wild game)	0,02 (*)	0,01 (*)	0,05 (*)

(*) Indicates lower limit of analytical determination

(**) Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(^a) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

Cyprodinil (F) (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Cyprodinil — code 1000000, except 1020000: Sum of cyprodinil and CGA 304075 (free), expressed as cyprodinil

Cyprodinil — code 1020000: Sum of cyprodinil and CGA 304075 (free and conjugated), expressed as cyprodinil

(⁺) The European Food Safety Authority identified some information on analytical and/or confirmatory methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0120010 **Almonds**

0633000 (c) **Roots**

0633010 **Valerian root**

0633020 **Ginseng root**

0633990 **Others**

0840000 (iv) **Roots or rhizome**

0840010 **Liquorice**

0840020 **Ginger**

0840030 **Turmeric (Curcuma)**

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (+) The European Food Safety Authority identified some information on analytical and/or confirmatory methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0840990 Others

1000000 10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS

1010000 (i) Tissue

1011000 (a) Swine

1011010 Muscle

1011020 Fat

1011030 Liver

1011040 Kidney

1011050 Edible offal

1011990 Others

1012000 (b) Bovine

1012010 Muscle

1012020 Fat

1012030 Liver

1012040 Kidney

1012050 Edible offal

1012990 Others

1013000 (c) Sheep

1013010 Muscle

1013020 Fat

1013030 Liver

1013040 Kidney

1013050 Edible offal

1013990 Others

1014000 (d) Goat

1014010 Muscle

1014020 Fat

1014030 Liver

1014040 Kidney

1014050 Edible offal

1014990 Others

1015000	(e) Horses, asses, mules or hinnies
1015010	Muscle
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat
1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others

Metalddehyde

- (+) The European Food Safety Authority identified an hydrolysis study investigating the effect of sterilisation on the nature of the residues as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0211000 (a) **Potatoes**

- (+) The European Food Safety Authority identified some information on residue trials and an hydrolysis study investigating the effect of sterilisation on the nature of the residues, as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0213000 (c) **Other root and tuber vegetables except sugar beet**

0213010 **Beetroot**

0213020	Carrots
0213030	Celeriac
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)
0213050	Jerusalem artichokes (Crosne)
0213060	Parsnips
0213070	Parsley root
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))
0213090	Salsify (<i>Scorzonera</i>, Spanish salsify/Spanish oysterplant, edible burdock)
0213110	Turnips
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato)
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (<i>S. macrocarpon</i>))

(+) The European Food Safety Authority identified an hydrolysis study investigating the effect of sterilisation on the nature of the residues as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0240000	(iv) Brassica vegetables
0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0241990	Others
0242000	(b) Head brassica
0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0242990	Others
0243000	(c) Leafy brassica
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)

(+) The European Food Safety Authority identified some information on residue trials and an hydrolysis study investigating the effect of sterilisation on the nature of the residues, as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
----------------	---

(+) The European Food Safety Authority identified an hydrolysis study investigating the effect of sterilisation on the nature of the residues as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0243990	Others
0244000	(d) Kohlrabi
0251000	(a) Lettuce and other salad plants including Brassicacea
0251010	Lamb's lettuce (Italian corn salad)
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (<i>C. endivia</i> var. <i>crispum</i>/<i>C. intybus</i> var. <i>foliosum</i>), dandelion greens)

0251040	Cress (Mung bean sprouts, alfalfa sprouts)
0251050	Land cress
0251060	Rocket, Rucola (Wild rocket (<i>Diplotaxis</i> spp.))
0251070	Red mustard
0251080	Leaves and sprouts of <i>Brassica</i> spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)
0251990	Others
0252000	(b) Spinach & similar (leaves)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (<i>Salsola soda</i>))
0252030	Beet leaves (chard) (Leaves of beetroot)
0252990	Others
0270050	Globe artichokes (Banana flower)
0270060	Leek

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

1000000 10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS

1010000	(i) Tissue
1011000	(a) Swine
1011010	Muscle
1011020	Fat
1011030	Liver
1011040	Kidney
1011050	Edible offal
1011990	Others
1012000	(b) Bovine
1012010	Muscle
1012020	Fat
1012030	Liver
1012040	Kidney
1012050	Edible offal
1012990	Others

1013000	(c) Sheep
1013010	Muscle
1013020	Fat
1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others
1014000	(d) Goat
1014010	Muscle
1014020	Fat
1014030	Liver
1014040	Kidney
1014050	Edible offal
1014990	Others
1015000	(e) Horses, asses, mules or hinnies
1015010	Muscle
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others
1020000	(ii) Milk
1020010	Cattle

1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others
1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)
1060000	(vi) Snails
1070000	(vii) Other terrestrial animal products (Wild game)

Sum of metabolites 479M04, 479M08, 479M16, expressed as metazachlor (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Metazachlor — code 1000000: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor

(+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 14 March 2017, or, if that information is not submitted by that date, the lack of it.

0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))
0213100	Swedes
0213110	Turnips
0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0241990	Others
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0243000	(c) Leafy brassica
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0243990	Others
0244000	(d) Kohlrabi

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish'
----------------	---------------------

(2) In Annex III, the columns for cyprodinil, iprodione, metaldehyde, metazachlor and propargite are deleted.

(3) In Annex V, the following columns for bone oil, carbon monoxide, dodemorph, paraffin oil (CAS 64742-54-7), petroleum oils (CAS 92062-35-6) and propargite are added:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0100000	1. FRUIT FRESH OR FROZEN NUTS	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	
0110000	(i) Citrus fruit						0,01 (*)
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)						
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)						
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))						
0110040	Limes						
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))						
0110990	Others						
0120000	(ii) Tree nuts						0,02 (*)
0120010	Almonds						
0120020	Brazil nuts						
0120030	Cashew nuts						
0120040	Chestnuts						
0120050	Coconuts						
0120060	Hazelnuts (Filbert)						
0120070	Macadamia						
0120080	Pecans						
0120090	Pine nuts						
0120100	Pistachios						
0120110	Walnuts						
0120990	Others						
0130000	(iii) Pome fruit						0,01 (*)
0130010	Apples (Crab apple)						
0130020	Pears (Oriental pear)						
0130030	Quinces						
0130040	Medlar						

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Bone oil	Carbon monoxide	Dodecylmorph	Paraffin oil (CAS 647 42-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0130050	Loquat						
0130990	Others						
0140000	(iv) Stone fruit						0,01 (*)
0140010	Apricots						
0140020	Cherries (Sweet cherries, sour cherries)						
0140030	Peaches (Nectarines and similar hybrids)						
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/ Chinese date/Chinese jujube (Ziziphus zizyphus))						
0140990	Others						
0150000	(v) Berries & small fruit						0,01 (*)
0151000	(a) <i>Table and wine grapes</i>						
0151010	Table grapes						
0151020	Wine grapes						
0152000	(b) <i>Strawberries</i>						
0153000	(c) <i>Cane fruit</i>						
0153010	Blackberries						
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other Rubus hybrids)						
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus))						
0153990	Others						
0154000	(d) <i>Other small fruit & berries</i>						
0154010	Blueberries (Bilberries)						
0154020	Cranberries (Cowberries/red bilberries (V. vitis-idaea))						
0154030	Currants (red, black and white)						
0154040	Gooseberries (Including hybrids with other Ribes species)						
0154050	Rose hips						
0154060	Mulberries (Arbutus berry)						

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 647 42-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))						
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)						
0154990	Others						
0160000	(vi) Miscellaneous fruit						0,01 (*)
0161000	(a) <i>Edible peel</i>						
0161010	Dates						
0161020	Figs						
0161030	Table olives						
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.))						
0161050	Carambola (Bilimbi)						
0161060	Persimmon						
0161070	Jambolan (java plum) (Java apple/water apple, pomegranate, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))						
0161990	Others						
0162000	(b) <i>Inedible peel, small</i>						
0162010	Kiwi						
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)						
0162030	Passion fruit						
0162040	Prickly pear (cactus fruit)						
0162050	Star apple						
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)						
0162990	Others						
0163000	(c) <i>Inedible peel, large</i>						
0163010	Avocados						
0163020	Bananas (Dwarf banana, plantain, apple banana)						
0163030	Mangoes						

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0163040	Papaya						
0163050	Pomegranate						
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized Annonaceae fruits)						
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))						
0163080	Pineapples						
0163090	Bread fruit (Jackfruit)						
0163100	Durian						
0163110	Soursop (guanabana)						
0163990	Others						
0200000	2. VEGETABLES FRESH OR FROZEN	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	
0210000	(i) Root and tuber vegetables						0,01 (*)
0211000	(a) Potatoes						
0212000	(b) Tropical root and tuber vegetables						
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)						
0212020	Sweet potatoes						
0212030	Yams (Potato bean/yam bean, Mexican yam bean)						
0212040	Arrowroot						
0212990	Others						
0213000	(c) Other root and tuber vegetables except sugar beet						
0213010	Beetroot						
0213020	Carrots						
0213030	Celeriac						
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)						
0213050	Jerusalem artichokes (Crosne)						

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Bone oil	Carbon monoxide	Dodecylmorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0213060	Parsnips						
0213070	Parsley root						
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))						
0213090	Salsify (<i>Scorzonera</i> , Spanish salsify/Spanish oysterplant, edible burdock)						
0213100	Swedes						
0213110	Turnips						
0213990	Others						
0220000	(ii) Bulb vegetables						0,01 (*)
0220010	Garlic						
0220020	Onions (Other bulb onions, silverskin onions)						
0220030	Shallots						
0220040	Spring onions and welsh onions (Other green onions and similar varieties)						
0220990	Others						
0230000	(iii) Fruiting vegetables						0,01 (*)
0231000	(a) <i>Solanacea</i>						
0231010	Tomatoes (Cherry tomatoes, <i>Physalis</i> spp., gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>), tree tomato)						
0231020	Peppers (Chilli peppers)						
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (<i>S. macrocarpon</i>))						
0231040	Okra (lady's fingers)						
0231990	Others						
0232000	(b) <i>Cucurbits — edible peel</i>						
0232010	Cucumbers						
0232020	Gherkins						
0232030	Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)						
0232990	Others						

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Bone oil	Carbon monoxide	Dodemorpha	Paraffin oil (CAS 647 42-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0233000	(c) <i>Cucurbits-inedible peel</i>						
0233010	Melons (Kiwano)						
0233020	Pumpkins (Winter squash, marrow (late variety))						
0233030	Watermelons						
0233990	Others						
0234000	(d) <i>Sweet corn (Baby corn)</i>						
0239000	(e) <i>Other fruiting vegetables</i>						
0240000	(iv) Brassica vegetables						0,01 (*)
0241000	(a) <i>Flowering brassica</i>						
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)						
0241020	Cauliflower						
0241990	Others						
0242000	(b) <i>Head brassica</i>						
0242010	Brussels sprouts						
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)						
0242990	Others						
0243000	(c) <i>Leafy brassica</i>						
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)						
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)						
0243990	Others						
0244000	(d) <i>Kohlrabi</i>						
0250000	(v) Leaf vegetables & fresh herbs						
0251000	(a) <i>Lettuce and other salad plants including Brassicaceae</i>						0,01 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0251010	Lamb's lettuce (Italian corn salad)						
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)						
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)						
0251040	Cress (Mung bean sprouts, alfalfa sprouts)						
0251050	Land cress						
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))						
0251070	Red mustard						
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)						
0251990	Others						
0252000	(b) <i>Spinach & similar (leaves)</i>						0,01 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajer leaves, bitterblad/bitawiri)						
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))						
0252030	Beet leaves (chard) (Leaves of beetroot)						
0252990	Others						
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>						0,01 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>						0,01 (*)
0255000	(e) <i>Witloof</i>						0,01 (*)
0256000	(f) <i>Herbs</i>						0,02 (*)
0256010	Chervil						

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0256020	Chives						
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (<i>Eryngium foetidum</i>))						
0256040	Parsley (leaves of root parsley)						
0256050	Sage (Winter savory, summer savory, <i>Borago officinalis</i> leaves)						
0256060	Rosemary						
0256070	Thyme (Marjoram, oregano)						
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)						
0256090	Bay leaves (laurel) (Lemon grass)						
0256100	Tarragon (Hyssop)						
0256990	Others						
0260000	(vi) Legume vegetables (fresh)						0,01 (*)
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)						
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)						
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)						
0260040	Peas (without pods) (Garden pea, green pea, chickpea)						
0260050	Lentils						
0260990	Others						
0270000	(vii) Stem vegetables (fresh)						0,01 (*)
0270010	Asparagus						
0270020	Cardoons (<i>Borago officinalis</i> stems)						
0270030	Celery						

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Bone oil	Carbon monoxide	Dodemorpha	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0270040	Fennel						
0270050	Globe artichokes (Banana flower)						
0270060	Leek						
0270070	Rhubarb						
0270080	Bamboo shoots						
0270090	Palm hearts						
0270990	Others						
0280000	(viii) Fungi						0,01 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))						
0280020	Wild fungi (Chanterelle, truffle, morel, cep)						
0280990	Others						
0290000	(ix) Sea weeds						0,01 (*)
0300000	3. PULSES, DRY	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)						
0300020	Lentils						
0300030	Peas (Chickpeas, field peas, chickling vetch)						
0300040	Lupins						
0300990	Others						
0400000	4. OILSEEDS AND OILFRUITS	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,02 (*)
0401000	(i) Oilseeds						
0401010	Linseed						
0401020	Peanuts						
0401030	Poppy seed						
0401040	Sesame seed						
0401050	Sunflower seed						
0401060	Rape seed (Bird rapeseed, turnip rape)						
0401070	Soya bean						
0401080	Mustard seed						
0401090	Cotton seed						

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Bone oil	Carbon monoxide	Dodermorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)						
0401110	Safflower						
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))						
0401130	Gold of pleasure						
0401140	Hempseed						
0401150	Castor bean						
0401990	Others						
0402000	(ii) Oilfruits						
0402010	Olives for oil production						
0402020	Palm nuts (palmoil kernels)						
0402030	Palmfruit						
0402040	Kapok						
0402990	Others						
0500000	5. CEREALS	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)
0500010	Barley						
0500020	Buckwheat (Amaranthus, quinoa)						
0500030	Maize						
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)						
0500050	Oats						
0500060	Rice (Indian/wild rice (Zizania aquatica))						
0500070	Rye						
0500080	Sorghum						
0500090	Wheat (Spelt, triticale)						
0500990	Others (Canary grass seeds (Phalaris canariensis))						
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,05 (*)
0610000	(i) Tea						
0620000	(ii) Coffee beans						

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Bone oil	Carbon monoxide	Dodecylmorph	Paraffin oil (CAS 647 42-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0630000	(iii) Herbal infusions (dried)						
0631000	(a) <i>Flowers</i>						
0631010	Camomille flowers						
0631020	Hybiscus flowers						
0631030	Rose petals						
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))						
0631050	Lime (linden)						
0631990	Others						
0632000	(b) <i>Leaves</i>						
0632010	Strawberry leaves						
0632020	Rooibos leaves (Ginkgo leaves)						
0632030	Maté						
0632990	Others						
0633000	(c) <i>Roots</i>						
0633010	Valerian root						
0633020	Ginseng root						
0633990	Others						
0639000	(d) <i>Other herbal infusions</i>						
0640000	(iv) Cocoabeans (fermented or dried)						
0650000	(v) Carob (st johns bread)						
0700000	7. HOPS (dried)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,05 (*)
0800000	8. SPICES				0,01 (*)	0,01 (*)	
0810000	(i) Seeds	0,01 (*)	0,01 (*)	0,01 (*)			0,05 (*)
0810010	Anise						
0810020	Black caraway						
0810030	Celery seed (Lovage seed)						
0810040	Coriander seed						
0810050	Cumin seed						

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Bone oil	Carbon monoxide	Dodecylmorph	Paraffin oil (CAS 647 42-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0810060	Dill seed						
0810070	Fennel seed						
0810080	Fenugreek						
0810090	Nutmeg						
0810990	Others						
0820000	(ii) Fruits and berries	0,01 (*)	0,01 (*)	0,01 (*)			0,05 (*)
0820010	Allspice						
0820020	Sichuan pepper (Anise pepper, Japan pepper)						
0820030	Caraway						
0820040	Cardamom						
0820050	Juniper berries						
0820060	Pepper, black, green and white (Long pepper, pink pepper)						
0820070	Vanilla pods						
0820080	Tamarind						
0820990	Others						
0830000	(iii) Bark	0,01 (*)	0,01 (*)	0,01 (*)			0,05 (*)
0830010	Cinnamon (Cassia)						
0830990	Others						
0840000	(iv) Roots or rhizome						
0840010	Liquorice	0,01 (*)	0,01 (*)	0,01 (*)			0,05 (*)
0840020	Ginger	0,01 (*)	0,01 (*)	0,01 (*)			0,05 (*)
0840030	Turmeric (Curcuma)	0,01 (*)	0,01 (*)	0,01 (*)			0,05 (*)
0840040	Horseradish	(+)	(+)	(+)	(+)	(+)	(+)
0840990	Others	0,01 (*)	0,01 (*)	0,01 (*)			0,05 (*)
0850000	(v) Buds	0,01 (*)	0,01 (*)	0,01 (*)			0,05 (*)
0850010	Cloves						
0850020	Capers						
0850990	Others						
0860000	(vi) Flower stigma	0,01 (*)	0,01 (*)	0,01 (*)			0,05 (*)
0860010	Saffron						
0860990	Others						

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Bone oil	Carbon monoxide	Dodemorpha	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
0870000	(vii) Aril	0,01 (*)	0,01 (*)	0,01 (*)			0,05 (*)
0870010	Mace						
0870990	Others						
0900000	9. SUGAR PLANTS	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)
0900010	Sugar beet (root)						
0900020	Sugar cane						
0900030	Chicory roots						
0900990	Others						
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	0,01 (*)	
1010000	(i) Tissue						0,01 (*)
1011000	(a) <i>Swine</i>						
1011010	Muscle						
1011020	Fat						
1011030	Liver						
1011040	Kidney						
1011050	Edible offal						
1011990	Others						
1012000	(b) <i>Bovine</i>						
1012010	Muscle						
1012020	Fat						
1012030	Liver						
1012040	Kidney						
1012050	Edible offal						
1012990	Others						
1013000	(c) <i>Sheep</i>						
1013010	Muscle						
1013020	Fat						
1013030	Liver						
1013040	Kidney						
1013050	Edible offal						
1013990	Others						

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Bone oil	Carbon monoxide	Dodermorph	Paraffin oil (CAS 647 42-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
1014000	(d) <i>Goat</i>						
1014010	Muscle						
1014020	Fat						
1014030	Liver						
1014040	Kidney						
1014050	Edible offal						
1014990	Others						
1015000	(e) <i>Horses, asses, mules or hinnies</i>						
1015010	Muscle						
1015020	Fat						
1015030	Liver						
1015040	Kidney						
1015050	Edible offal						
1015990	Others						
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>						
1016010	Muscle						
1016020	Fat						
1016030	Liver						
1016040	Kidney						
1016050	Edible offal						
1016990	Others						
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>						
1017010	Muscle						
1017020	Fat						
1017030	Liver						
1017040	Kidney						
1017050	Edible offal						
1017990	Others						
1020000	(ii) Milk						0,01 (*)
1020010	Cattle						
1020020	Sheep						
1020030	Goat						
1020040	Horse						
1020990	Others						

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Bone oil	Carbon monoxide	Dodemorph	Paraffin oil (CAS 64742-54-7)	Petroleum oils (CAS 92062-35-6)	Propargite (F)
1030000	(iii) Bird eggs						0,01 (*)
1030010	Chicken						
1030020	Duck						
1030030	Goose						
1030040	Quail						
1030990	Others						
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))						0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)						0,01 (*)
1060000	(vi) Snails						0,01 (*)
1070000	(vii) Other terrestrial animal products (Wild game)						0,01 (*)

(*) Indicates lower limit of analytical determination

^(a) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

Bone oil

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Carbon monoxide

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Dodemorph

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Paraffin oil (CAS 64742-54-7)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Petroleum oil (CAS 92062-35-6)

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Propargite (F)

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish'

COMMISSION REGULATION (EU) 2015/401**of 25 February 2015****amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for acetamiprid, chromafenozide, cyazofamid, dicamba, difenoconazole, fenpyrazamine, fluazinam, formetanate, nicotine, penconazole, pymetrozine, pyraclostrobin, tau-fluvalinate and tebuconazole in or on certain products****(Text with EEA relevance)**

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC ⁽¹⁾, and in particular Article 14(1)(a) thereof,

Whereas:

- (1) For acetamiprid, cyazofamid, formetanate, pymetrozine, pyraclostrobin and tebuconazole maximum residue levels (MRLs) were set in Annex II to Regulation (EC) No 396/2005. For penconazole MRLs were set in Annex II and Part B of Annex III to Regulation (EC) No 396/2005. For chromafenozide, dicamba, difenoconazole, fenpyrazamine, fluazinam, nicotine and tau-fluvalinate MRLs were set in Part A of Annex III to Regulation (EC) No 396/2005.
- (2) In the context of a procedure for the authorisation of the use of a plant protection product containing the active substance chromafenozide on pome fruit and grapes, an application was submitted in accordance with Article 6(1) of Regulation (EC) No 396/2005 for modification of the existing MRLs.
- (3) As regards cyazofamid, such an application was made for grapes. As regards difenoconazole, such an application was made for peppers and aubergines. As regards fenpyrazamine, such an application was made for apricots, cherries, peaches and plums. As regards formetanate, such an application was made for strawberries. As regards penconazole, such an application was made for blackberries and raspberries. As regards pymetrozine, such an application was made for azarole. As regards pyraclostrobin, such an application was made for chicory roots. As regards tau-fluvalinate, such an application was made for pome fruits, peaches, apricots, grapes, tomatoes, aubergines, melons, broccoli, Brussels sprouts, kohlrabi, globe artichokes, lettuce and other salad plants. As regards tebuconazole, such an application was made for poppy seed.
- (4) In accordance with Article 6(2) and (4) of Regulation (EC) No 396/2005 an application was submitted for acetamiprid on apricots and tree nuts. The applicant claims that the authorised uses of that substance on such crops in the United States lead to residues exceeding the MRLs in Regulation (EC) No 396/2005 and that higher MRLs are necessary to avoid trade barriers for the importation of those crops.
- (5) Such applications were also submitted as regards dicamba on genetically modified soya bean and as regards fluazinam on ginseng root. The applicants claim that the authorised uses of those substances on such crops in the United States lead to residues exceeding the MRLs in Regulation (EC) No 396/2005 and that higher MRLs are necessary to avoid trade barriers for the importation of those crops.
- (6) In accordance with Article 8 of Regulation (EC) No 396/2005 these applications were evaluated by the Member States concerned and the evaluation reports were forwarded to the Commission.

⁽¹⁾ OJ L 70, 16.3.2005, p. 1.

- (7) The European Food Safety Authority, hereinafter 'the Authority', assessed the applications and the evaluation reports, examining in particular the risks to the consumer and, where relevant, to animals and gave reasoned opinions on the proposed MRLs ⁽¹⁾. It forwarded these opinions to the Commission and the Member States and made them available to the public.
- (8) The Authority concluded in its reasoned opinions that, as regards the use of fenpyrazamine on peaches, no modification of the existing MRL is required. As regards the use of tau-fluvalinate on pome fruit, apricots, peaches and tomatoes, the submitted data were not sufficient to set new MRLs. The existing MRLs should therefore remain unchanged.
- (9) As regards dicamba, no residues were detected at harvest in dicamba-tolerant soya bean. The Authority concluded that the relevant component of the residues identified in dicamba-tolerant soya bean was the metabolite 3,6-dichlorosalicylic acid (DCSA).
- (10) As regards all other applications, the Authority concluded that all requirements with respect to data were met and that the modifications to the MRLs requested by the applicants were acceptable with regard to consumer safety on the basis of a consumer exposure assessment for 27 specific European consumer groups. It took into account the most recent information on the toxicological properties of the substances. Neither the lifetime exposure to these substances via consumption of all food products that may contain them, nor the short-term exposure due to high consumption of the relevant crops and products showed that there is a risk that the acceptable daily intake (ADI) or the acute reference dose (ARfD) is exceeded.
- (11) As regards nicotine, by Commission Regulation (EU) No 897/2012 ⁽²⁾ temporary MRLs were set for wild mushrooms until 30 November 2014 pursuant to Article 16(1)(a) of Regulation (EC) No 396/2005, pending the submission and evaluation of new data and information on the natural occurrence or formation of nicotine in the concerned products. The Commission was informed of a research project which is being carried out to investigate on the sources of nicotine occurring in those crops. In view of the expected duration of the study and

⁽¹⁾ EFSA scientific reports available online: <http://www.efsa.europa.eu>:

Reasoned opinion on the modification of the existing maximum residue level (MRL) for acetamiprid in apricots and tree nuts. EFSA Journal 2013;11(12):3506 [30 pp.]. doi:10.2903/j.efsa.2013.3506.

Reasoned opinion on the modification of the existing MRLs for chromafenozide in pome fruits and grapes. EFSA Journal 2014;12(2):3569 [25 pp.]. doi:10.2903/j.efsa.2014.3569.

Reasoned opinion on the modification of the existing MRLs for cyazofamid in grapes. EFSA Journal 2013;11(10):3402 [23 pp.]. doi:10.2903/j.efsa.2013.3402.

Reasoned opinion on the modification of the MRL for dicamba in genetically modified soybean. EFSA Journal 2013;11(10):3440 [38 pp.]. doi:10.2903/j.efsa.2013.3440.

Reasoned opinion on the modification of the existing MRLs for difenoconazole in peppers and aubergines. EFSA Journal 2014;12(4):3676 [27 pp.]. doi:10.2903/j.efsa.2014.3676.

Reasoned opinion on the modification of the existing MRLs for fenpyrazamine in apricots, cherries, peaches and plums. EFSA Journal 2014;12(3):3619 [25 pp.]. doi:10.2903/j.efsa.2014.3619.

Reasoned opinion on modification of the existing MRL for fluazinam in ginseng root. EFSA Journal 2014;12(5):3690 [20 pp.]. doi:10.2903/j.efsa.2014.3690.

Reasoned Opinion on the modification of the existing MRL for formetanate in strawberries. EFSA Journal 2014;12(3):3596 [23 pp.]. doi:10.2903/j.efsa.2014.3596.

Reasoned opinion on the setting of new MRLs for penconazole in blackberries and raspberries. EFSA Journal 2014;12(3):3618 [24 pp.]. doi:10.2903/j.efsa.2014.3618.

Reasoned opinion on the modification of the existing MRLs for pymetrozine in azaroles, celery and fennel. EFSA Journal 2013;11(8):3348 [27 pp.]. doi:10.2903/j.efsa.2013.3348.

Reasoned opinion on the modification of the existing MRL for pyraclostrobin in chicory roots. EFSA Journal 2014;12(5):3685 [23 pp.]. doi:10.2903/j.efsa.2014.3685.

Reasoned opinion on the modification of the existing MRLs for tau-fluvalinate in various crops. EFSA Journal 2014;12(1):3548 [49 pp.]. doi:10.2903/j.efsa.2014.3548.

Reasoned opinion on the modification of the existing MRL for tebuconazole in poppy seed. EFSA Journal 2013;11(5):3248 [31 pp.]. doi:10.2903/j.efsa.2013.3248.

⁽²⁾ Commission Regulation (EU) No 897/2012 of 1 October 2012 amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for acibenzolar-S-methyl, amisulbrom, cyazofamid, diflufenican, dimoxystrobin, methoxyfenozide and nicotine in or on certain products (OJ L 266, 2.10.2012, p. 1).

in order to provide the necessary time for the Commission to take its decision, it is appropriate to extend the validity of these MRLs until 19 October 2016.

- (12) As regards formetanate, several MRLs were modified by Commission Regulation (EU) No 61/2014 ⁽¹⁾. That Regulation lowers the MRL for strawberries to the limit of determination as of 14 August 2014. In the interest of legal certainty, it is appropriate for the MRL provided for by this Regulation, to apply from the same date.
- (13) Based on the reasoned opinions of the Authority and taking into account the factors relevant to the matter under consideration, the appropriate modifications to the MRLs fulfil the requirements of Article 14(2) of Regulation (EC) No 396/2005.
- (14) Regulation (EC) No 396/2005 should therefore be amended accordingly.
- (15) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS REGULATION:

Article 1

Annexes II and III to Regulation (EC) No 396/2005 are amended in accordance with the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 November 2014. However, it shall apply from 14 August 2014 for the MRL for formetanate in strawberries.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 25 February 2015.

For the Commission

The President

Jean-Claude JUNCKER

⁽¹⁾ Commission Regulation (EU) No 61/2014 of 24 January 2014 amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for cyromazine, fenpropidin, formetanate, oxamyl and tebuconazole in or on certain products (OJ L 22, 25.1.2014, p. 1).

ANNEX

Annexes II and III to Regulation (EC) No 396/2005 are amended as follows:

- (1) In Annex II, the columns for acetamiprid, cyazofamid, formetanate, penconazole, pymetrozine, pyraclostrobin and tebuconazole are replaced by the following:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pymetrozine (A) (R)	Pyraclostrobin (F)	Tebuconazole (R)
0100000	1. FRUIT FRESH OR FROZEN NUTS							
0110000	(i) Citrus fruit	0,9	0,01 (*)	0,01 (*)	0,05 (*)	0,3 (+)		
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)						1	5
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)						2	0,9
0110030	Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))						1	5
0110040	Limes						1	5
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))						1	5
0110990	Others						1	5
0120000	(ii) Tree nuts	0,07	0,02 (*)	0,01 (*)	0,05 (*)			0,05
0120010	Almonds					0,02 (*)	0,02 (*)	
0120020	Brazil nuts					0,02 (*)	0,02 (*)	
0120030	Cashew nuts					0,02 (*)	0,02 (*)	
0120040	Chestnuts					0,05	0,02 (*)	
0120050	Coconuts					0,02 (*)	0,02 (*)	
0120060	Hazelnuts (Filbert)					0,05	0,02 (*)	
0120070	Macadamia					0,02 (*)	0,02 (*)	
0120080	Pecans					0,02 (*)	0,02 (*)	
0120090	Pine nuts					0,02 (*)	0,02 (*)	
0120100	Pistachios					0,02 (*)	1	
0120110	Walnuts					0,05	0,02 (*)	
0120990	Others					0,02 (*)	0,02 (*)	
0130000	(iii) Pome fruit	0,8	0,01 (*)	0,01 (*)	0,2	0,02 (*)	0,5	
0130010	Apples (Crab apple)					(+)		0,3
0130020	Pears (Oriental pear)					(+)		0,3

Code number	Groups and examples of individual products to which the MRLs apply (*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pyrimorizine (A) (R)	Pyridostrobin (F)	Tebuconazole (R)
0130030	Quinces							0,5
0130040	Medlar				(**)			0,5
0130050	Loquat				(**)			0,5
0130990	Others							0,5
0140000	(iv) Stone fruit		0,01 (*)	0,01 (*)				
0140010	Apricots	0,8			0,1	0,03 (+)	1	0,6
0140020	Cherries (Sweet cherries, sour cherries)	1,5			0,05 (*)	0,02 (*)	3	1 (+)
0140030	Peaches (Nectarines and similar hybrids)	0,8			0,1	0,03 (+)	0,3	0,6
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))	0,03			0,05 (*)	0,02 (*)	0,8	1
0140990	Others	0,01 (*)			0,05 (*)	0,02 (*)	0,02 (*)	0,02 (*)
0150000	(v) Berries & small fruit							
0151000	(a) <i>Table and wine grapes</i>	0,5	2	0,1	0,2	0,02 (*)		
0151010	Table grapes						1 (+)	0,5
0151020	Wine grapes						2	1 (+)
0152000	(b) <i>Strawberries</i>	0,5	0,01 (*)	0,4	0,5	0,3 (+)	1,5	0,02 (*)
0153000	(c) <i>Cane fruit</i>	2	0,01 (*)	0,01 (*)				0,5
0153010	Blackberries				0,1	3 (+)	3	
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberries and other Rubus hybrids)				0,05 (*)	0,02 (*)	2	(+)
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus))				0,1	3 (+)	3	
0153990	Others				0,05 (*)	0,02 (*)	2	(+)
0154000	(d) <i>Other small fruit & berries</i>		0,01 (*)	0,01 (*)				1,5
0154010	Blueberries (Bilberries)	2			0,05 (*)	0,7 (+)	4	
0154020	Cranberries (Cowberries/red bilberries (V. vitis-idaea))	2			0,05 (*)	0,02 (*)	3	
0154030	Currants (red, black and white)	2			0,5	0,7 (+)	3	
0154040	Gooseberries (Including hybrids with other Ribes species)	2			0,05 (*)	0,7 (+)	3	
0154050	Rose hips	2			(**)	0,02 (*)	3	
0154060	Mulberries (Arbutus berry)	2			(**)	0,02 (*)	3	
0154070	Azarole (mediterranean medlar) (Kiwiberry (Actinidia arguta))	0,01 (*)			(**)	0,7 (+)	3	

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pyrimorizine (A) (R)	Pyridostrobin (F)	Tebuconazole (R)
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea-sallowthorn, hawthorn, serviceberries, and other treeberries)	2			(**)	0,02 (*)	3	
0154990	Others	0,01 (*)			0,05 (*)	0,02 (*)	3	
0160000	(vi) Miscellaneous fruit		0,01 (*)	0,01 (*)	0,05 (*)			
0161000	(a) <i>Edible peel</i>						0,02 (*)	
0161010	Dates	0,01 (*)				0,02 (*)		0,02 (*)
0161020	Figs	0,03				0,02 (*)		0,02 (*)
0161030	Table olives	0,01 (*)				0,05 (*)		0,05
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.))	0,01 (*)				0,02 (*)		0,02 (*)
0161050	Carambola (Bilimbi)	0,01 (*)			(**)	0,02 (*)		0,02 (*)
0161060	Persimmon	0,01 (*)			(**)	0,02 (*)		0,02 (*)
0161070	Jambolan (java plum) (Java apple/water apple, pomarac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))	0,01 (*)			(**)	0,02 (*)		0,02 (*)
0161990	Others	0,01 (*)				0,02 (*)		0,02 (*)
0162000	(b) <i>Inedible peel, small</i>	0,01 (*)				0,02 (*)	0,02 (*)	
0162010	Kiwi							0,02 (*)
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsung, salak)							0,02 (*)
0162030	Passion fruit							1
0162040	Prickly pear (cactus fruit)				(**)			0,02 (*)
0162050	Star apple				(**)			0,02 (*)
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mamme sapote)				(**)			0,02 (*)
0162990	Others							0,02 (*)
0163000	(c) <i>Inedible peel, large</i>	0,01 (*)						
0163010	Avocados					0,05 (*)	0,02 (*)	0,02 (*)
0163020	Bananas (Dwarf banana, plantain, apple banana)					0,02 (*)	0,02 (*)	0,05
0163030	Mangoes					0,02 (*)	0,05	0,1
0163040	Papaya					0,02 (*)	0,07	2
0163050	Pomegranate					0,02 (*)	0,02 (*)	0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pymetrozine (A) (R)	Pyridostrobin (F)	Tebuconazole (R)
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized Annonaceae fruits)				(**)	0,02 (*)	0,02 (*)	0,02 (*)
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))				(**)	0,02 (*)	0,02 (*)	0,02 (*)
0163080	Pineapples					0,02 (*)	0,02 (*)	0,02 (*)
0163090	Bread fruit (Jackfruit)				(**)	0,02 (*)	0,02 (*)	0,02 (*)
0163100	Durian				(**)	0,02 (*)	0,02 (*)	0,02 (*)
0163110	Soursop (guanabana)				(**)	0,02 (*)	0,02 (*)	0,02 (*)
0163990	Others					0,02 (*)	0,02 (*)	0,02 (*)
0200000	2. VEGETABLES FRESH OR FROZEN							
0210000	(i) Root and tuber vegetables	0,01 (*)		0,01 (*)	0,05 (*)	0,02 (*)		
0211000	(a) <i>Potatoes</i>		0,01 (*) (+)			(+)	0,02 (*)	0,02 (*)
0212000	(b) <i>Tropical root and tuber vegetables</i>		0,01 (*)				0,02 (*)	0,02 (*)
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)							
0212020	Sweet potatoes							
0212030	Yams (Potato bean/yam bean, Mexican yam bean)							
0212040	Arrowroot				(**)			
0212990	Others							
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>							
0213010	Beetroot		0,01 (*)				0,1	0,02 (*)
0213020	Carrots		0,01 (*)				0,5	0,4
0213030	Celeriac		0,01 (*)			(+)	0,3	0,5
0213040	Horseradish (Angelica roots, lovage roots, gentiana roots)		0,1				0,3	0,4
0213050	Jerusalem artichokes (Crosne)		0,01 (*)				0,06	0,02 (*)
0213060	Parsnips		0,01 (*)				0,3	0,4
0213070	Parsley root		0,01 (*)				0,1	0,4
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))		0,01 (*)			(+)	0,5	0,02 (*)
0213090	Salsify (Scorzonera, Spanish salsify/Spanish oysterplant, edible burdock)		0,01 (*)				0,1	0,4 (+)
0213100	Swedes		0,01 (*)				0,02 (*)	0,3

Code number	Groups and examples of individual products to which the MRLs apply (*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pyrimetozine (A) (R)	Pyridostrobin (F)	Tebuconazole (R)
0213110	Turnips		0,01 (*)				0,02 (*)	0,3
0213990	Others		0,01 (*)				0,02 (*)	0,02 (*)
0220000	(ii) Bulb vegetables		0,01 (*)	0,01 (*)	0,05 (*)	0,02 (*)		
0220010	Garlic	0,02					0,3	0,1
0220020	Onions (Other bulb onions, silverskin onions)	0,02					1,5	0,1
0220030	Shallots	0,01 (*)					0,3	0,05
0220040	Spring onions and welsh onions (Other green onions and similar varieties)	0,01 (*)					1,5	0,6
0220990	Others	0,01 (*)					0,02 (*)	0,02 (*)
0230000	(iii) Fruiting vegetables							
0231000	(a) <i>Solanacea</i>							
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)	0,2	0,6 (+)	0,3	0,1	0,5 (+)	0,3	0,9
0231020	Peppers (Chilli peppers)	0,3	0,01 (*)	0,01 (*)	0,2	3 (+)	0,5	0,6
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))	0,2	0,01 (*)	0,3	0,1	0,5 (+)	0,3	0,4 (+)
0231040	Okra (lady's fingers)	0,2	0,01 (*)	0,01 (*)	0,05 (*)	0,02 (*) (+)	0,02 (*)	0,02 (*)
0231990	Others	0,2	0,01 (*)	0,01 (*)	0,05 (*)	0,02 (*)	0,02 (*)	0,02 (*)
0232000	(b) <i>Cucurbits — edible peel</i>	0,3	0,2 (+)		0,1	1 (+)	0,5	
0232010	Cucumbers			0,01 (*)				0,2
0232020	Gherkins			0,3				0,02 (*)
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)			0,01 (*)				0,2
0232990	Others			0,01 (*)				0,02 (*)
0233000	(c) <i>Cucurbits—inedible peel</i>	0,2	0,15 (+)	0,3	0,1	0,3 (+)	0,5	
0233010	Melons (Kiwano)							0,2 (+)
0233020	Pumpkins (Winter squash, marrow (late variety))							0,15
0233030	Watermelons							0,15
0233990	Others							0,15
0234000	(d) <i>Sweet corn (Baby corn)</i>	0,01 (*)	0,01 (*)	0,01 (*)	0,05 (*)	0,02 (*) (+)	0,02 (*)	0,6
0239000	(e) <i>Other fruiting vegetables</i>	0,2	0,01 (*)	0,01 (*)	0,05 (*)	0,02 (*)	0,02 (*)	0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pyrimetozine (A) (R)	Pyridostrobin (F)	Tebuconazole (R)
0240000	(iv) Brassica vegetables		0,01 (*)	0,01 (*)	0,05 (*)			
0241000	(a) <i>Flowering brassica</i>	0,4				0,03 (+)	0,1	
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)							0,15
0241020	Cauliflower							0,05
0241990	Others							0,02 (*)
0242000	(b) <i>Head brassica</i>							0,7
0242010	Brussels sprouts	0,05				0,08 (+)	0,3	
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)	0,7				0,05 (+)	0,2	
0242990	Others	0,01 (*)				0,02 (*)	0,02 (*)	
0243000	(c) <i>Leafy brassica</i>	0,01 (*)				0,2 (+)	1,5	0,02 (*)
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)							
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)							
0243990	Others							
0244000	(d) <i>Kohlrabi</i>	0,01 (*)				0,02 (*) (+)	0,02 (*)	0,02 (*)
0250000	(v) Leaf vegetables & fresh herbs				0,05 (*)			
0251000	(a) <i>Lettuce and other salad plants including Brassicaceae</i>		0,01 (*)	0,01 (*)				0,5
0251010	Lamb's lettuce (Italian corn salad)	3				3 (+)	10	
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)	3				3 (+)	2	
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum/C. intybus var. foliosum), dandelion greens)	1,5				0,6 (+)	0,4	
0251040	Cress (Mung bean sprouts, alfalfa sprouts)	3				0,6 (+)	10	
0251050	Land cress	3			(**)	3 (+)	10	
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))	3				3 (+)	10	
0251070	Red mustard	3			(**)	0,6 (+)	10	

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pyrimethanil (A) (R)	Pyridostrobin (F)	Tebuconazole (R)
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other baby leaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)	3				3 (+)	10	
0251990	Others	0,01 (*)				0,02 (*)	10	
0252000	(b) Spinach & similar (leaves)		0,01 (*)	0,01 (*)				0,02 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tanger leaves, bitterblad/bitawiri)	5				0,6 (+)	0,5	
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glasswort, agretti (Salsola soda))	3			(**)	0,4 (+)	0,02 (*)	
0252030	Beet leaves (chard) (Leaves of beetroot)	3				0,6 (+)	0,5	
0252990	Others	0,01 (*)				0,02 (*)	0,02 (*)	
0253000	(c) Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))	0,01 (*)	0,01 (*)	0,01 (*)	(**)	0,02 (*)	0,02 (*)	0,02 (*)
0254000	(d) Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)	0,01 (*)	0,01 (*)	0,01 (*)		0,02 (*)	0,02 (*)	0,02 (*)
0255000	(e) Witloof	0,01 (*)	0,01 (*)	0,01 (*)		0,02 (*)	0,02 (*)	0,15
0256000	(f) Herbs	3	0,02 (*)	0,02 (*)		3	2	
0256010	Chervil					(+)		0,05 (*)
0256020	Chives					(+)		2
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))					(+)		0,05 (*)
0256040	Parsley (leaves of root parsley)					(+)		2
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)				(**)	(+)		0,05 (*)
0256060	Rosemary				(**)	(+)		0,05 (*)
0256070	Thyme (Marjoram, oregano)				(**)	(+)		0,05 (*)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)				(**)	(+)		0,05 (*)
0256090	Bay leaves (laurel) (Lemon grass)				(**)	(+)		0,05 (*)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pyrimorazine (A) (R)	Pyridostrobin (F)	Tebuconazole (R)
0256100	Tarragon (Hyssop)				(**)	(+)		0,05 (*)
0256990	Others							0,05 (*)
0260000	(vi) Legume vegetables (fresh)		0,01 (*)	0,01 (*)	0,05 (*)		0,02 (*)	
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)	0,15				2 (+)		2 (+)
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)	0,3				0,02 (*) (+)		2 (+)
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)	0,4				0,02 (*) (+)		2 (+)
0260040	Peas (without pods) (Garden pea, green pea, chickpea)	0,3				0,02 (*)		0,02 (*)
0260050	Lentils	0,01 (*)				0,02 (*)		0,02 (*)
0260990	Others	0,01 (*)				0,02 (*)		0,02 (*)
0270000	(vii) Stem vegetables (fresh)		0,01 (*)	0,01 (*)				
0270010	Asparagus	0,01 (*)			0,05 (*)	0,02 (*)	0,02 (*)	0,02 (*)
0270020	Cardoons (<i>Borago officinalis</i> stems)	0,01 (*)			0,05 (*)	0,02 (*)	0,02 (*)	0,02 (*)
0270030	Celery	1,5			0,05 (*)	0,04 (+)	0,02 (*) (+)	0,5 (+)
0270040	Fennel	0,01 (*)			0,05 (*)	0,04 (+)	0,02 (*)	0,02 (*)
0270050	Globe artichokes (Banana flower)	0,7			0,2	0,02 (*) (+)	2	0,6
0270060	Leek	0,01 (*)			0,05 (*)	0,02 (*)	0,7	0,6
0270070	Rhubarb	0,01 (*)			0,05 (*)	0,02 (*)	0,02 (*)	0,02 (*)
0270080	Bamboo shoots	0,01 (*)			(**)	0,02 (*)	0,02 (*)	0,02 (*)
0270090	Palm hearts	0,01 (*)			(**)	0,02 (*)	0,02 (*)	0,02 (*)
0270990	Others	0,01 (*)			0,05 (*)	0,02 (*)	0,02 (*)	0,02 (*)
0280000	(viii) Fungi	0,01 (*)	0,01 (*)	0,01 (*)	0,05 (*)	0,02 (*)	0,02 (*)	0,02 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))							
0280020	Wild fungi (Chanterelle, truffle, morel, cep)							
0280990	Others							
0290000	(ix) Sea weeds	0,01 (*)		0,01 (*)	(**)	0,02 (*)	0,02 (*)	0,02 (*)
0300000	3. PULSES, DRY		0,02 (*)	0,01 (*)	0,05 (*)	0,05 (*)		
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)	0,07					0,3	0,3
0300020	Lentils	0,01 (*)					0,5	0,2

Code number	Groups and examples of individual products to which the MRLs apply (*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pyrethrozine (A) (R)	Pyradostrobin (F)	Tebuconazole (R)
0300030	Peas (Chickpeas, field peas, chickling vetch)	0,07					0,3	0,2
0300040	Lupins	0,01 (*)					0,05	0,2
0300990	Others	0,01 (*)					0,3	0,2
0400000	4. OILSEEDS AND OILFRUITS		0,02 (*)	0,01 (*)	0,05 (*)			
0401000	(i) Oilseeds							
0401010	Linseed	0,01 (*)				0,02 (*)	0,2	0,6
0401020	Peanuts	0,01 (*)				0,02 (*)	0,04	0,15
0401030	Poppy seed	0,01 (*)				0,02 (*)	0,2	0,2
0401040	Sesame seed	0,01 (*)				0,02 (*)	0,2	0,02 (*)
0401050	Sunflower seed	0,01 (*)				0,02 (*)	0,3	0,02 (*)
0401060	Rape seed (Bird rapeseed, turnip rape)	0,2				0,02 (*)	0,2	0,5
0401070	Soya bean	0,01 (*)				0,02 (*)	0,05	0,15
0401080	Mustard seed	0,01 (*)				0,02 (*)	0,2	0,3
0401090	Cotton seed	0,7				0,03	0,3	2
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)	0,01 (*)				0,02 (*)	0,02 (*)	0,02 (*)
0401110	Safflower	0,01 (*)			(**)	0,02 (*)	0,2	0,02 (*)
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))	0,01 (*)			(**)	0,02 (*)	0,2	0,02 (*)
0401130	Gold of pleasure	0,01 (*)			(**)	0,02 (*)	0,2	0,3
0401140	Hempseed	0,01 (*)				0,02 (*)	0,02 (*)	0,02 (*)
0401150	Castor bean	0,01 (*)			(**)	0,02 (*)	0,2	0,02 (*)
0401990	Others	0,01 (*)				0,02 (*)	0,02 (*)	0,02 (*)
0402000	(ii) Oilfruits	0,01 (*)				0,05 (*)	0,02 (*)	
0402010	Olives for oil production							0,05
0402020	Palm nuts (palmoil kernels)				(**)			0,02 (*)
0402030	Palmfruit				(**)			0,02 (*)
0402040	Kapok				(**)			0,02 (*)
0402990	Others							0,02 (*)
0500000	5. CEREALS		0,02 (*)	0,01 (*)	0,05 (*)	0,05 (*)		
0500010	Barley	0,01 (*)					1	2
0500020	Buckwheat (Amaranthus, quinoa)	0,01 (*)					0,02 (*)	0,02 (*)
0500030	Maize	0,01 (*)					0,02 (*)	0,02 (*)
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)	0,01 (*)					0,02 (*)	0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pymetrozine (A) (R)	Pyridostrobin (F)	Tebuconazole (R)
0500050	Oats	0,01 (*)					1	2
0500060	Rice (Indian/wild rice (<i>Zizania aquatica</i>))	0,01 (*)					0,02 (*)	1 (+)
0500070	Rye	0,01 (*)					0,2	0,1
0500080	Sorghum	0,01 (*)					0,5	0,02 (*)
0500090	Wheat (Spelt, triticale)	0,03					0,2	0,1
0500990	Others (Canary grass seeds (<i>Phalaris canariensis</i>))	0,01 (*)					0,02 (*)	0,02 (*)
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	0,05 (*)	0,05 (*)	0,05 (*)				
0610000	(i) Tea				0,1	0,1 (*)	0,1 (*)	0,05 (*)
0620000	(ii) Coffee beans				(**)	0,1 (*)	0,3 (+)	0,1
0630000	(iii) Herbal infusions (dried)				(**)		0,1 (*)	0,05 (*)
0631000	(a) <i>Flowers</i>				(**)	5 (+)		
0631010	Camomille flowers				(**)			
0631020	Hybiscus flowers				(**)			
0631030	Rose petals				(**)			
0631040	Jasmine flowers (Elderflowers (<i>Sambucus nigra</i>))				(**)			
0631050	Lime (linden)				(**)			
0631990	Others				(**)			
0632000	(b) <i>Leaves</i>				(**)	5 (+)		
0632010	Strawberry leaves				(**)			
0632020	Rooibos leaves (<i>Ginkgo</i> leaves)				(**)			
0632030	Maté				(**)			
0632990	Others				(**)			
0633000	(c) <i>Roots</i>				(**)	0,1 (*)		
0633010	Valerian root				(**)			
0633020	Ginseng root				(**)			
0633990	Others				(**)			
0639000	(d) <i>Other herbal infusions</i>				(**)	0,1 (*)		
0640000	(iv) Cocoabeans (fermented or dried)				(**)	0,1 (*)	0,1 (*)	0,05 (*)
0650000	(v) Carob (st johns bread)				(**)	0,1 (*)	0,1 (*)	0,05 (*)
0700000	7. HOPS (dried)	0,05 (*)	0,05 (*)	0,05 (*)	0,5	15 (+)	15	40 (+)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pymetozine (A) (R)	Pyradostrobin (F)	Tebuconazole (R)
0800000	8. SPICES				(**)			
0810000	(i) Seeds	0,05 (*)	0,05 (*)	0,05 (*)	(**)	0,1 (*)	0,1 (*)	1.5 (+)
0810010	Anise				(**)			
0810020	Black caraway				(**)			
0810030	Celery seed (Lovage seed)				(**)			
0810040	Coriander seed				(**)			
0810050	Cumin seed				(**)			
0810060	Dill seed				(**)			
0810070	Fennel seed				(**)			
0810080	Fenugreek				(**)			
0810090	Nutmeg				(**)			
0810990	Others				(**)			
0820000	(ii) Fruits and berries	0,05 (*)	0,05 (*)	0,05 (*)	(**)	0,1 (*)	0,1 (*)	
0820010	Allspice				(**)			0,05 (*)
0820020	Sichuan pepper (Anise pepper, Japan pepper)				(**)			0,05 (*)
0820030	Caraway				(**)			1.5 (+)
0820040	Cardamom				(**)			0,05 (*)
0820050	Juniper berries				(**)			0,05 (*)
0820060	Pepper, black, green and white (Long pepper, pink pepper)				(**)			0,05 (*)
0820070	Vanilla pods				(**)			0,05 (*)
0820080	Tamarind				(**)			0,05 (*)
0820990	Others				(**)			0,05 (*)
0830000	(iii) Bark	0,05 (*)	0,05 (*)	0,05 (*)	(**)	0,1 (*)	0,1 (*)	0,05 (*)
0830010	Cinnamon (Cassia)				(**)			
0830990	Others				(**)			
0840000	(iv) Roots or rhizome				(**)			
0840010	Liquorice	0,05 (*)	0,05 (*)	0,05 (*)	(**)	0,1 (*)	0,1 (*)	0,05 (*)
0840020	Ginger	0,05 (*)	0,05 (*)	0,05 (*)	(**)	0,1 (*)	0,1 (*)	0,05 (*)
0840030	Turmeric (Curcuma)	0,05 (*)	0,05 (*)	0,05 (*)	(**)	0,1 (*)	0,1 (*)	0,05 (*)
0840040	Horseradish	(+)	(+)	(+)	(**)	(+)	(+)	(+)
0840990	Others	0,05 (*)	0,05 (*)	0,05 (*)	(**)	0,1 (*)	0,1 (*)	0,05 (*)
0850000	(v) Buds	0,05 (*)	0,05 (*)	0,05 (*)	(**)	0,1 (*)	0,1 (*)	0,05 (*)
0850010	Cloves				(**)			
0850020	Capers				(**)			
0850990	Others				(**)			

Code number	Groups and examples of individual products to which the MRLs apply (*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pymetrozine (A) (R)	Pyridostrobin (F)	Tebuconazole (R)
0860000	(vi) Flower stigma	0,05 (*)	0,05 (*)	0,05 (*)	(**)	0,1 (*)	0,1 (*)	0,05 (*)
0860010	Saffron				(**)			
0860990	Others				(**)			
0870000	(vii) Aril	0,05 (*)	0,05 (*)	0,05 (*)	(**)	0,1 (*)	0,1 (*)	0,05 (*)
0870010	Mace				(**)			
0870990	Others				(**)			
0900000	9. SUGAR PLANTS	0,01 (*)	0,01 (*)	0,01 (*)	(**)	0,02 (*)		0,02 (*)
0900010	Sugar beet (root)				(**)		0,2	
0900020	Sugar cane				(**)		0,02 (*)	
0900030	Chicory roots				(**)		0,08	
0900990	Others				(**)		0,02 (*)	
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS	(+)						
1010000	(i) Tissue		0,01 (*)	0,01 (*)	0,05 (*)	0,01 (*)	0,05 (*)	
1011000	(a) <i>Swine</i>							
1011010	Muscle	0,02 (*)						0,1 (*)
1011020	Fat	0,02 (*)						0,1 (*)
1011030	Liver	0,1 (*)						0,2
1011040	Kidney	0,1 (*)						0,2
1011050	Edible offal	0,02 (*)						0,2
1011990	Others	0,02 (*)						0,1 (*)
1012000	(b) <i>Bovine</i>							
1012010	Muscle	0,05						0,1 (*)
1012020	Fat	0,05						0,1 (*)
1012030	Liver	0,1 (*)						0,2
1012040	Kidney	0,2						0,2
1012050	Edible offal	0,02 (*)						0,2
1012990	Others	0,02 (*)						0,1 (*)
1013000	(c) <i>Sheep</i>							
1013010	Muscle	0,05						0,1 (*)
1013020	Fat	0,05						0,1 (*)
1013030	Liver	0,1 (*)						0,2
1013040	Kidney	0,2						0,2
1013050	Edible offal	0,02 (*)						0,2
1013990	Others	0,02 (*)						0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pymetrozine (A) (R)	Pyridostrobin (F)	Tebuconazole (R)
1014000	(d) <i>Goat</i>							
1014010	Muscle	0,05						0,1 (*)
1014020	Fat	0,05						0,1 (*)
1014030	Liver	0,1 (*)						0,2
1014040	Kidney	0,2						0,2
1014050	Edible offal	0,02 (*)						0,2
1014990	Others	0,02 (*)						0,1 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>				(**)			
1015010	Muscle	0,05			(**)			0,1 (*)
1015020	Fat	0,05			(**)			0,1 (*)
1015030	Liver	0,1 (*)			(**)			0,2
1015040	Kidney	0,2			(**)			0,2
1015050	Edible offal	0,02 (*)			(**)			0,2
1015990	Others	0,02 (*)			(**)			0,1 (*)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>							0,1 (*)
1016010	Muscle	0,02 (*)						
1016020	Fat	0,02 (*)						
1016030	Liver	0,1 (*)						
1016040	Kidney	0,1 (*)						
1016050	Edible offal	0,02 (*)						
1016990	Others	0,02 (*)						
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>				(**)			
1017010	Muscle	0,05			(**)			0,1 (*)
1017020	Fat	0,05			(**)			0,1 (*)
1017030	Liver	0,1 (*)			(**)			0,2
1017040	Kidney	0,2			(**)			0,2
1017050	Edible offal	0,02 (*)			(**)			0,2
1017990	Others	0,02 (*)			(**)			0,1 (*)
1020000	(ii) Milk	0,05	0,01 (*)	0,01 (*)	0,01 (*)	0,02 (*) (+)	0,01 (*)	0,02 (*)
1020010	Cattle							
1020020	Sheep							
1020030	Goat							
1020040	Horse							
1020990	Others							

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Acetamiprid (R)	Cyazofamid	Formetanate: Sum of formetanate and its salts expressed as formetanate (hydrochloride)	Penconazole (F)	Pymetozine (A) (R)	Pyradostrobin (F)	Tebuconazole (R)
1030000	(iii) Bird eggs	0,02 (*)	0,01 (*)	0,01 (*)	0,05 (*)	0,01 (*)	0,05 (*)	0,1 (*)
1030010	Chicken							
1030020	Duck				(**)			
1030030	Goose				(**)			
1030040	Quail				(**)			
1030990	Others				(**)			
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	0,05 (*)	0,05 (*)	0,05 (*)	(**)	0,05 (*)	0,05 (*)	0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	0,02 (*)	0,01 (*)	0,01 (*)	(**)	0,01 (*)	0,05 (*)	0,1 (*)
1060000	(vi) Snails	0,02 (*)	0,01 (*)	0,01 (*)	(**)	0,01 (*)	0,05 (*)	0,1 (*)
1070000	(vii) Other terrestrial animal products (Wild game)	0,02 (*)	0,01 (*)	0,01 (*)	(**)	0,01 (*)	0,05 (*)	0,1 (*)

(*) Indicates lower limit of analytical determination

(**) Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(*) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

Acetamiprid (R)

(R) = The residue definition differs for the following combinations pesticide-code number:

Acetamiprid — code 1000000 except 1040000: Sum of acetamiprid and N-desmethyl-acetamiprid (IM-2-1), expressed as acetamiprid

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

(+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 5 February 2016, or, if that information is not submitted by that date, the lack of it.

1000000 10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS

1010000 (i) Tissue

1011000 (a) Swine

1011010 Muscle

1011020 Fat

1011030 Liver

1011040 Kidney

1011050 Edible offal

1011990 Others

1012000 (b) Bovine

1012010 Muscle

1012020	Fat
1012030	Liver
1012040	Kidney
1012050	Edible offal
1012990	Others
1013000	(c) Sheep
1013010	Muscle
1013020	Fat
1013030	Liver
1013040	Kidney
1013050	Edible offal
1013990	Others
1014000	(d) Goat
1014010	Muscle
1014020	Fat
1014030	Liver
1014040	Kidney
1014050	Edible offal
1014990	Others
1015000	(e) Horses, asses, mules or hinnies
1015010	Muscle
1015020	Fat
1015030	Liver
1015040	Kidney
1015050	Edible offal
1015990	Others
1016000	(f) Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon
1016010	Muscle
1016020	Fat
1016030	Liver
1016040	Kidney
1016050	Edible offal
1016990	Others
1017000	(g) Other farm animals (Rabbit, kangaroo, deer)
1017010	Muscle
1017020	Fat
1017030	Liver
1017040	Kidney
1017050	Edible offal
1017990	Others

1020000	(ii) Milk
1020010	Cattle
1020020	Sheep
1020030	Goat
1020040	Horse
1020990	Others
1030000	(iii) Bird eggs
1030010	Chicken
1030020	Duck
1030030	Goose
1030040	Quail
1030990	Others
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)
1060000	(vi) Snails
1070000	(vii) Other terrestrial animal products (Wild game)

Cyazofamid

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

0211000	(a) Potatoes
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)
0232000	(b) Cucurbits — edible peel
0232010	Cucumbers
0232020	Gherkins
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)
0232990	Others
0233000	(c) Cucurbits-inedible peel
0233010	Melons (Kiwano)
0233020	Pumpkins (Winter squash, marrow (late variety))
0233030	Watermelons
0233990	Others

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
----------------	--------------------

Formetanate: Sum of formetanate and its salts expressed as formetanate(hydrochloride)

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040	Horseradish
----------------	--------------------

Pymetrozine (A) (R)

(A) = The EU reference labs identified the reference standards for 6-hydroxymethylpymetrozine and its phosphate conjugate as commercially not available. When re-viewing the MRL, the Commission will take into account the commercial availability of the reference standards referred to in the first sentence by 23 April 2015, or, if those reference standards are not commercially available by that date, the unavailability of them.

(R) = The residue definition differs for the following combinations pesticide-code number: Pymetrozine — code 1020000: pymetrozine, 6-hydroxymethylpymetrozine and its phosphate conjugate, expressed as pymetrozine

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

0110000 (i) Citrus fruit**0110010 Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)****0110020 Oranges (Bergamot, bitter orange, chinotto and other hybrids)****0110030 Lemons (Citron, lemon, Buddha's hand (Citrus medica var. sarcodactylis))****0110040 Limes****0110050 Mandarins (Clementine, tangerine, mineola and other hybrids tangor (Citrus reticulata × sinensis))****0110990 Others**

(+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

0130010 Apples (Crab apple)**0130020 Pears (Oriental pear)**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

0140010 Apricots**0140030 Peaches (Nectarines and similar hybrids)**

(+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

0152000 (b) Strawberries

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

0153010 Blackberries**0153030 Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus))**

(+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

0154010 Blueberries (Bilberries)**0154030 Currants (red, black and white)****0154040 Gooseberries (Including hybrids with other Ribes species)****0154070 Azarole (mediterranean medlar) (Kiwiberry (Actinidia arguta))**

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it

0211000 (a) Potatoes**0213030 Celeriac****0213080 Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus))**

(+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

0231010 Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)

0231020	Peppers (Chilli peppers)
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (<i>S. macrocarpon</i>))
0231040	Okra (lady's fingers)
0232000	(b) Cucurbits — edible peel
0232010	Cucumbers
0232020	Gherkins
0232030	Courgettes (Summer squash, marrow (patisson), lauki (<i>Lagenaria siceraria</i>), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)
0232990	Others
0233000	(c) Cucurbits-inedible peel
0233010	Melons (Kiwano)
0233020	Pumpkins (Winter squash, marrow (late variety))
0233030	Watermelons
0233990	Others

(+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.

0234000	(d) Sweet corn (Baby corn)
0241000	(a) Flowering brassica
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)
0241020	Cauliflower
0241990	Others
0242010	Brussels sprouts
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)
0243000	(c) Leafy brassica
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi, choi sum, Peking cabbage/pe-tsai)
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)
0243990	Others
0244000	(d) Kohlrabi
0251010	Lamb's lettuce (Italian corn salad)
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (<i>C. endivia</i> var. <i>crispum</i> / <i>C. intybus</i> var. <i>foliosum</i>), dandelion greens)
0251040	Cress (Mung bean sprouts, alfalfa sprouts)
0251050	Land cress
0251060	Rocket, Rucola (Wild rocket (<i>Diplotaxis</i> spp.))
0251070	Red mustard
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajar leaves, bitterblad/bitawiri)
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (<i>Salsola</i> soda))
0252030	Beet leaves (chard) (Leaves of beetroot)
0256010	Chervil
0256020	Chives

- 0256030 Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*))**
- 0256040 Parsley (leaves of root parsley)**
- 0256050 Sage (Winter savory, summer savory, *Borago officinalis* leaves)**
- 0256060 Rosemary**
- 0256070 Thyme (Marjoram, oregano)**
- 0256080 Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)**
- 0256090 Bay leaves (laurel) (Lemon grass)**
- 0256100 Tarragon (Hyssop)**
- 0260010 Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)**
- (+) The European Food Safety Authority identified some information on residue trials and storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.
- 0260020 Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)**
- (+) The European Food Safety Authority identified some information on storage stability as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.
- 0260030 Peas (with pods) (Mangetout/sugar peas/snow peas)**
- 0270030 Celery**
- 0270040 Fennel**
- 0270050 Globe artichokes (Banana flower)**
- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.
- 0631000 (a) Flowers**
- 0631010 Camomille flowers**
- 0631020 Hybiscus flowers**
- 0631030 Rose petals**
- 0631040 Jasmine flowers (Elderflowers (*Sambucus nigra*))**
- 0631050 Lime (linden)**
- 0631990 Others**
- 0632000 (b) Leaves**
- 0632010 Strawberry leaves**
- 0632020 Rooibos leaves (Ginkgo leaves)**
- 0632030 Maté**
- 0632990 Others**
- 0700000 7. HOPS (dried)**
- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.
- 0840040 Horseradish**
- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 23 April 2016, or, if that information is not submitted by that date, the lack of it.
- 1020000 (ii) Milk**
- 1020010 Cattle**
- 1020020 Sheep**
- 1020030 Goat**

Pyraclostrobin (F)

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

0151010 Table grapes

0270030 Celery

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 13 July 2015, or, if that information is not submitted by that date, the lack of it.

0620000 (ii) Coffee beans

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Tebuconazole (R)

- (R) = The residue definition differs for the following combinations pesticide-code number:
tebuconazole-code 1000000 except 1040000: sum of tebuconazole, hydroxy-tebuconazole, and their conjugates, expressed as tebuconazole

- (+) The European Food Safety Authority identified some information on residue trials as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

0140020 Cherries (Sweet cherries, sour cherries)

0151020 Wine grapes

0153020 Dewberries (Loganberries, tayberries, boysenberries, cloudberry and other *Rubus* hybrids)

0153990 Others

0213090 Salsify (*Scorzonera*, Spanish salsify/Spanish oysterplant, edible burdock)

0231030 Aubergines (egg plants) (Pepino, antroewa/white eggplant (*S. macrocarpon*))

0233010 Melons (Kiwano)

0260010 Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)

0260020 Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)

0260030 Peas (with pods) (Mangetout/sugar peas/snow peas)

0270030 Celery

0500060 Rice (Indian/wild rice (*Zizania aquatica*))

- (+) The European Food Safety Authority identified some information on analytical methods as unavailable. When re-viewing the MRL, the Commission will take into account the information referred to in the first sentence, if it is submitted by 25 January 2016, or, if that information is not submitted by that date, the lack of it.

0700000 7. HOPS (dried)

0810000 (i) Seeds

0810010 Anise

0810020 Black caraway

0810030 Celery seed (Lovage seed)

0810040 Coriander seed

0810050 Cumin seed

0810060 Dill seed

0810070 Fennel seed

0810080 Fenugreek

0810090 Nutmeg

0810990 Others**0820030 Caraway**

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish*

(2) Annex III is amended as follows:

(a) In Part A, the columns for chromafenozide, dicamba, difenoconazole, fenpyrazamine, fluazinam, nicotine and tau-fluvalinate are replaced by the following:

***Pesticide residues and maximum residue levels (mg/kg)**

Code number	Groups and examples of individual products to which the MRLs apply (*)	Chromafenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
0100000	1. FRUIT FRESH OR FROZEN NUTS							
0110000	(i) Citrus fruit	0,01 (*)	0,05 (*)	0,1	0,01 (*)	0,05 (*)		0,1
0110010	Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids)							
0110020	Oranges (Bergamot, bitter orange, chinotto and other hybrids)							
0110030	Lemons (Citron, lemon, Buddha's hand (<i>Citrus medica</i> var. <i>sarcodactylis</i>))							
0110040	Limes							
0110050	Mandarins (Clementine, tangerine, mineola and other hybrids tangor (<i>Citrus reticulata</i> × <i>sinensis</i>))							
0110990	Others							
0120000	(ii) Tree nuts	0,01 (*)	0,05 (*)	0,05 (*)	0,01 (*)	0,05 (*)		0,01 (*)
0120010	Almonds							
0120020	Brazil nuts							
0120030	Cashew nuts							
0120040	Chestnuts							
0120050	Coconuts							
0120060	Hazelnuts (Filbert)							
0120070	Macadamia							
0120080	Pecans							
0120090	Pine nuts							
0120100	Pistachios							
0120110	Walnuts							
0120990	Others							

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
0130000	(iii) Pome fruit	0,5			0,01 (*)			0,1
0130010	Apples (Crab apple)		0,1	0,5		0,3		
0130020	Pears (Oriental pear)		0,05 (*)	0,5		0,05 (*)		
0130030	Quinces		0,05 (*)	0,4		0,05 (*)		
0130040	Medlar		0,05 (*)	0,5		0,05 (*)		
0130050	Loquat		0,05 (*)	0,5		0,05 (*)		
0130990	Others		0,05 (*)	0,2		0,05 (*)		
0140000	(iv) Stone fruit	0,01 (*)	0,05 (*)			0,05 (*)		
0140010	Apricots			0,5	5			0,1
0140020	Cherries (Sweet cherries, sour cherries)			0,3	4			0,5
0140030	Peaches (Nectarines and similar hybrids)			0,5	4			0,1
0140040	Plums (Damson, greengage, mirabelle, sloe, red date/Chinese date/Chinese jujube (Ziziphus zizyphus))			0,5	3			0,3
0140990	Others			0,1	0,01 (*)			0,01 (*)
0150000	(v) Berries & small fruit		0,05 (*)					
0151000	(a) <i>Table and wine grapes</i>	1,5		0,5	3			1
0151010	Table grapes					0,05 (*)		
0151020	Wine grapes					3		
0152000	(b) <i>Strawberries</i>	0,01 (*)		0,4	3	0,05 (*)		0,5
0153000	(c) <i>Cane fruit</i>	0,01 (*)			0,01 (*)	0,05 (*)		0,5
0153010	Blackberries			1,5				
0153020	Dewberries (Loganberries, tayberries, boysenberries, cloudberrries and other Rubus hybrids)			0,1				
0153030	Raspberries (Wineberries, arctic bramble/raspberry, (Rubus arcticus), nectar raspberries (Rubus arcticus × Rubus idaeus))			1,5				
0153990	Others			0,1				
0154000	(d) <i>Other small fruit & berries</i>	0,01 (*)			0,01 (*)	0,05 (*)		0,5
0154010	Blueberries (Bilberries)			0,1				
0154020	Cranberries (Cowberries/red bilberries (V. vitis-idaea))			0,1				
0154030	Currants (red, black and white)			0,2				
0154040	Gooseberries (Including hybrids with other Ribes species)			0,1				

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
0154050	Rose hips			0,1			0,3 (+)	
0154060	Mulberries (Arbutus berry)			0,1				
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))			0,1				
0154080	Elderberries (Black chokeberry/apple-berry, mountain ash, buckthorn/sea sal-lowthorn, hawthorn, serviceberries, and other treeberries)			0,1				
0154990	Others			0,1				
0160000	(vi) Miscellaneous fruit	0,01 (*)	0,05 (*)		0,01 (*)	0,05 (*)		0,01 (*)
0161000	(a) <i>Edible peel</i>							
0161010	Dates			0,1				
0161020	Figs			0,1				
0161030	Table olives			2				
0161040	Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia × Fortunella spp.))			0,1				
0161050	Carambola (Bilimbi)			0,1				
0161060	Persimmon			0,1				
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))			0,1				
0161990	Others			0,1				
0162000	(b) <i>Inedible peel, small</i>			0,1				
0162010	Kiwi							
0162020	Lychee (Litchi) (Pulasan, rambutan/hairy litchi, longan, mangosteen, langsat, salak)							
0162030	Passion fruit							
0162040	Prickly pear (cactus fruit)							
0162050	Star apple							
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)							
0162990	Others							
0163000	(c) <i>Inedible peel, large</i>							
0163010	Avocados			0,1				
0163020	Bananas (Dwarf banana, plantain, apple banana)			0,1				
0163030	Mangoes			0,1				
0163040	Papaya			0,2				

Code number	Groups and examples of individual products to which the MRLs apply (*)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
0163050	Pomegranate			0,1				
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (<i>Annona diversifolia</i>) and other medium sized Annonaceae fruits)			0,1				
0163070	Guava (Red pitaya/dragon fruit (<i>Hylocereus undatus</i>))			0,1				
0163080	Pineapples			0,1				
0163090	Bread fruit (Jackfruit)			0,1				
0163100	Durian			0,1				
0163110	Soursop (guanabana)			0,1				
0163990	Others			0,1				
0200000	2. VEGETABLES FRESH OR FROZEN	0,01 (*)				0,05 (*)		
0210000	(i) Root and tuber vegetables		0,05 (*)		0,01 (*)			
0211000	(a) <i>Potatoes</i>			0,1				0,01 (*)
0212000	(b) <i>Tropical root and tuber vegetables</i>			0,1				0,01 (*)
0212010	Cassava (Dasheen, eddoe/Japanese taro, tannia)							
0212020	Sweet potatoes							
0212030	Yams (Potato bean/yam bean, Mexican yam bean)							
0212040	Arrowroot							
0212990	Others							
0213000	(c) <i>Other root and tuber vegetables except sugar beet</i>							
0213010	Beetroot			0,4				0,02
0213020	Carrots			0,4				0,02
0213030	Celeriac			2				0,01 (*)
0213040	Horseradish (<i>Angelica</i> roots, lovage roots, gentiana roots)			0,4				0,01 (*)
0213050	Jerusalem artichokes (Crosne)			0,4				0,01 (*)
0213060	Parsnips			0,4				0,01 (*)
0213070	Parsley root			0,4				0,01 (*)
0213080	Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>))			0,4				0,01 (*)
0213090	Salsify (<i>Scorzonera</i> , Spanish salsify/Spanish oysterplant, edible burdock)			0,4				0,01 (*)
0213100	Swedes			0,4				0,01 (*)
0213110	Turnips			0,4				0,01 (*)
0213990	Others			0,4				0,01 (*)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
0220000	(ii) Bulb vegetables		0,05 (*)		0,01 (*)			0,01 (*)
0220010	Garlic			0,5				
0220020	Onions (Other bulb onions, silverskin onions)			0,5				
0220030	Shallots			0,5				
0220040	Spring onions and welsh onions (Other green onions and similar varieties)			5				
0220990	Others			0,5				
0230000	(iii) Fruiting vegetables							
0231000	(a) <i>Solanacea</i>		0,05 (*)					
0231010	Tomatoes (Cherry tomatoes, Physalis spp., gojiberry, wolfberry (Lycium barbarum and L. chinense), tree tomato)			2	3			0,1
0231020	Peppers (Chilli peppers)			0,8	3			0,01 (*)
0231030	Aubergines (egg plants) (Pepino, antroewa/white eggplant (S. macrocarpon))			0,6	3			0,15
0231040	Okra (lady's fingers)			0,05 (*)	0,01 (*)			0,01 (*)
0231990	Others			0,05 (*)	0,01 (*)			0,01 (*)
0232000	(b) <i>Cucurbits — edible peel</i>		0,05 (*)	0,3	0,7			
0232010	Cucumbers							0,05
0232020	Gherkins							0,01 (*)
0232030	Courgettes (Summer squash, marrow (patisson), lauki (Lagenaria siceraria), chayote, sopropo/bitter melon, snake gourd, angled luffa/teroi)							0,01 (*)
0232990	Others							0,01 (*)
0233000	(c) <i>Cucurbits-inedible peel</i>		0,05 (*)	0,2	0,01 (*)			
0233010	Melons (Kiwano)							0,09
0233020	Pumpkins (Winter squash, marrow (late variety))							0,01 (*)
0233030	Watermelons							0,01 (*)
0233990	Others							0,01 (*)
0234000	(d) <i>Sweet corn (Baby corn)</i>		0,07	0,05 (*)	0,01 (*)			0,01 (*)
0239000	(e) <i>Other fruiting vegetables</i>		0,05 (*)	0,05 (*)	0,01 (*)			0,01 (*)
0240000	(iv) Brassica vegetables		0,05 (*)		0,01 (*)			
0241000	(a) <i>Flowering brassica</i>							
0241010	Broccoli (Calabrese, Broccoli raab, Chinese broccoli)			1				0,4

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
0241020	Cauliflower			0,2				0,1
0241990	Others			0,05 (*)				0,01 (*)
0242000	(b) <i>Head brassica</i>			0,2				
0242010	Brussels sprouts							0,1
0242020	Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage)							0,2
0242990	Others							0,01 (*)
0243000	(c) <i>Leafy brassica</i>			2				0,01 (*)
0243010	Chinese cabbage (Indian or Chinese) mustard, pak choi, Chinese flat cabbage/ai goo choi), choi sum, Peking cabbage/pe-tsai)							
0243020	Kale (Borecole/curly kale, collards, Portuguese Kale, Portuguese cabbage, cow cabbage)							
0243990	Others							
0244000	(d) <i>Kohlrabi</i>			0,05 (*)				0,07
0250000	(v) Leaf vegetables & fresh herbs				0,01 (*)			
0251000	(a) <i>Lettuce and other salad plants including Brassicacea</i>		0,05 (*)					0,7
0251010	Lamb's lettuce (Italian corn salad)			0,05 (*)				
0251020	Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce)			3				
0251030	Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curly leaf endive, sugar loaf (C. endivia var. crispum)/C. intybus var. foliosum), dandelion greens)			0,05 (*)				
0251040	Cress (Mung bean sprouts, alfalfa sprouts)			0,05 (*)				
0251050	Land cress			0,05 (*)				
0251060	Rocket, Rucola (Wild rocket (Diplotaxis spp.))			2				
0251070	Red mustard			0,05 (*)				
0251080	Leaves and sprouts of Brassica spp, including turnip greens (Mizuna, leaves of peas and radish and other babyleaf crops, including brassica crops (crops harvested up to 8 true leaf stage), kohlrabi leaves)			0,05 (*)				
0251990	Others			0,05 (*)				

Code number	Groups and examples of individual products to which the MRLs apply (*)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
0252000	(b) <i>Spinach & similar (leaves)</i>		0,05 (*)					0,01 (*)
0252010	Spinach (New Zealand spinach, amaranthus spinach (pak-khom, tampara), tajeer leaves, bitterblad/bitawiri)			2				
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))			2				
0252030	Beet leaves (chard) (Leaves of beetroot)			0,2				
0252990	Others			0,05 (*)				
0253000	(c) <i>Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))</i>		0,05 (*)	0,05 (*)				0,01 (*)
0254000	(d) <i>Water cress (Morning glory/Chinese convolvulus/water convolvulus/water spinach/kangkung (Ipomea aquatica), water clover, water mimosa)</i>		0,05 (*)	0,5				0,01 (*)
0255000	(e) <i>Witloof</i>		0,05 (*)	0,08				0,01 (*)
0256000	(f) <i>Herbs</i>		4				0,4 (+)	0,01 (*)
0256010	Chervil			10				
0256020	Chives			2				
0256030	Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (Eryngium foetidum))			10				
0256040	Parsley (leaves of root parsley)			10				
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)			2				
0256060	Rosemary			2				
0256070	Thyme (Marjoram, oregano)			2				
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)			2				
0256090	Bay leaves (laurel) (Lemon grass)			2				
0256100	Tarragon (Hyssop)			2				
0256990	Others			2				
0260000	(vi) Legume vegetables (fresh)		0,05 (*)		0,01 (*)			
0260010	Beans (with pods) (Green bean/French beans/snap beans, scarlet runner bean, slicing bean, yard long beans, guar beans, soya beans)			1				0,1

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
0260020	Beans (without pods) (Broad beans, flageolets, jack bean, lima bean, cowpea)			1				0,1
0260030	Peas (with pods) (Mangetout/sugar peas/snow peas)			1				0,5
0260040	Peas (without pods) (Garden pea, green pea, chickpea)			1				0,5
0260050	Lentils			0,05 (*)				0,01 (*)
0260990	Others			0,05 (*)				0,01 (*)
0270000	(vii) Stem vegetables (fresh)				0,01 (*)			
0270010	Asparagus		5	0,05 (*)				0,01 (*)
0270020	Cardoons (Borago officinalis stems)		0,05 (*)	4				0,01 (*)
0270030	Celery		0,05 (*)	5				0,01 (*)
0270040	Fennel		0,05 (*)	5				0,01 (*)
0270050	Globe artichokes (Banana flower)		0,05 (*)	1				0,8
0270060	Leek		0,05 (*)	0,5				0,1
0270070	Rhubarb		0,05 (*)	0,3				0,01 (*)
0270080	Bamboo shoots		0,05 (*)	0,05 (*)				0,01 (*)
0270090	Palm hearts		0,05 (*)	0,05 (*)				0,01 (*)
0270990	Others		0,05 (*)	0,05 (*)				0,01 (*)
0280000	(viii) Fungi		0,05 (*)	0,05 (*)	0,01 (*)			0,01 (*)
0280010	Cultivated fungi (Common mushroom, oyster mushroom, shiitake, fungus mycelium (vegetative parts))							
0280020	Wild fungi (Chanterelle, truffle, morel, cep)						0,04 (+)	
0280990	Others							
0290000	(ix) Sea weeds		0,05 (*)	0,05 (*)	0,01 (*)			0,01 (*)
0300000	3. PULSES, DRY	0,01 (*)	0,05 (*)		0,01 (*)	0,05 (*)		
0300010	Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas)			0,05 (*)				0,01 (*)
0300020	Lentils			0,05 (*)				0,01 (*)
0300030	Peas (Chickpeas, field peas, chickling vetch)			0,1				0,02
0300040	Lupins			0,05 (*)				0,01 (*)
0300990	Others			0,05 (*)				0,01 (*)
0400000	4. OILSEEDS AND OILFRUITS	0,01 (*)	0,05 (*)		0,01 (*)	0,05 (*)		
0401000	(i) Oilseeds							
0401010	Linseed			0,2				0,02 (*)
0401020	Peanuts			0,05 (*)				0,02 (*)

Code number	Groups and examples of individual products to which the MRLs apply (*)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
0401030	Poppy seed			0,05 (*)				0,02 (*)
0401040	Sesame seed			0,05 (*)				0,02 (*)
0401050	Sunflower seed			0,05 (*)				0,1
0401060	Rape seed (Bird rapeseed, turnip rape)			0,5				0,1
0401070	Soya bean		(+)	0,05 (*)				0,02 (*)
0401080	Mustard seed			0,2				0,02 (*)
0401090	Cotton seed			0,05 (*)				0,1
0401100	Pumpkin seeds (Other seeds of Cucurbitaceae)			0,05 (*)				0,02 (*)
0401110	Safflower			0,05 (*)				0,02 (*)
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))			0,05 (*)				0,02 (*)
0401130	Gold of pleasure			0,05 (*)				0,02 (*)
0401140	Hempseed			0,05 (*)				0,02 (*)
0401150	Castor bean			0,05 (*)				0,02 (*)
0401990	Others			0,05 (*)				0,02 (*)
0402000	(ii) Oilfruits							0,01 (*)
0402010	Olives for oil production			2				
0402020	Palm nuts (palmoil kernels)			0,05 (*)				
0402030	Palmfruit			0,05 (*)				
0402040	Kapok			0,05 (*)				
0402990	Others			0,05 (*)				
0500000	5. CEREALS	0,01 (*)			0,01 (*)	0,05 (*)		
0500010	Barley		7	0,05 (*)				0,5
0500020	Buckwheat (Amaranthus, quinoa)		0,3	0,05 (*)				0,01 (*)
0500030	Maize		0,5	0,05 (*)				0,1
0500040	Millet (Foxtail millet, teff, finger millet, pearl millet)		0,3	0,05 (*)				0,01 (*)
0500050	Oats		0,5	0,05 (*)				0,5
0500060	Rice (Indian/wild rice (Zizania aquatica))		0,3	3				0,01 (*)
0500070	Rye		0,5	0,1				0,05
0500080	Sorghum		4	0,05 (*)				0,01 (*)
0500090	Wheat (Spelt, triticale)		2	0,1				0,05
0500990	Others (Canary grass seeds (Phalaris canariensis))		0,3	0,05 (*)				0,05
0600000	6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA	0,02 (*)			0,01 (*)			0,01 (*)
0610000	(i) Tea		0,05 (*)	0,05 (*)		0,05 (*)	0,6 (+)	
0620000	(ii) Coffee beans		0,05 (*)	0,05 (*)		0,05 (*)		

Code number	Groups and examples of individual products to which the MRLs apply (*)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
0630000	(iii) Herbal infusions (dried)			20			0,5 (+)	
0631000	(a) <i>Flowers</i>		40			0,05 (*)		
0631010	Camomille flowers							
0631020	Hybiscus flowers							
0631030	Rose petals							
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))							
0631050	Lime (linden)							
0631990	Others							
0632000	(b) <i>Leaves</i>		40			0,05 (*)		
0632010	Strawberry leaves							
0632020	Rooibos leaves (Ginkgo leaves)							
0632030	Maté							
0632990	Others							
0633000	(c) <i>Roots</i>		0,05 (*)					
0633010	Valerian root					0,05 (*)		
0633020	Ginseng root					3		
0633990	Others					0,05 (*)		
0639000	(d) <i>Other herbal infusions</i>		0,05 (*)			0,05 (*)		
0640000	(iv) Cocoabeans (fermented or dried)		0,05 (*)	0,05 (*)		0,05 (*)		
0650000	(v) Carob (st johns bread)		0,05 (*)	0,05 (*)		0,05 (*)		
0700000	7. HOPS (dried)	0,02 (*)	0,05 (*)	0,05 (*)	0,01 (*)	0,05 (*)		10
0800000	8. SPICES						(+)	
0810000	(i) Seeds	0,02 (*)	0,05 (*)	0,3	0,01 (*)	0,05 (*)	0,3	0,01 (*)
0810010	Anise							
0810020	Black caraway							
0810030	Celery seed (Lovage seed)							
0810040	Coriander seed							
0810050	Cumin seed							
0810060	Dill seed							
0810070	Fennel seed							
0810080	Fenugreek							
0810090	Nutmeg							
0810990	Others							

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
0820000	(ii) Fruits and berries	0,02 (*)	0,05 (*)	0,3	0,01 (*)	0,05 (*)	0,3	0,01 (*)
0820010	Allspice							
0820020	Sichuan pepper (Anise pepper, Japan pepper)							
0820030	Caraway							
0820040	Cardamom							
0820050	Juniper berries							
0820060	Pepper, black, green and white (Long pepper, pink pepper)							
0820070	Vanilla pods							
0820080	Tamarind							
0820990	Others							
0830000	(iii) Bark	0,02 (*)	0,05 (*)	0,3	0,01 (*)	0,05 (*)	4	0,01 (*)
0830010	Cinnamon (Cassia)							
0830990	Others							
0840000	(iv) Roots or rhizome						4	
0840010	Liquorice	0,02 (*)	0,05 (*)	0,3	0,01 (*)	0,05 (*)		0,01 (*)
0840020	Ginger	0,02 (*)	0,05 (*)	0,3	0,01 (*)	0,05 (*)		0,01 (*)
0840030	Turmeric (Curcuma)	0,02 (*)	0,05 (*)	0,3	0,01 (*)	0,05 (*)		0,01 (*)
0840040	Horseradish	(+)	(+)	(+)	(+)	(+)		(+)
0840990	Others	0,02 (*)	0,05 (*)	0,3	0,01 (*)	0,05 (*)		0,01 (*)
0850000	(v) Buds	0,02 (*)	0,05 (*)	0,3	0,01 (*)	0,05 (*)	4	0,01 (*)
0850010	Cloves							
0850020	Capers							
0850990	Others							
0860000	(vi) Flower stigma	0,02 (*)	0,05 (*)	0,3	0,01 (*)	0,05 (*)	4	0,01 (*)
0860010	Saffron							
0860990	Others							
0870000	(vii) Aril	0,02 (*)	0,05 (*)	0,3	0,01 (*)	0,05 (*)	4	0,01 (*)
0870010	Mace							
0870990	Others							
0900000	9. SUGAR PLANTS	0,01 (*)			0,01 (*)	0,05 (*)		0,01 (*)
0900010	Sugar beet (root)		0,05 (*)	0,2				
0900020	Sugar cane		1	0,05 (*)				
0900030	Chicory roots		0,05 (*)	0,6				
0900990	Others		0,05 (*)	0,05 (*)				

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
1000000	10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS					0,05 (*)		
1010000	(i) Tissue	0,01 (*)			0,01 (*)			
1011000	(a) <i>Swine</i>							
1011010	Muscle		0,05 (*)	0,05				0,05
1011020	Fat		0,07	0,05				0,3
1011030	Liver		0,7	0,2				0,01 (*)
1011040	Kidney		0,7	0,2				0,02
1011050	Edible offal		0,7	0,2				0,3
1011990	Others		0,05 (*)	0,1				0,01 (*)
1012000	(b) <i>Bovine</i>							
1012010	Muscle		0,5	0,05				0,05
1012020	Fat		0,07	0,05				0,3
1012030	Liver		0,7	0,2				0,01 (*)
1012040	Kidney		0,7	0,2				0,02
1012050	Edible offal		0,7	0,2				0,3
1012990	Others		0,5	0,1				0,01 (*)
1013000	(c) <i>Sheep</i>							
1013010	Muscle		0,05 (*)	0,05				0,05
1013020	Fat		0,07	0,05				0,3
1013030	Liver		0,7	0,2				0,01 (*)
1013040	Kidney		0,7	0,2				0,02
1013050	Edible offal		0,7	0,2				0,3
1013990	Others		0,05 (*)	0,1				0,01 (*)
1014000	(d) <i>Goat</i>							
1014010	Muscle		0,05 (*)	0,05				0,05
1014020	Fat		0,07	0,05				0,3
1014030	Liver		0,7	0,2				0,01 (*)
1014040	Kidney		0,7	0,2				0,02
1014050	Edible offal		0,7	0,2				0,3
1014990	Others		0,05 (*)	0,1				0,01 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>							
1015010	Muscle		0,05 (*)	0,05				0,05
1015020	Fat		0,07	0,05				0,3
1015030	Liver		0,7	0,2				0,01 (*)
1015040	Kidney		0,7	0,2				0,02
1015050	Edible offal		0,7	0,2				0,3

Code number	Groups and examples of individual products to which the MRLs apply ^(*)	Chloranfenozide	Dicamba	Difenoconazole	Fenpyrazamine	Fluazinam (F)	Nicotine	Tau-Fluvalinate (F)
1015990	Others		0,05 (*)	0,1				0,01 (*)
1016000	(f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i>			0,1				0,01 (*)
1016010	Muscle		0,02					
1016020	Fat		0,04					
1016030	Liver		0,07					
1016040	Kidney		0,07					
1016050	Edible offal		0,07					
1016990	Others		0,05 (*)					
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>							0,01 (*)
1017010	Muscle		0,05 (*)	0,1				
1017020	Fat		0,07	0,1				
1017030	Liver		0,7	0,2				
1017040	Kidney		0,7	0,2				
1017050	Edible offal		0,7	0,2				
1017990	Others		0,05 (*)	0,1				
1020000	(ii) Milk	0,01 (*)		0,005 (*)	0,01 (*)			0,05
1020010	Cattle		0,5					
1020020	Sheep		0,2					
1020030	Goat		0,2					
1020040	Horse		0,2					
1020990	Others		0,2					
1030000	(iii) Bird eggs	0,01 (*)	0,05 (*)	0,05 (*)	0,01 (*)			0,01 (*)
1030010	Chicken							
1030020	Duck							
1030030	Goose							
1030040	Quail							
1030990	Others							
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	0,05 (*)	0,05 (*)	0,05 (*)	0,05 (*)			0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	0,01 (*)	0,05 (*)	0,05 (*)	0,01 (*)			0,01 (*)
1060000	(vi) Snails	0,01 (*)	0,05 (*)	0,05 (*)	0,01 (*)			0,01 (*)
1070000	(vii) Other terrestrial animal products (Wild game)	0,01 (*)	0,05 (*)	0,05 (*)	0,01 (*)			0,01 (*)

(*) Indicates lower limit of analytical determination

(*) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

Chromafenozide

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Dicamba

- (+) The following MRL applies to dicamba-tolerant soya bean: 0,4 mg/kg of 3,6-dichloro-salicylic acid (DCSA) and its conjugates, expressed as DCSA.

0401070 Soya bean

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Difenoconazole

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fenpyrazamine

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Fluazinam (F)

- (+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish

Nicotine

- (+) Scientific evidence is not conclusive to demonstrate that nicotine occurs naturally in the concerned crop and to elucidate its mechanism of formation. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by 19 October 2016, or, if that information is not submitted by that date, the lack of it.

0154050 Rose hips

0256000 (f) Herbs

0256010 Chervil

0256020 Chives

0256030 Celery leaves (Fennel leaves, coriander leaves, dill leaves, caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves, culantro/stinking/long coriander/stink weed (*Eryngium foetidum*))

0256040 Parsley (leaves of root parsley)

0256050 Sage (Winter savory, summer savory, *Borago officinalis* leaves)

0256060 Rosemary

0256070 Thyme (Marjoram, oregano)

0256080 Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)

0256090 Bay leaves (laurel) (Lemon grass)

0256100 Tarragon (Hyssop)

0256990 Others

- (+) The following MRLs apply to dried wild mushrooms: 2.3 mg/kg for ceps, 1.2 mg/kg for dried wild mushrooms other than ceps. Scientific evidence is not conclusive to demonstrate that nicotine occurs naturally in the concerned crop and to elucidate its mechanism of formation. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by 19 October 2016, or, if that information is not submitted by that date, the lack of it.

0280020 Wild fungi (Chanterelle, truffle, morel, cep)

- (+) Scientific evidence is not conclusive to demonstrate that nicotine occurs naturally in the concerned crop and to elucidate its mechanism of formation. When re-viewing the MRL, the Commission will take into account the information, if it is submitted by 19 October 2016, or, if that information is not submitted by that date, the lack of it.

0610000 (i) Tea

0630000 (iii) Herbal infusions (dried)

0631000 (a) Flowers

0631010 Camomille flowers

0631020 Hybiscus flowers

0631030 Rose petals

0631040 Jasmine flowers (Elderflowers (*Sambucus nigra*))

0631050 Lime (linden)

0631990 Others

0632000 (b) Leaves

0632010 Strawberry leaves

0632020 Rooibos leaves (*Ginkgo* leaves)

0632030 Maté

0632990 Others

0633000 (c) Roots

0633010 Valerian root

0633020 Ginseng root

0633990 Others

0639000 (d) Other herbal infusions

0800000 8. SPICES

0810000 (i) Seeds

0810010 Anise

0810020 Black caraway

0810030 Celery seed (*Lovage* seed)

0810040 Coriander seed

0810050 Cumin seed

0810060 Dill seed

0810070 Fennel seed

0810080 Fenugreek

0810090 Nutmeg

0810990	Others
0820000	(ii) Fruits and berries
0820010	Allspice
0820020	Sichuan pepper (Anise pepper, Japan pepper)
0820030	Caraway
0820040	Cardamom
0820050	Juniper berries
0820060	Pepper, black, green and white (Long pepper, pink pepper)
0820070	Vanilla pods
0820080	Tamarind
0820990	Others
0830000	(iii) Bark
0830010	Cinnamon (Cassia)
0830990	Others
0840000	(iv) Roots or rhizome
0840010	Liquorice
0840020	Ginger
0840030	Turmeric (Curcuma)
0840040	Horseradish
0840990	Others
0850000	(v) Buds
0850010	Cloves
0850020	Capers
0850990	Others
0860000	(vi) Flower stigma
0860010	Saffron
0860990	Others
0870000	(vii) Aril
0870010	Mace
0870990	Others

Tau-Fluvalinate (F)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish*

(b) In Part B, the column for penconazole is replaced by the following:

'Pesticide residues and maximum residue levels (mg/kg)

Code number	Groups and examples of individual products to which the MRLs apply ^(a)	Penconazole (F)
0130040	Medlar	0,2
0130050	Loquat	0,2
0154050	Rose hips	0,05 (*)
0154060	Mulberries (Arbutus berry)	0,05 (*)
0154070	Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta))	0,05 (*)
0154080	Elderberries (Black chokeberry/appleberry, mountain ash, buckthorn/sea sallowthorn, hawthorn, serviceberries, and other treeberries)	0,05 (*)
0161050	Carambola (Bilimbi)	0,05 (*)
0161060	Persimmon	0,05 (*)
0161070	Jambolan (java plum) (Java apple/water apple, pomerac, rose apple, Brazilian cherry, Surinam cherry/grumichama (Eugenia uniflora))	0,05 (*)
0162040	Prickly pear (cactus fruit)	0,05 (*)
0162050	Star apple	0,05 (*)
0162060	American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel/yellow sapote, mammey sapote)	0,05 (*)
0163060	Cherimoya (Custard apple, sugar apple/sweetsop, ilama (Annona diversifolia) and other medium sized Annonaceae fruits)	0,05 (*)
0163070	Guava (Red pitaya/dragon fruit (Hylocereus undatus))	0,05 (*)
0163090	Bread fruit (Jackfruit)	0,05 (*)
0163100	Durian	0,05 (*)
0163110	Soursop (guanabana)	0,05 (*)
0212040	Arrowroot	0,05 (*)
0251050	Land cress	0,05 (*)
0251070	Red mustard	0,05 (*)
0252020	Purslane (Winter purslane/miner's lettuce, garden purslane, common purslane, sorrel, glassworth, agretti (Salsola soda))	0,05 (*)
0253000	(c) Vine leaves (grape leaves) (Malabar nightshade, banana leaves, climbing wattle (Acacia pennata))	0,05 (*)
0256050	Sage (Winter savory, summer savory, Borago officinalis leaves)	0,05 (*)
0256060	Rosemary	0,05 (*)
0256070	Thyme (Marjoram, oregano)	0,05 (*)
0256080	Basil (Balm leaves, mint, peppermint, holy basil, sweet basil, hairy basil, edible flowers (marigold flower and others), pennywort, wild betel leaf, curry leaves)	0,05 (*)
0256090	Bay leaves (laurel) (Lemon grass)	0,05 (*)
0256100	Tarragon (Hyssop)	0,05 (*)
0270080	Bamboo shoots	0,05 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Perconazole (F)
0270090	Palm hearts	0,05 (*)
0290000	(ix) Sea weeds	
0401110	Safflower	0,05 (*)
0401120	Borage (Purple viper's bugloss/Canary flower (Echium plantagineum), Corn Gromwell (Buglossoides arvensis))	0,05 (*)
0401130	Gold of pleasure	0,05 (*)
0401150	Castor bean	0,05 (*)
0402020	Palm nuts (palmoil kernels)	0,05 (*)
0402030	Palmfruit	0,05 (*)
0402040	Kapok	0,05 (*)
0620000	(ii) Coffee beans	0,1 (*)
0630000	(iii) Herbal infusions (dried)	0,1 (*)
0631000	(a) <i>Flowers</i>	0,1 (*)
0631010	Camomille flowers	0,1 (*)
0631020	Hybiscus flowers	0,1 (*)
0631030	Rose petals	0,1 (*)
0631040	Jasmine flowers (Elderflowers (Sambucus nigra))	0,1 (*)
0631050	Lime (linden)	0,1 (*)
0631990	Others	0,1 (*)
0632000	(b) <i>Leaves</i>	0,1 (*)
0632010	Strawberry leaves	0,1 (*)
0632020	Rooibos leaves (Ginkgo leaves)	0,1 (*)
0632030	Maté	0,1 (*)
0632990	Others	0,1 (*)
0633000	(c) <i>Roots</i>	0,1 (*)
0633010	Valerian root	0,1 (*)
0633020	Ginseng root	0,1 (*)
0633990	Others	0,1 (*)
0639000	(d) <i>Other herbal infusions</i>	0,1 (*)
0640000	(iv) Cocoabeans (fermented or dried)	0,1 (*)
0650000	(v) Carob (st johns bread)	0,1 (*)
0800000	8. SPICES	
0810000	(i) Seeds	0,1 (*)
0810010	Anise	0,1 (*)
0810020	Black caraway	0,1 (*)
0810030	Celery seed (Lovage seed)	0,1 (*)
0810040	Coriander seed	0,1 (*)
0810050	Cumin seed	0,1 (*)

Code number	Groups and examples of individual products to which the MRLs apply ^(e)	Penconazole (F)
0810060	Dill seed	0,1 (*)
0810070	Fennel seed	0,1 (*)
0810080	Fenugreek	0,1 (*)
0810090	Nutmeg	0,1 (*)
0810990	Others	0,1 (*)
0820000	(ii) Fruits and berries	0,1 (*)
0820010	Allspice	0,1 (*)
0820020	Sichuan pepper (Anise pepper, Japan pepper)	0,1 (*)
0820030	Caraway	0,1 (*)
0820040	Cardamom	0,1 (*)
0820050	Juniper berries	0,1 (*)
0820060	Pepper, black, green and white (Long pepper, pink pepper)	0,1 (*)
0820070	Vanilla pods	0,1 (*)
0820080	Tamarind	0,1 (*)
0820990	Others	0,1 (*)
0830000	(iii) Bark	0,1 (*)
0830010	Cinnamon (Cassia)	0,1 (*)
0830990	Others	0,1 (*)
0840000	(iv) Roots or rhizome	
0840010	Liquorice	0,1 (*)
0840020	Ginger	0,1 (*)
0840030	Turmeric (Curcuma)	0,1 (*)
0840040	Horseradish	(+)
0840990	Others	0,1 (*)
0850000	(v) Buds	0,1 (*)
0850010	Cloves	0,1 (*)
0850020	Capers	0,1 (*)
0850990	Others	0,1 (*)
0860000	(vi) Flower stigma	0,1 (*)
0860010	Saffron	0,1 (*)
0860990	Others	0,1 (*)
0870000	(vii) Aril	0,1 (*)
0870010	Mace	0,1 (*)
0870990	Others	0,1 (*)
0900000	9. SUGAR PLANTS	0,05 (*)
0900010	Sugar beet (root)	0,05 (*)
0900020	Sugar cane	0,05 (*)

Code number	Groups and examples of individual products to which the MRLs apply ⁽⁺⁾	Penconazole (F)
0900030 0900990	Chicory roots Others	0,05 (*) 0,05 (*)
1015000	(e) <i>Horses, asses, mules or hinnies</i>	0,05 (*)
1015010 1015020 1015030 1015040 1015050 1015990	Muscle Fat Liver Kidney Edible offal Others	0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*)
1017000	(g) <i>Other farm animals (Rabbit, kangaroo, deer)</i>	0,05 (*)
1017010 1017020 1017030 1017040 1017050 1017990 1030020 1030030 1030040 1030990	Muscle Fat Liver Kidney Edible offal Others Duck Goose Quail Others	0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*) 0,05 (*)
1040000	(iv) Honey (Royal jelly, pollen, honey comb with honey (comb honey))	0,05 (*)
1050000	(v) Amphibians and reptiles (Frog legs, crocodiles)	0,05 (*)
1060000	(vi) Snails	0,05 (*)
1070000	(vii) Other terrestrial animal products (Wild game)	0,05 (*)

(*) Indicates lower limit of analytical determination

(+) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(F) = Fat soluble

Penconazole (F)

(+) The applicable maximum residue level for horseradish (*Armoracia rusticana*) in the spice group (code 0840040) is the one set for horseradish (*Armoracia rusticana*) in the Vegetables category, root and tuber vegetables group (code 0213040) taking into account changes in the levels by processing (drying) according to Art. 20 (1) of Regulation (EC) No 396/2005.

0840040 Horseradish*

